

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
4 November 2004 (04.11.2004)

PCT

(10) International Publication Number
WO 2004/094671 A2

(51) International Patent Classification⁷: C12Q 1/68

(21) International Application Number:
PCT/US2004/012788

(22) International Filing Date: 22 April 2004 (22.04.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/464,586 22 April 2003 (22.04.2003) US
60/464,588 22 April 2003 (22.04.2003) US

(71) Applicants (for all designated States except US): COLEY
PHARMACEUTICAL GmbH [DE/DE]; Elisabeth-Sel-
bert-Strasse 9, D-40764 Langenfeld (DE). COLEY
PHARMACEUTICAL GROUP, INC. [US/US]; 93
Worcester Street, Suite 101, Wellesley, MA 02481 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): VOLLMER, Jörg
[DE/DE]; Kohlrauschweg 24, D-40591 Duesseldorf (DE).

JURK, Marion [DE/DE]; Klosterstr. 4, D-41540 Dor-
nagel (DE). LIPFORD, Grayson, B. [GB/US]; 38 Bates
Road, Watertown, MA 02472 (US). SCHETTER, Chris-
tian [DE/DE]; Oerkhaushof 35, D-40723 Hilden (DE).
FORSBACH, Alexandra [DE/DE]; Raiffeisenstrasse
N°1, D-40764 Rantingen (DE). KRIEG, Arthur, M.
[US/US]; 173 Winding River Road, Wellesley, MA 02482
(US).


(74) Agent: TREVISAN, Maria, A.; Wolf, Greenfield &
Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210
(US).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: METHODS AND PRODUCTS FOR IDENTIFICATION AND ASSESSMENT OF TLR LIGANDS



(57) Abstract: The invention provides in part novel screening methods and compositions for identifying and distinguishing between candidate immunomodulatory compounds. The invention further provides methods for assessing biological activity of composition containing a known TLR ligand. These latter methods can be used for quality assessment and selection of various lots of test compositions, including pharmaceutical products for clinical use.



GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**METHODS AND PRODUCTS FOR IDENTIFICATION AND ASSESSMENT
OF TLR LIGANDS**

Background of the Invention

5 Nucleic acids with immunostimulatory activity have been identified. The first recognized immunostimulatory motif was the CpG motif in which at least the C of the dinucleotide was unmethylated. It has been postulated that mammalian subjects recognize the unmethylated dinucleotide as being of bacterial origin, and thus mount a heightened immune response following exposure. The ensuing immune response includes both cell mediated and
10 humoral aspects. Since the discovery of the CpG immunostimulatory motif, other immunostimulatory motifs have also been identified including the poly-T and T-rich motifs, the TG motif and the poly-G motif. In some instances, immunostimulation has also been observed in response to exposure to methylated CpG motifs and motif-less nucleic acids having phosphorothioate backbone linkages.

15 The responses induced by immunostimulatory nucleic acids are varied and can include production and secretion of cytokines, chemokines, and other growth factors. The nucleic acids can induce a heightened immune stimulation regardless of whether an antigen is also introduced to the subject. Identification of new motifs as well as of subtle differences between response profiles of different nucleic acids oftentimes can be laborious, and a high
20 throughput system for screening nucleic acids for their ability to be immunostimulatory as well as to determine the profile of responses they induce would be useful.

Summary of the Invention

25 The invention provides in its broadest sense screening methods and tools for identification and discrimination of immunomodulatory molecules and assessment and standardization of samples containing known immunomodulatory molecules. The immunomodulatory molecules can be immunostimulatory or immunoinhibitory, and most preferably are Toll-like receptor (TLR) ligands.

30 In one aspect, the invention provides a screening method for identifying TLR agonists. The method comprises contacting a cell line endogenously expressing at least one TLR with a test compound and measuring a test level of TLR signaling activity, wherein a positive test level is indicative of a TLR agonist (i.e., an immunostimulatory compound). The positive test

- 2 -

level may be apparent without referring to a control. Preferably, however, it is determined relative to a control (i.e., the TLR signaling activity from a reference compound).

In some embodiments, the reference compound is a compound that induces no response (i.e., a zero response) or a minimal response. In this case, a test level that is greater
5 than the reference level is indicative of a compound with TLR signaling activity. More preferably, the reference compound is a compound that induces a positive response (i.e., a non-zero response) and that is immunostimulatory. These reference compounds are referred to herein as negative and positive reference compounds, respectively. If the reference compound is immunostimulatory (i.e., a positive reference compound), a non-zero test level
10 that is lower than the reference level is still indicative of an immunostimulatory test compound. In this latter embodiment, the test compound is less immunostimulatory than the reference compound (for that particular readout), but it is nonetheless immunostimulatory given the non-zero response induced. There may be one or more concurrent or consecutive assays with a negative reference compound, a positive reference compound, or both. The
15 reference may also be a standard curve or data generated previously.

In a related aspect, the screening method involves exposing the same cell to a positive reference compound and a test compound in order to identify a test compound that inhibits the immunostimulatory response of the positive reference compound (i.e., a TLR antagonist or an immunoinhibitory compound).

20 In still a related aspect, the screening method involves exposing the same cells to a positive reference compound and a test compound in order to identify a test compound that enhances the immunostimulatory response of the positive reference compound (i.e., an enhancer).

In both of these latter aspects, the assay requires a co-incubation of the positive
25 reference compound, the test compound and the cells. Separate assays with positive reference compound alone and optionally negative reference compound alone are usually also performed.

The positive reference compound is a known TLR ligand. Non-limiting examples include but are not limited to TLR3 ligands, TLR7 ligands, TLR8 ligands and TLR9 ligands.

30 In some embodiments, the positive reference compound is an immunostimulatory nucleic acid. In some embodiments, the positive reference compound is a CpG nucleic acid, a poly-T nucleic acid, a T-rich nucleic acid or a poly-G nucleic acid. Another example of a positive

- 3 -

reference compound is a nucleic acid comprising a backbone that contains at least one phosphorothioate linkage.

It has been further discovered according to the invention that the RPMI 8226 cell line expresses TLR7 and responds to the imidazoquinoline compound R-848 (Resiquimod) which is known to signal through TLR7 and TLR8. Accordingly, the screening method can be performed using RPMI 8226, Raji or RAMOS cells and an imidazoquinoline compound such as R-848 or R-847 (Imiquimod) as the positive reference compound.

In one embodiment, the test compound is a nucleic acid such as but not limited to a DNA, an RNA and a DNA/RNA hybrid. The test compound may be a nucleic acid that does not comprise motif selected from the group consisting of a CpG motif, a poly-T motif, a T-rich motif and a poly-G motif. The test compound may be a nucleic acid that comprises a phosphorothioate backbone linkage. In another embodiment, the test compound is a non-nucleic acid small molecule. The non-nucleic acid small molecule may be derived from a molecular library. In other embodiments, the test compound comprises amino acids, carbohydrates such as polysaccharides. It may be a hormone or a lipid or contain moieties derived therefrom. In other embodiments, the test compounds are putative ligands for TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9, TLR10 or TLR11.

In one embodiment, the cell is a RPMI 8226 cell, a Raji cell, a RAMOS cell, a THP-1 cells, a Nalm cell or a KG-1 cell and the TLR is TLR9. In another embodiment, the cell is a RPMI 8226 cell, a Raji cell or a RAMOS cell and the TLR is TLR7. In yet another embodiment, the cell is a KG-1 cell, a Nalm cell, a Raji cell, a RAMOS cell, a Jurkat cell, a Hela cell, a Hep-2 cell, a Hep-2 cells, a A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell and the TLR is TLR3.

In another embodiment, the cell is an RPMI 8226 cell and the TLR is TLR7 or TLR9. In still another embodiment, the cell is a Raji cell and the TLR is TLR9, TLR7 or TLR3.

Depending upon the embodiment, the TLR signaling activity may be measured or detected in a number of ways. In one embodiment, the TLR signaling activity is measured by cytokine, chemokine, or growth factor secretion. The cytokine secretion may be selected from the group consisting of IL-6 secretion, IL-10 secretion, IL-12 secretion, IFN- α secretion and TNF- α secretion, but is not so limited. The chemokine secretion may be IP-10 secretion or IL-8 secretion, but is not so limited.

In another embodiment, the TLR signaling activity is measured by antibody secretion. The antibody secretion may be IgM secretion, but is not limited to this antibody subtype.

- 4 -

In another embodiment, the TLR signaling activity is measured by phosphorylation. The total level of phosphorylation in the cell or the level of phosphorylation of particular factors in the cell may be measured. These factors are preferably signaling factors and can be selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, Jun, c-fos, and subunits of NF- κ B, but are not so limited.

In still a further embodiment, the TLR signaling activity is measured by cell surface marker expression. In one embodiment, the TLR signaling activity is measured by an increase in cell surface marker expression. Examples of cell surface markers to be analyzed include CD71, CD86, HLA-DR, CD80, HLA Class I, CD54 and CD69. In other embodiments, the TLR signaling activity is measured by a decrease in cell surface marker expression. Cell surface marker expression can be determined using flow cytometry. TLR signaling activity can also be measured by protein production (e.g., by Western blot).

In another embodiment, the TLR signaling activity is measured by gene expression. Gene expression profiles may be determined using Northern blot analysis or RT-PCR that uses mRNA or total RNA as a starting material. The gene expression of interest may be that of the chemokines and cytokines and cell surface molecules recited above. Gene expression analysis can be performed using microarray techniques.

In yet another embodiment, the TLR signaling activity is measured by cell proliferation. Cell proliferation assays can be measured in a number of ways including but not limited to ^3H -thymidine incorporation.

In one embodiment, the cell is an RPMI 8226 cell and TLR signaling is indicated by expression of a marker such as CD71, CD86 and/or HLA-DR or by expression, production or secretion of a factor such as IL-8, IL-10, IP-10 and/or TNF- α . Preferably, in this latter embodiment, the RPMI 8226 cell is unmodified. In another embodiment, the cell is a Raji cell and the TLR signaling is indicated by IL-6 or IFN- α 2 expression, production or secretion. In yet another embodiment, the cell is a RAMOS cell and the TLR signaling is indicated by CD80 cell surface expression.

TLR signaling activity can be measured via a native readout or an artificial readout or both. A native readout is one that does not rely on introduction of a reporter construct into the cell of interest.

The cell line may be used in a modified or unmodified form. In one embodiment, the cell line is transfected with a reporter construct. The transfection may be transient or stable. The reporter construct generally comprises a promoter, a coding sequence and a

- 5 -

polyadenylation signal. The coding sequence may comprise a reporter sequence selected from the group consisting of an enzyme (e.g., luciferase, alkaline phosphatase, β -galactosidase, chloramphenicol acetyltransferase (CAT), secreted alkaline phosphatase, etc.), a bioluminescence marker (e.g., green fluorescent protein (GFP, U.S. Patent No. 5,491,084), etc.), a surface-expressed molecule (e.g., CD25), a secreted molecule (e.g., IL-8, IL-12 p40, TNF- α , etc.), and other detectable protein sequences known to those of skill in the art. Preferably, the coding sequence encodes a protein, the level or activity of which can be quantified, with preferably a wide linear range.

In some embodiments, the promoter is a promoter that is responsive to TLR signaling pathways (i.e., a "TLR responsive promoter"). In some embodiments, the promoter contains a binding site for a transcription factor activated upon CpG nucleic acid exposure, such as for example NF- κ B. In other embodiments, the promoter contains a binding site for a transcription factor that is activated by a positive reference compound other than CpG nucleic acids. The transcription factor binding site may be selected from the group consisting of a NF- κ B binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE, as well as others known to those of skill in the art.

In another embodiment, the promoter contains a functional promoter element from an IL-1 gene, an IL-6 gene, an IL-8 gene, an IL-10 gene, an IL-12 p40 gene, an IFN- α 1 gene, an IFN- α 4 gene, an IFN- β gene, an IFN- γ gene, a TNF- α gene, a TNF- β gene, an IP-9 gene, an IP-10 gene, a RANTES gene, an ITAC gene, a MCP-1 gene, an IGFBP4 gene, a CD54 gene, a CD69 gene, a CD71 gene, a CD80 gene, a CD86 gene, a HLA-DR gene, and a HLA class I gene.

The TLR responsive promoter may be a TLR1 responsive promoter, a TLR2 responsive promoter, a TLR3 responsive promoter, a TLR4 responsive promoter, a TLR5 responsive promoter, a TLR6 responsive promoter, a TLR7 responsive promoter, a TLR8 responsive promoter, a TLR9 responsive promoter, a TLR10 responsive promoter or a TLR11 responsive promoter.

In these latter embodiments, the cell line may be transfected with a reporter construct having a promoter derived from a particular cytokine, chemokine, or cell surface marker, and a unique reporter coding sequence conjugated thereto. In this way, the readout from a particular reporter construct is a surrogate readout for cytokine, chemokine, or cell surface marker readout. Measuring readout from the reporter coding sequences described herein is in

- 6 -

some instances easier than measuring cytokine or chemokine secretion, or upregulation of a cell surface marker.

In these latter embodiments, the cell line may be transfected with a number of reporter constructs each having a promoter derived from a particular cytokine, chemokine, or cell surface marker, and a unique distinguishable coding sequence conjugated thereto. In these
5 embodiments, multiple readouts are possible from one screen. In other embodiments, multiple native readouts are also possible from one screen.

In a related embodiment, the cell may be further transfected with a nucleic acid that codes for a TLR polypeptide or a fragment thereof. Preferably, the TLR is one that is not
10 endogenously expressed by the cell. As an example, if the cell is an RPMI 8226 cell which has been shown to express TLR7 and TLR9 according to the invention, then it may be modified to express TLRs other than these (e.g., TLR8) in some embodiments. In this aspect, the RPMI 8226 cell is responsive to TLR8 ligands. In preferred embodiments, the TLR is a human TLR (i.e., hTLR).

In another aspect, the invention provides an RPMI 8226 cell transfected with a TLR nucleic acid. In still another embodiment, the TLR nucleic acid is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR8, TLR10 and TLR11. The encoded TLRs nucleic acids can derive from human or non-human sources. Examples of non-human sources include, but are not limited to, murine, bovine, canine, feline, ovine,
20 porcine, and equine species. Other species include chicken and fish, e.g., aquaculture species. The TLR nucleic acids can also include chimeric sequences consisting of domains originating from different species. In preferred embodiments, the TLR is a human TLR.

In still another aspect, the invention provides kits including the cells lines (e.g., the RPMI 8226 cell line), the reporter constructs and/or expression constructs described above,
25 and instructions for use.

Other aspects of the invention provide methods for analyzing the biological activity of individual lots of material containing previously identified specific TLR ligands (i.e., specific compounds which are ligands for a particular TLR) intended for use as, or for use in the preparation of, pharmaceutical compositions. The methods permit a qualitative and,
30 importantly, a quantitative assessment of biological activity of individual lots of TLR ligands, pre-formulation as well as post-formulation. Such methods are useful in the manufacture and validation of pharmaceutical compositions containing, as an active agent, at least one specific ligand of at least one specific TLR. The specific TLR can be any known TLR, including

- 7 -

without limitation TLR3, TLR7, TLR8 and TLR9. The specific TLR ligand is an isolated TLR ligand, either found in nature or synthetic (not found in nature), including in particular certain nucleic acid molecules and small molecules. Nucleic acid molecules that are specific TLR ligands include synthetic and naturally-occurring oligonucleotides having specific base
5 sequence motifs. Furthermore, specific TLR ligands include both agonists and antagonists of specific TLR.

These methods are to be distinguished from test procedures and acceptance criteria for new drug substances and new drug products which are classified as chemical substances. Unlike the afore-mentioned test procedures and acceptance criteria, the methods of the instant
10 invention deal specifically with characterizing drug substances and drug products which are classified as oligonucleotides. Oligonucleotides are explicitly excluded in ICH Topic Q6A Specifications: Test Procedures and Acceptance Criteria for New Drug Substances and New Drug Products: Chemical Substances, Step 4 – Consensus Guideline: 6 October 1999, § 1.3.

Further still, the methods of the instant invention are to be distinguished from test
15 procedures and acceptance criteria for biotechnological/biological products. Unlike the afore-mentioned test procedures and acceptance criteria, the methods of the invention deal specifically with characterizing biotechnological/biological products which are classified as DNA products. DNA products are explicitly excluded in ICH Harmonised Tripartite Guideline Specifications: Test Procedures and Acceptance Criteria for
20 Biotechnological/Biological Products, Step 4 – 10 March 1999, § 1.3.

In one aspect, the invention provides a method for quality assessment of a test composition containing a known TLR ligand. The method according to this aspect of the invention involves measuring a reference activity of a reference composition comprising a known TLR ligand, wherein the known TLR ligand is a nucleic acid molecule; measuring a
25 test activity of a test composition comprising the known TLR ligand; and comparing the test activity to the reference activity. In one embodiment the method further involves the step of selecting the test composition if the test activity falls within a predetermined range of variance about the reference activity.

In one embodiment, the reference composition is a first production lot of a
30 pharmaceutical composition comprising the known TLR ligand, and the test composition is a second production lot of a pharmaceutical composition comprising the known TLR ligand. This embodiment is particularly useful as a method for developing and applying acceptance criteria for finished pharmaceutical products containing a known TLR ligand.

In another embodiment, the reference composition is a first in-process lot of a composition comprising the known TLR ligand, and the test composition is a second in-process lot of a composition comprising the known TLR ligand. This embodiment is particularly useful as a method for developing and applying acceptance criteria for raw materials and/or other in-process materials containing a known TLR ligand bound for use in a pharmaceutical product.

In one embodiment according to this aspect of the invention, measuring the reference activity involves contacting the reference composition with an isolated cell expressing a TLR responsive to the known TLR ligand, and measuring the test activity involves contacting the test composition with the isolated cell expressing the TLR responsive to the known TLR ligand. Further, in one embodiment the isolated cell expressing the TLR responsive to the known TLR ligand includes an expression vector for the TLR responsive to the known TLR ligand. Such expression vector, and likewise for any expression vector according to the instant invention, can be introduced into the cell using any suitable method.

In one embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand naturally expresses the TLR responsive to the known TLR ligand. Such a cell can be naturally occurring or it can be a cell line, provided the cell does not include an expression vector introduced into the cell for the purpose of artificially inducing the cell to express or overexpress the TLR.

In one particular embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is RPMI 8226. In another embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is Raji, RAMOS, Nalm, THP-1 or KG-1 and the TLR is TLR9. In another embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is RPMI 8226, Raji or RAMOS and the TLR is TLR7. In yet another embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is a KG-1 cell, a Nalm cell, a Raji cell, a RAMOS cell, a Jurkat cell, a HeLa cell, a Hep-2 cell, a Hep-2 cells, a A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell and the TLR is TLR3.

Further according to this aspect of the invention, in one embodiment measuring the reference activity and measuring the test activity each comprises measuring signaling activity mediated by a TLR responsive to the known TLR ligand. As described in greater detail elsewhere herein, TLR signaling involves a series of intracellular signaling events. These signaling events give rise to various downstream products, including certain transcription

- 9 -

factors (e.g., NF- κ B and AP-1), cytokines, chemokines, etc., which can affect the activity of certain gene promoters. For example, in one embodiment the signaling activity is activity of a reporter gene or reporter construct under the control of a NF- κ B response element.

In other embodiments, the signaling activity is activity of a reporter gene or reporter
5 construct under the control of an interferon-stimulated response element (ISRE); an IFN- α promoter; an IFN- β promoter; an IL-6 promoter; an IL-8 promoter; an IL-12 p40 promoter; a RANTES promoter; an IL-10 promoter or an IP-10 promoter.

In one embodiment, the known TLR ligand is an immunostimulatory nucleic acid. An immunostimulatory nucleic acid can include, without limitation, a CpG nucleic acid. In
10 another embodiment, the known TLR ligand is an immunoinhibitory nucleic acid. When the known TLR ligand is a TLR antagonist (e.g., an immunoinhibitory oligonucleotide), the method according to this aspect of the invention can further involve measuring the reference activity of the reference composition and measuring the test activity of the test composition, each performed in the presence of a known immunostimulatory TLR ligand.

15 In various embodiments, the known TLR ligand is a ligand for a particular TLR. Thus in one embodiment the known TLR ligand is a TLR9 ligand. More specifically, in one embodiment the known TLR ligand is a CpG nucleic acid.

In one embodiment, the known TLR ligand is a TLR3 ligand. Such a ligand can include, for example, a double-stranded RNA or a homolog thereof.

20 In one embodiment, the known TLR ligand is a TLR7 ligand. In one embodiment the known TLR ligand is a TLR8 ligand.

The invention provides in another aspect a method for quality assessment of a test lot of a pharmaceutical product containing a known TLR9 ligand. The method according to this aspect of the invention involves measuring a reference activity of a reference lot of a
25 pharmaceutical product comprising a known TLR9 ligand, wherein the known TLR9 ligand is a nucleic acid molecule; measuring a test activity of a test lot of a pharmaceutical product comprising the known TLR9 ligand; comparing the test activity to the reference activity; and rejecting the test lot if the test activity falls outside of a predetermined range of variance about the reference activity.

30 In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TGT CGT TTT GTC GTT-3' (SEQ ID NO:1).

- 10 -

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TGA CGT TTT GTC GTT-3' (SEQ ID NO:139).

5 In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TGT CGT TTT TTT CGA-3' (SEQ ID NO:140).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT CGT CGT TTC GTC GTT-3' (SEQ ID NO:141).

10 In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT CGT CGT TTT GTC GTT-3' (SEQ ID NO:142).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TTC GGT CGT TTT-3' (SEQ ID NO:143).

15 In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TTC GTG CGT TTT T-3' (SEQ ID NO:144).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TCG GCG GCC GCC G-3' (SEQ ID NO:145).

20 In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TC_G TTT TAC_GGC GCC_GTG CCG-3' (SEQ ID NO:146), wherein every internucleoside linkage is
25 phosphorothioate except for those indicated by “_”, which are phosphodiester.

Each of the limitations of the invention can encompass various embodiments of the invention. It is, therefore, anticipated that each of the limitations of the invention involving any one element or combinations of elements can be included in each aspect of the invention.

30

Brief Description of the Figures

Fig. 1 is a bar graph showing cell surface expression of various markers by RPMI 8226 24 hours and 48 hours following stimulation with CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), LPS and IL-1.

Fig. 2 is a bar graph showing IL-8 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 3 is a bar graph showing IL-6 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 4 is a bar graph showing IP-10 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 5 is a bar graph showing IL-10 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 6 is a dose response curve showing fold induction of IL-8 production 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1) and non-CpG nucleic acid (SEQ ID NO: 2). The EC_{50} for CpG nucleic acid is 19 nM and the EC_{50} for non-CpG nucleic acid is 263 nM.

Fig. 7 is a bar graph showing NF- κ B activation in RPMI 8226 transfected transiently with a NF- κ B-luciferase reporter gene construct as a function of cell density and nucleic acid amount transfected, following exposure to CpG nucleic acid (SEQ ID NO: 1), LPS and TNF- α . NF- κ B activation is measured by luciferase activity.

Fig. 8 is a bar graph showing RT-PCR results from RNA isolated from RPMI 8226 using gene specific primers for TLR7, TLR8 and TLR9 genes.

Fig. 9 is a dose response curve showing IP-10 production induced by SEQ ID NO: 1, and inhibition thereof in the presence of SEQ ID NO: 151, a immunoinhibitory nucleic acid.

Fig. 10 is a bar graph showing the results of a TLR9 RT-PCR analysis of a number of cell lines.

Fig. 11 is a bar graph showing the results of a TLR7 RT-PCR analysis of a number of cell lines.

Fig. 12 is a bar graph showing the results of a TLR3 RT-PCR analysis of a number of cell lines.

Fig. 13 is a bar graph showing the results of a TLR3, TLR7, TLR8 and TLR9 RT-PCR analysis of the Raji cell line.

Fig. 14 is a graph showing IL-6 production by the Raji cell line upon stimulation with various ODN (SEQ ID NO:1; SEQ ID NO:154; SEQ ID NO:158; SEQ ID NO:160; SEQ ID NO:159; SEQ ID NO:161).

Fig. 15 is a bar graph showing IL-6 production of the Raji cell line upon stimulation with poly I:C and R-848.

Fig. 16 is a bar graph showing IFN- α 2 production by the Raji cell line upon stimulation with CpG ODN (SEQ ID NO: 1), R-848 and poly I:C.

Fig. 17 is a bar graph showing CD80 expression (by flow cytometry) by the RAMOS cell line upon stimulation with CpG ODN (SEQ ID NO: 1) and non-CpG ODN (SEQ ID NO: 2).

Fig. 18A is a bar graph showing the induction of NF- κ B by 293 fibroblast cells transfected with human TLR9 in response to exposure to various stimuli, including CpG-ODN, GpC-ODN, LPS, and medium.

Fig. 18B is a bar graph showing the amount of IL-8 produced by 293 fibroblast cells transfected with human TLR9 in response to exposure to various stimuli, including CpG-ODN, GpC-ODN, LPS, and medium.

Fig. 19 is a bar graph showing the induction of NF- κ B-luc produced by stably transfected 293-mTLR9 cells in response to exposure to various stimuli, including CpG-ODN, methylated CpG-ODN (Me-CpG-ODN), GpC-ODN, LPS and medium.

Fig. 20 is a bar graph showing the induction of NF- κ B-luc produced by stably transfected 293-hTLR9 cells in response to exposure to various stimuli, including CpG-ODN, methylated CpG-ODN (Me-CpG-ODN), GpC-ODN, LPS and medium.

Fig. 21 is a series of gel images depicting the results of reverse transcriptase-polymerase chain reaction (RT-PCR) assays for murine TLR9 (mTLR9), human TLR9 (hTLR9), and glyceraldehyde-3-phosphate dehydrogenase (GAPDH) in untransfected control 293 cells, 293 cells transfected with mTLR9 (293-mTLR9), and 293 cells transfected with hTLR9 (293-hTLR9).

It is to be understood that the Figures are not required for enablement of the invention.

Brief Description of Sequences

SEQ ID NO:1 is the nucleotide sequence of an immunostimulatory nucleic acid (TLR9 ligand).

SEQ ID NO:2 is the nucleotide sequence of a non-CpG nucleic acid.

SEQ ID NO:3 is the nucleotide sequence of human TLR2 cDNA (U88878).

5 SEQ ID NO:4 is the amino acid sequence of human TLR2 protein (AAC34133).

SEQ ID NO:5 is the nucleotide sequence of murine TLR2 cDNA (AF165189).

SEQ ID NO:6 is the amino acid sequence of murine TLR2 protein (NP_036035).

SEQ ID NO:7 is the nucleotide sequence of human TLR3 cDNA (NM_003265).

SEQ ID NO:8 is the amino acid sequence of human TLR3 protein (NP_003256).

10 SEQ ID NO:9 is the nucleotide sequence of murine TLR3 cDNA (AF355152).

SEQ ID NO:10 is the amino acid sequence of murine TLR3 protein (AAK26117).

SEQ ID NO:11 is the nucleotide sequence of human TLR4 cDNA (U88880).

SEQ ID NO:12 is the nucleotide sequence of human TLR4 cDNA transcript variant 4 (NM_138557).

15 SEQ ID NO:13 is the nucleotide sequence of human TLR4 cDNA transcript variant 2 (NM_138556).

SEQ ID NO:14 is the nucleotide sequence of human TLR4 cDNA transcript variant 1 (NM_138554).

20 SEQ ID NO:15 is the nucleotide sequence of human TLR4 cDNA transcript variant 3 (NM_003266).

SEQ ID NO:16 is the amino acid sequence of human TLR4 protein isoform A (NP_612564).

SEQ ID NO:17 is the amino acid sequence of human TLR4 protein isoform B (NP_612566).

25 SEQ ID NO:18 is the amino acid sequence of human TLR4 protein isoform C (NP_003257).

SEQ ID NO:19 is the amino acid sequence of human TLR4 protein isoform D (NP_612567).

30 SEQ ID NO:20 is the nucleotide sequence of murine TLR4 cDNA (NM_021297).

SEQ ID NO:21 is the nucleotide sequence of murine TLR4 mRNA (AF185285).

SEQ ID NO:22 is the nucleotide sequence of murine TLR4 mRNA (AF110133).

SEQ ID NO:23 is the amino acid sequence of murine TLR4 protein (AAD29272).

SEQ ID NO:24 is the amino acid sequence of murine TLR4 protein (AAF04278).

- 14 -

- SEQ ID NO:25 is the nucleotide sequence of human TLR5 cDNA (AB060695).
SEQ ID NO:26 is the amino acid sequence of human TLR5 protein (BAB43558).
SEQ ID NO:27 is the amino acid sequence of human TLR5 protein (O60602).
SEQ ID NO:28 is the amino acid sequence of human TLR5 protein (AAC34136).
5 SEQ ID NO:29 is the nucleotide sequence of murine TLR5 cDNA (AF186107).
SEQ ID NO:30 is the amino acid sequence of murine TLR5 protein (AAF65625).
SEQ ID NO:31 is the nucleotide sequence of human TLR7 cDNA (AF240467).
SEQ ID NO:32 is the nucleotide sequence of human TLR7 cDNA (AF245702).
SEQ ID NO:33 is the nucleotide sequence of human TLR7 cDNA (NM_016562).
10 SEQ ID NO:34 is the amino acid sequence of human TLR7 protein (AAF60188).
SEQ ID NO:35 is the amino acid sequence of human TLR7 protein (AAF78035).
SEQ ID NO:36 is the amino acid sequence of human TLR7 protein (NP_057646).
SEQ ID NO:37 is the amino acid sequence of human TLR7 protein (Q9NYK1).
SEQ ID NO:38 is the nucleotide sequence of murine TLR7 cDNA (AY035889).
15 SEQ ID NO:39 is the nucleotide sequence of murine TLR7 splice variant
(NM_133211).
SEQ ID NO:40 is the nucleotide sequence of murine TLR7 splice variant (AF334942).
SEQ ID NO:41 is the amino acid sequence of murine TLR7 protein (AAK62676).
SEQ ID NO:42 is the amino acid sequence of murine TLR7 protein (AAL73191).
20 SEQ ID NO:43 is the amino acid sequence of murine TLR7 protein (AAL73192).
SEQ ID NO:44 is the amino acid sequence of murine TLR7 protein (NP_573474).
SEQ ID NO:45 is the amino acid sequence of murine TLR7 protein (P58681).
SEQ ID NO:46 is the nucleotide sequence of human TLR8 cDNA (AF245703).
SEQ ID NO:47 is the nucleotide sequence of human TLR8 cDNA (AF246971).
25 SEQ ID NO:48 is the nucleotide sequence of human TLR8 cDNA (NM_138636).
SEQ ID NO:49 is the nucleotide sequence of human TLR8 cDNA (NM_016610).
SEQ ID NO:50 is the amino acid sequence of human TLR8 protein (AAF78036).
SEQ ID NO:51 is the amino acid sequence of human TLR8 protein (AAF64061).
SEQ ID NO:52 is the amino acid sequence of human TLR8 protein (Q9NR97).
30 SEQ ID NO:53 is the amino acid sequence of human TLR8 protein (NP_619542).
SEQ ID NO:54 is the amino acid sequence of human TLR8 protein (NP_057694).
SEQ ID NO:55 is the nucleotide sequence of murine TLR8 cDNA (AY035890).
SEQ ID NO:56 is the nucleotide sequence of murine TLR8 cDNA (NM_133212).

- 15 -

- SEQ ID NO:57 is the amino acid sequence of murine TLR8 protein (AAK62677).
SEQ ID NO:58 is the amino acid sequence of murine TLR8 protein (NP_573475).
SEQ ID NO:59 is the amino acid sequence of murine TLR8 protein (P58682).
SEQ ID NO:60 is the nucleotide sequence of human TLR9 cDNA (AF245704).
5 SEQ ID NO:61 is the nucleotide sequence of human TLR9 cDNA (AB045180).
SEQ ID NO:62 is the amino acid sequence of human TLR9 protein (AAF78037).
SEQ ID NO:63 is the amino acid sequence of human TLR9 protein (AAF72189).
SEQ ID NO:64 is the amino acid sequence of human TLR9 protein (AAG01734).
SEQ ID NO:65 is the amino acid sequence of human TLR9 protein (AAG01735).
10 SEQ ID NO:66 is the amino acid sequence of human TLR9 protein (AAG01736).
SEQ ID NO:67 is the amino acid sequence of human TLR9 protein (BAB19259).
SEQ ID NO:68 is the nucleotide sequence of murine TLR9 cDNA (AF348140).
SEQ ID NO:69 is the nucleotide sequence of murine TLR9 cDNA (AB045181).
SEQ ID NO:70 is the nucleotide sequence of murine TLR9 cDNA (AF314224).
15 SEQ ID NO:71 is the nucleotide sequence of murine TLR9 cDNA (NM_031178).
SEQ ID NO:72 is the amino acid sequence of murine TLR9 protein (AAK29625).
SEQ ID NO:73 is the amino acid sequence of murine TLR9 protein (AAK28488).
SEQ ID NO:74 is the amino acid sequence of murine TLR9 protein (BAB19260).
SEQ ID NO:75 is the amino acid sequence of murine TLR9 protein (NP_112455).
20 SEQ ID NO:76 is the nucleotide sequence of human TLR10 cDNA (AF296673).
SEQ ID NO:77 is the amino acid sequence of human TLR10 protein (AAK26744).
SEQ ID NO:78 is the nucleotide sequence of human TLR6 cDNA (AB020807).
SEQ ID NO:79 is the nucleotide sequence of human TLR6 mRNA (NM_006068).
SEQ ID NO:80 is the amino acid sequence of human TLR6 protein (BAA78631).
25 SEQ ID NO:81 is the amino acid sequence of human TLR6 protein (NP_006059).
SEQ ID NO:82 is the amino acid sequence of human TLR6 protein (Q9Y2C9).
SEQ ID NO:83 is the nucleotide sequence of murine TLR6 cDNA (AB020808).
SEQ ID NO:84 is the nucleotide sequence of murine TLR6 cDNA (NM_011604).
SEQ ID NO:85 is the nucleotide sequence of murine TLR6 cDNA (AF314636).
30 SEQ ID NO:86 is the amino acid sequence of murine TLR6 protein (BAA78632).
SEQ ID NO:87 is the amino acid sequence of murine TLR6 protein (AAG38563).
SEQ ID NO:88 is the amino acid sequence of murine TLR6 protein (NP_035734).
SEQ ID NO:89 is the amino acid sequence of murine TLR6 protein (Q9EPW9).

- 16 -

SEQ ID NO:90 is the nucleotide sequence of a consensus sequence for NF- κ B p50 subunit.

SEQ ID NO:91 is the nucleotide sequence of a consensus sequence for NF- κ B p65 subunit.

5 SEQ ID NO:92 is the nucleotide sequence of an example of an NF- κ B p65 subunit binding site.

SEQ ID NO:93 is the nucleotide sequence of an example of a murine CREB binding site.

10 SEQ ID NO:94 is the nucleotide sequence of an example of a murine AP-1 binding site.

SEQ ID NO:95 is the nucleotide sequence of an example of a murine AP-1 binding site.

SEQ ID NO:96 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:97 is the nucleotide sequence of an example of an ISRE.

15 SEQ ID NO:98 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:99 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:100 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:101 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:102 is the nucleotide sequence of an example of an ISRE.

20 SEQ ID NO:103 is the nucleotide sequence of an example of an SRE.

SEQ ID NO:104 is the nucleotide sequence of an example of an SRE.

SEQ ID NO:105 is the nucleotide sequence of an example of an SRE.

SEQ ID NO:106 is the nucleotide sequence of an example of an NFAT binding site.

SEQ ID NO:107 is the nucleotide sequence of an example of an NFAT binding site.

25 SEQ ID NO:108 is the nucleotide sequence of an example of an NFAT binding site.

SEQ ID NO:109 is the nucleotide sequence of an example of an NFAT binding site.

SEQ ID NO:110 is the nucleotide sequence of an example of a GAS.

SEQ ID NO:111 is the nucleotide sequence of a p53 binding site consensus sequence.

SEQ ID NO:112 is the nucleotide sequence of an example of a p53 binding site.

30 SEQ ID NO:113 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:114 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:115 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:116 is the nucleotide sequence of an example of a p53 binding site.

- 17 -

SEQ ID NO:117 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:118 is the nucleotide sequence of an example of a TARE (TNF- α response element).

SEQ ID NO:119 is the nucleotide sequence of an example of an SRF binding site.

5 SEQ ID NO:120 is the nucleotide sequence of an example of an SRF binding site.

SEQ ID NO:121 is the nucleotide sequence of the -620 to +50 promoter region of IFN- α 4.

SEQ ID NO:122 is the nucleotide sequence of the -140 to +9 promoter region of IFN- α 1.

10 SEQ ID NO:123 is the nucleotide sequence of the -140 to +9 promoter region of IFN- α 1 (point mutation, AL353732).

SEQ ID NO:124 is the nucleotide sequence of the -280 to +20 promoter region of IFN- β .

15 SEQ ID NO:125 is the nucleotide sequence of the -397 to +5 promoter region of human RANTES (AB023652).

SEQ ID NO:126 is the nucleotide sequence of the -751 to +30 promoter region of human IL-12 p40.

SEQ ID NO:127 is the nucleotide sequence of the -250 to +30 promoter region of human IL-12 p40.

20 SEQ ID NO:128 is the nucleotide sequence of the -288 to +7 promoter region of human IL-6.

SEQ ID NO:129 is the nucleotide sequence of the IL-6 gene promoter from -1174 to +7 (M22111).

25 SEQ ID NO:130 is the nucleotide sequence of the -734 to +44 promoter region derived from human IL-8.

SEQ ID NO:131 is the nucleotide sequence of the -162 to 44 promoter region of human IL-8.

SEQ ID NO:132 is the nucleotide sequence of the -615 to +30 promoter region of human TNF- α .

30 SEQ ID NO:133 is the nucleotide sequence of a promoter region of human TNF- β .

SEQ ID NO:134 is the nucleotide sequence of the -875 to +97 promoter region of human IP-10.

SEQ ID NO:135 is the nucleotide sequence of the -219 to +114 promoter region of human CXCL11 (IP-9).

SEQ ID NO:136 is the nucleotide sequence of the full length promoter region of human CXCL11 (IP-9).

5 SEQ ID NO:137 is the nucleotide sequence of the -289 to +217 promoter region of IGFBP4 (Insulin growth factor binding protein 4).

SEQ ID NO:138 is the nucleotide sequence of the full length promoter region of IGFBP4.

10 SEQ ID NO:139 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:140 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:141 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:142 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:143 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:144 is the nucleotide sequence of an immunostimulatory nucleic acid.

15 SEQ ID NO:145 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:146 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:147 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

20 SEQ ID NO:148 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

SEQ ID NO:149 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

SEQ ID NO:150 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

25 SEQ ID NO:151 is the nucleotide sequence of an immunoinhibitory nucleic acid.

SEQ ID NO:152 is the nucleotide sequence of a sense primer for human TLR3.

SEQ ID NO:153 is the nucleotide sequence of an antisense primer for human TLR3.

SEQ ID NO:154 is the nucleotide sequence of a GpC nucleic acid.

SEQ ID NO:155 is the nucleotide sequence of a CpG ODN.

30 SEQ ID NO:156 is the nucleotide sequence of a GpC ODN.

SEQ ID NO:157 is the nucleotide sequence of a Me-CpG ODN.

SEQ ID NO:158 is the nucleotide sequence of a TLR9 ligand.

SEQ ID NO:159 is the nucleotide sequence of a TLR9 ligand.

- 19 -

SEQ ID NO:160 is the nucleotide sequence of a TLR9 ligand.

SEQ ID NO:161 is the nucleotide sequence of a TLR9 ligand.

Detailed Description of the Invention

5 In its broadest sense, the invention relates to screening methods and tools to be used to identify and discriminate between newly discovered immunomodulatory molecules and to compare and standardize compositions of known immunomodulatory molecules. The immunomodulatory molecules are preferably TLR ligands.

Thus, the invention is based in part on the discovery that cell lines expressing
10 endogenous TLR respond to TLR ligands in a manner similar to the response of peripheral blood mononuclear cells (PBMC). PBMC respond to immunomodulatory TLR ligands by modulating one or more parameters including gene expression, cell surface marker expression, cytokine and/or chemokine production and secretion, cell cycle status, phosphorylation status, and the like. TLR ligands can be categorized and distinguished based
15 on the cellular changes they induce (i.e., their induction profiles). The ability of a TLR ligand to provide therapeutic or prophylactic benefit to a subject depends on its induction profile. The ability to screen new TLR ligands for a panel of response indicators or parameters allows for rapid discrimination and categorization of TLR ligands. Moreover, the similarity between the cell line responses and those observed after in vivo administration of the TLR ligand
20 indicates that the cell lines are suitable predictors of in vivo activity. The use of in vitro propagated cell lines additionally overcomes the variability encountered when using freshly isolated PBMC.

The TLR ligands identified according to the invention therefore can be used therapeutically or prophylactically in a more patient- or disorder-specific manner. The
25 invention allows for the tailoring of TLR ligands for particular patients or disorders.

The invention identifies a number of cell lines that can be used to identify TLR ligands based on endogenous TLR expression such as TLR3, TLR7 and TLR9 expression. As an example, the invention is premised in part on the discovery of TLR9 expression in a number of cell lines including RPMI 8226, Raji, RAMOS, THP-1, Nalm-6 and KG-1. Cell lines
30 RPMI 8226, Raji and RAMOS have been determined to express TLR7 according to the invention. Cell lines KG-1 cell, a Nalm cell, a Raji cell, a RAMOS cell, a Jurkat cell, a HeLa cell, a Hep-2 cell, a Hep-2 cells, a A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell have been discovered to express TLR3 according to the invention.

It is further premised in part on the discovery that RPMI 8226 cells respond to the imidazoquinoline compound R-848. Consistent with this latter finding, it was also discovered
5 that RPMI 8226 cells express TLR7.

The invention in other aspects provides for screening methods and tools for verifying and standardizing compositions containing known TLR ligands. These compositions may be for example commercial production lots to be used in a clinical setting. Accordingly, the invention provides methods for standardizing lots of known TLR ligands prior to distribution
10 and use clinically. In this way, production processes can be observed and controlled and substandard production lots can be identified and eliminated prior to shipment.

The methods of the instant invention can be used at any step in the preparation and production of clinical material, i.e., pharmaceutical product. In particular, the methods will find use in characterizing or validating raw materials, in-process materials, finished product
15 materials (e.g., pre-release materials), and post-production materials (e.g., post-release materials). The methods can also be used to validate existing process methods, as well as to validate new or changed process methods used in the production of the pharmaceutical product.

20 Screening Assays Generally

The screening assays provided herein may be used to identify immunomodulatory agents. Immunomodulatory agents are agents that either stimulate or inhibit immune responses in a subject. Accordingly, as used herein, immunomodulation embraces both immunostimulation and immunoinhibition.

25 The screening methods are used to identify TLR agonists and antagonists. The methods can also be used to identify compounds that enhance the immunostimulation induced by a TLR agonist. This latter set of compounds is referred to herein as "enhancers". A TLR agonist is a compound that stimulates TLR signaling activity. A TLR antagonist is a compound that inhibits TLR signaling activity. Agonists are generally referred to herein as
30 immunostimulatory compounds because stimulation of TLR is associated with immune stimulation. Antagonists are generally referred to herein as immunoinhibitory compounds because inhibition of TLR is associated with immune inhibition. TLR antagonists include compounds that reduce (or eliminate completely) the immunostimulation induced by a TLR

agonist. In some embodiments, the agonists, antagonists and enhancers are TLR ligands (i.e., they bind to a TLR). In other embodiments, the test compounds with agonist, antagonist or enhancer activity may act downstream or upstream of the TLR-TLR ligand interaction.

An "immunostimulatory compound" as used herein refers to a natural or synthetic compound that characteristically induces a TLR-mediated response when contacted with a suitable functional TLR polypeptide. In one embodiment the immunostimulatory compound is a natural or synthetic compound that induces a TLR-mediated response when contacted with a cell that naturally or artificially expresses a suitable functional TLR polypeptide. Depending on the aspect of the invention, the cell may be an experimental cell or a primary cell such as a PBMC.

Examples of immunostimulatory compounds include the following immunostimulatory nucleic acids, which are discussed in further detail below:

	5'-TCGTCGTTTTGTCGTTTTGTCGTT-3'	(SEQ ID NO:1)
	5'-TCGTCGTTTTGACGTTTTGTCGTT-3'	(SEQ ID NO:139)
15	5'-TCGTCGTTTTGTCGTTTTTTTCGA-3'	(SEQ ID NO:140)
	5'-TCGTCGTTTCGTCGTTTCGTCGTT-3'	(SEQ ID NO:141)
	5'-TCGTCGTTTCGTCGTTTTGTCGTT-3'	(SEQ ID NO:142)
	5'-TCGTCGTTTTTCGGTCGTTTTT-3'	(SEQ ID NO:143)
	5'-TCGTCGTTTTTCGTGCGTTTTT-3'	(SEQ ID NO:144)
20	5'-TCGTCGTTTTCGGCGGCCGCCG-3'	(SEQ ID NO:145)
	5'-TCGTC_GTTTTAC_GGCGCC_GTGCCG-3'	(SEQ ID NO:146)

Imidazoquinolines are immune response modifiers thought to induce expression of several cytokines including interferons (e.g., IFN- α and IFN- β), TNF- α and some interleukins (e.g., IL-1, IL-6 and IL-12) as well as chemokines (e.g., IP-10 and IL-8). Imidazoquinolines are capable of stimulating a Th1 immune response, as evidenced in part by their ability to induce increases in IgG2a levels. Imidazoquinoline agents reportedly are also capable of inhibiting production of Th2 cytokines such as IL-4, IL-5, and IL-13. Some of the cytokines induced by imidazoquinolines are produced by macrophages and dendritic cells. Some species of imidazoquinolines have been reported to increase NK cell lytic activity and to stimulate B cells proliferation and differentiation, thereby inducing antibody production and secretion. Imidazoquinoline mimics can also be tested using the screening methods.

An "immunoinhibitory compound" as used herein refers to a natural or synthetic compound that characteristically inhibits a TLR-mediated response when contacted with a suitable functional TLR polypeptide. In one embodiment the immunoinhibitory compound is a natural or synthetic compound that inhibits a TLR-mediated response when contacted with a cell that naturally or artificially expresses a suitable functional TLR polypeptide.

In addition to the immunoinhibitory nucleic acids disclosed elsewhere herein, immunoinhibitory compounds and TLR antagonists encompass certain small molecules (chloroquine, quinacrine, 9-aminoacridines and 4-aminoquinolines, and derivatives thereof) described by Macfarlane and colleagues in U.S. Pat. 6,221,882; U.S. Pat. 6,399,630; U.S. Pat. 6,479,504; U.S. Pat. 6,521,637; and published U.S. Pat. application 2002/0151564, the contents of all of which are hereby incorporated by reference in their entirety.

The invention provides in part methods and tools that utilize cell lines, in modified or unmodified form, as surrogates for PBMC. Immunomodulation by TLR ligands can be assessed using one or preferably more parameters including but not limited to cytokine and chemokine secretion, upregulation of cell surface markers, changes in cell proliferation, phosphorylation changes, and the like. These parameters may be native readouts or artificial readouts as described herein.

The cellular response to immunostimulatory nucleic acids by the cell lines described herein (e.g., RPMI 8226, Raji, RAMOS, and the like) so resembles that of PBMC that these cells can be used to identify and differentiate between immunomodulatory compounds based on the extent of the induced response and the particular profile of that response. The invention provides a number of cell lines each with a particular endogenous TLR expression profile, as described herein.

The cell lines can be used to identify immunomodulatory compounds with particular response profiles. As an example, the cell lines can be used to identify molecules that are mimics to known TLR ligands. The cell lines can also be used to identify TLR ligands that trigger some but not necessarily all of the responses induced by known TLR ligands. For example, the cell line can be used to distinguish between compounds based on individual or group cytokine or chemokine secretion, or based on upregulation of one, a subset or all cell surface markers. As an example, in some therapeutic instances, it may be desirable to use a compound that induces the secretion of relatively high levels of chemokine such as IP-10, yet induces only relatively low levels of one or more other factors. The screening methods of the invention allow for the identification of such a compound with this type of induction profile.

It is to be understood that the screening method also can be used to determine effective amounts of known and newly identified immunomodulatory compounds. For example, the EC₅₀ value of a TLR ligand for the production of a particular cytokine or chemokine can be determined, thereby facilitating comparison between different nucleic acids.

5 Generally, these assays require the incubation of cells with a reference compound and a test compound, and an analysis of the readout. Depending on the embodiment, the same cells are exposed to the reference compound and the test compound. An example of this latter embodiment is a screening assay for compounds that enhance the immunostimulatory effects of a TLR agonist. Another example is a screening assay for compounds that inhibit the
10 immunostimulatory effects of a TLR agonist. In both examples, the reference compound is a positive reference compound (i.e., it is itself immunostimulatory).

 In other embodiments, particularly those directed at identifying immunostimulatory compounds, separate aliquots from the same cell line (or from the same freshly harvested cell population) are exposed to either the reference compound or the test compound, and the
15 readouts from each are measured and compared to the other. If the reference compound is a negative reference compound (i.e., it is inert and neither immunostimulatory nor immunoinhibitory), then any test level that is greater than the reference level is indicative of a test compound that has at least some immunostimulatory capacity. Generally, the negative reference compound is used to set background levels of immunostimulation or
20 immunoinhibition observed in the absence of the test compound. If the reference compound is a positive reference compound (i.e., it is immunostimulatory), then it is possible to compare and contrast the induction profile of the test compound to that of the reference compound.

 In some instances, separate reference assays individually containing a positive and a negative reference compound are performed alongside the test assay. For example, if the test
25 assay is a screen for an immunostimulatory TLR ligand, then reference assays can be a positive reference assay (in which the reference compound is immunostimulatory), a negative reference assay (in which the reference compounds is immunologically inert or neutral), or both. A test compound is defined as immunostimulatory if it induces a response greater than that of the negative reference compound. The level and profile of the immunostimulatory
30 response can be compared to the level and profile induced by the positive reference compound. It is to be understood that a test compound that induces a level of immunostimulation less than that of the positive reference compound may still be considered immunostimulatory according to the invention. Modifications to these screening assays for a

- 24 -

desired readout will be apparent to those of ordinary skill in the art based on the teachings provided herein.

If the test assay is a screen for an immunoinhibitory TLR ligand, then the assay may generally involve co-incubation of the test compound and a positive reference compound.

5 The control assay may include co-incubation of the negative and positive reference compounds. As used herein, co-incubation embraces simultaneous or consecutive addition of the reference and test compounds. The test compound may be added before or after the positive reference compound. An immunoinhibitory test compound may be identified by a diminution of the immunostimulatory response induced by the positive reference compound
10 when in the presence of the test compound. If the level of the response is less in the presence of the test compound, this indicates that the test compound is capable of interfering with the immunostimulatory effects of the positive reference compound. As an example, simultaneous or consecutive addition of a putative immunoinhibitory test compound can reduce the amount of cytokines or chemokines secreted by cells in response to the positive reference compound
15 alone, indicating an inhibition of the immunostimulatory effects of the positive reference compound.

The reference immunoinhibitory compound can be used at one or more concentrations in conjunction with a selected or constant concentration of reference immunostimulatory compound. Under proper conditions, the immunostimulatory effect of the reference
20 immunostimulatory compound will be less in the presence of the immunoinhibitory substance than in the absence of the immunoinhibitory substance. Furthermore, under proper conditions, the immunostimulatory effect of the reference immunostimulatory compound will decrease with increasing concentration of the immunoinhibitory substance.

The breadth of response by the cell line to immunomodulatory compounds, and its
25 facile manipulation, allows for the identification of novel compounds. The cell line allows the rapid discovery of such compounds given that it lends itself to high throughput screening methods such as those provided herein. These methods and compositions are described in greater detail below. The invention therefore provides screening methods that utilize cell lines that either endogenous express TLRs such as the RPMI 8226 cell line as well as cell
30 lines that have been modified to express TLRs. The invention further provides compositions that comprise such cell lines.

The verification and standardization methods of the invention generally involve assays in which an isolated cell expressing a functional TLR is contacted with each of two

- 25 -

compositions, each composition containing a known ligand for the TLR. One composition is a reference composition, and the assay using the reference composition yields a reference activity. The second composition is a test composition, and the assay using the test composition yields a test activity. The two contacting steps can be performed on separate
5 cells that are alike, and typically will be performed on separate populations of cells that are alike. For example, the separate cells or the separate populations of cells can be drawn from a single population of cells. In typical usage according to this embodiment, the reference and test activities are measured essentially concurrently, although the use of historical reference activity is also contemplated by the methods of the invention. As an alternative, the two
10 contacting steps can be performed on a single cell or on a single population of cells, usually in an essentially concurrent manner when it is desirable to have competition between reference and test compositions. In one embodiment the known TLR ligand is a nucleic acid molecule.

The assays of the invention are performed under specific conditions so that comparison can be made between reference and test activities or levels. The results of the
15 comparison can be used as a basis upon which to accept or reject the test material as suitable for its intended use.

The biological characterization of the reference composition will generally entail a series of biological activity measurements of the reference composition using a single assay under defined conditions in order to define a range of inter-test variance. The range of inter-
20 test variance so obtained using reference composition can be used to define an acceptable range of variance within which a subsequent test measurement must fall in order to satisfy quality standards. Such a range of acceptable variance can serve as a basis for developing predetermined range of variance about the reference activity, i.e., acceptance criteria for a particular test composition or test lot. For example, a particular reference composition can be
25 assayed under defined conditions in a number of independent measurements and found to yield a result expressed as 100 ± 5 units of activity. Under this same example, a subsequent test measurement of a test composition performed using the same assay and defined conditions is found to yield 97 units of activity. The activity of the test composition under this example thus yielded a result that falls within the normal range of inter-test variance
30 observed for the reference composition. Accordingly, the test material under this example could be selected on the basis of the test activity falling within a predetermined range of variance about the reference activity. In short, the test material can be deemed acceptable

- 26 -

provided the test activity falls within a predetermined range of activity that is related to the activity of the reference material.

In one embodiment, the methods of the invention provide for comparison between a reference lot of a particular TLR ligand and a test lot of the same particular TLR ligand. Such comparison is useful for quality control assessment of the test lot of material, also referred to herein as validation, e.g., product validation. Such comparison is also useful for process validation.

In another embodiment, the methods of the invention provide for comparison between a reference lot of a particular TLR ligand and a test lot of a different TLR ligand. In a simple example, where a test TLR ligand (T) is expected to have little or no activity characteristic of reference TLR ligand (R), comparison can be made between T and R to confirm the lack of R-like activity possessed by T. In a more complex example, where a test TLR ligand (C) is capable of exerting two different effects, wherein each effect is characteristic of one of two different classes of TLR ligand and is best characterized by one of two different reference TLR ligands (A and B), the test TLR ligand (C) can be compared with either of the two reference TLR ligands (A or B). In this second example, test composition C could be found, for example, to possess 50 percent A-like activity compared with reference A and 70 percent B-like activity compared with reference B. Test composition C could thus independently meet or fail to meet predetermined standards for each of A-like activity and B-like activity. Such comparison is also useful for quality control assessment of the test lot of material, e.g., product validation. Of course test TLR ligand C can alternatively or additionally be compared against reference TLR ligand C, as described in the preceding paragraph.

To facilitate the methods of the invention, certain conditions for carrying out the assays are standardized and used for measurements of both reference activity and test activity. In this way direct comparison between reference activity and test activity can be made readily. Conditions that can be standardized and used in this manner can include, without limitation, readout, temperature, media characteristics, duration (time between introduction of reference composition or test composition and activity measurement), methods of sampling, etc. In some embodiments the methods of the invention can be at least partially automated in order to increase throughput and/or to reduce inter-test variability. For example, robotic devices and workstations with the capacity to dispense and/or sample fluids in a set or programmable fashion are now well known in the art and can be used in performing the methods of the instant invention.

In one embodiment a standard curve of reference composition activity is employed. Typically the standard curve is generated by selecting conditions including concentration of the reference composition such that the dose-response curve is essentially linear (and the slope is non-zero) over a range of concentrations that includes the effective concentration at which activity is 50 percent of maximum (EC50). In one embodiment the standard curve spans a range of concentrations defined by $EC50 \pm 1 \log$ concentration, e.g., $1 \times 10^{-7} \text{ M} - 1 \times 10^{-5} \text{ M}$, where EC50 is $1 \times 10^{-6} \text{ M}$. In another embodiment the standard curve spans a broader range of concentrations defined by $EC50 \pm 2 \log$ concentration, e.g., $1 \times 10^{-8} \text{ M} - 1 \times 10^{-4} \text{ M}$, where EC50 is $1 \times 10^{-6} \text{ M}$. In yet another embodiment the standard curve spans a narrower range of concentrations defined by $EC50 \pm 0.5 \log$ concentration, e.g., $3.16 \times 10^{-7} \text{ M} - 3.16 \times 10^{-6} \text{ M}$, where EC50 is $1 \times 10^{-6} \text{ M}$. The foregoing embodiments are intended to be exemplary and not limiting in any way. One of skill in the art will be able to select, for a given reference composition and without undue experimentation, an appropriate range of concentrations about some middle value in order to generate an essentially linear standard curve with a non-zero slope.

In one embodiment a non-linear standard curve of reference and test composition activity is employed. The standard curve can be generated by selecting conditions including concentrations of the reference composition such that the dose-response curve is sigmoidal and the EC50 value can be determined. Comparison of reference and test activity can be done by comparing, e.g., the EC50 values of both curves. Concentration range is chosen to yield a complete sigmoidal response, e.g., concentration should include $EC50 \pm 3 \log$ concentration or $EC50 \pm 4 \log$ concentration. In the case of testing an inhibitory compound the value determined would be the IC50, i.e., concentration where inhibition of the stimulatory signal is half-maximal.

The methods of the invention can be adapted to be automated or at least partially automated methods, as well as to parallel array or high throughput format methods. For example, the assays can be set up using multiwell plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are

- 28 -

known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

Cell lines

The screening methods may use experimental cells. As used herein, an experimental cell is a non-primary cell (i.e., it is not a cell that has been recently harvested from a subject). It excludes, for example, freshly harvested PBMCs. An experimental cell includes a cell from a cell line such as the RPMI 8226 cell line.

In certain embodiments, the cell naturally expresses a functional TLR. In one embodiment relating to the verification and standardization aspects of the invention, the cell may be a PBMC, preferably a PBMC freshly harvested from a subject.

Cells that would be suitable for identification of TLR agonists, antagonists or enhancers according to the invention may possess one or more particular attributes. These attributes include but are not limited to being of human origin, being an immortalized stable cell line, endogenously expressing at least one functional TLR or a combination of functional TLRs, having intact signaling mechanisms, having intact uptake mechanisms, being able to upregulate cytokines, chemokines or cell surface markers, deriving from normal human B cells or from myeloma or B cell leukemia, deriving from human plasmacytoid and myeloid dendritic cells, and readily activatable by TLR ligands such as TLR7 ligands, TLR8 ligands or TLR9 ligands such as CpG nucleic acids or nucleic acids having other immunostimulatory sequence motifs or small molecules such as imidazoquinoline compounds.

In some embodiments, the cell line is the Raji cell line which expresses TLR3, TLR7 and TLR9. This latter cell line secretes, for example, IL-6 and IFN- α 2 upon CpG nucleic acid exposure. In other embodiments, the cell line is RPMI 8226 which expresses TLR7 and TLR9. Upon CpG nucleic acid exposure, this cell line expresses, produces and/or secretes IL-8, IL-10, IP-10 and TNF- α . It also expresses at its cell surface CD86, HLA-DR and CD71. In yet other embodiments, the cell line is the RAMOS cell line which expresses TLR3, TLR7 and TLR9. This cell line at least induces CD80 cell surface expression in response to CpG nucleic acid exposure.

- 29 -

The cell lines have been observed to respond in a concentration dependent manner to TLR ligands such as but not limited to CpG nucleic acids and some non-CpG nucleic acids including T-rich nucleic acids, poly-T nucleic acids and poly-G nucleic acids. The highest responses have been observed using CpG nucleic acids.

5 The screening methods employ a variety of cell lines as shown in the Examples. These include A549 (human lung carcinoma, ATCC CCL-185), BeWo (human choriocarcinoma, ATCC CCL-98), HeLa (human cervix carcinoma, ATCC CCL-2), Hep-2 (human cervix carcinoma, ATCC CCL-23), KG-1 (human acute myeloid leukemia, ATCC CCL-246), MUTZ-3 (human acute myelomonocytic leukemia, German Collection of Cell
10 lines and Microorganisms (DSZM) ACC-295), Nalm-6 (human B cell precursor leukemia, DSZM ACC-128), NK-92 (human Natural killer cell line, ATCC CRL-2407), NK-92 MI (IL-2 independent human Natural killer cell line, ATCC CRL-2408), Raji (human B lymphocyte Burkitt's lymphoma, ATCC CCL-86), RAMOS (B lymphocyte Burkitt's lymphoma, ATCC CRL-1596), RPMI 8226 (human B lymphocyte multiple myeloma, ATCC CCL-155), THP-1
15 (human acute monocytic leukemia, ATCC TIB 202), U937 (human lymphoma, ATCC CRL-1593.2) and Jurkat (human T cell leukemia, ATCC TIB 152).

As shown in the Examples, each of the afore-mentioned cell lines has a particular endogenous TLR expression profile which dictates its suitability in a particular screening assay.

20 A cell that artificially expresses a functional TLR can be a cell that does not express the functional TLR but for a transfected TLR expression vector. For example, human 293 fibroblasts (ATCC CRL-1573) do not express TLR7, TLR8 or TLR9, and they express very little TLR3. As described in the examples below, such cells can be transiently or stably transfected with suitable expression vector (or vectors) so as to yield cells that do express
25 TLR3, TLR7, TLR8, TLR9, or any combination thereof. Alternatively, a cell that artificially expresses a functional TLR can be a cell that expresses the functional TLR at a significantly higher level with the TLR expression vector than it does without the TLR expression vector. Transfected cells are considered modified cells, as used herein.

A cell that artificially expresses an expression or reporter construct is preferably stably
30 transfected.

RPMI

- 30 -

The RPMI 8226 cell line is a human multiple myeloma cell line. The cell line was established from the peripheral blood of a 61 year old man at the time of diagnosis for multiple myeloma (IgG lambda type). RPMI 8226 was previously reported as responsive to CpG nucleic acids as evidenced by the production and secretion of IL-6 protein and production of IL-12p40 mRNA. (Takeshita et al. (2000), *Eur. J. Immunol.* 30, 108-116, and Takeshita et al. (2000) *Ibid.* 30, 1967-1976) Takeshita et al. however used the cell line solely to study promoter constructs in order to identify transcription factor binding sites important for CpG nucleic acid signaling. It is now known according to the invention that the cell line produces a number of other chemokines and cytokines including IL-8, IL-10 and IP-10. It has also been discovered according to the invention that the cell line responds to immunostimulatory nucleic acids by upregulating cell surface expression of particular markers. Many of these markers, including CD71, CD86 and HLA-DR, are similarly upregulated in PBMCs exposed to immunostimulatory nucleic acids. This has been observed using flow cytometric analysis of the cell line following CpG nucleic acid exposure. In other aspects of the invention, the cell line can be used in similar screening assays that involve secretion of IL-6, IL-12 and/or TNF- α .

It has recently been discovered that R-848 mediates its immunostimulatory effects via other TLR family members, namely TLR7 and TLR8. TLR7 has previously been found expressed on human B cells. It has now also been discovered according to the invention that RPMI 8226 expresses TLR9 as well as TLR7, thus making it a suitable cell line for identifying immunostimulatory nucleic acid and/or imidazoquinoline (e.g., R-848) mimics or other small molecules that also signal through TLR7 and/or TLR9. Incubation of RPMI 8226 cells with the imidazoquinoline R-848 (Resiquimod) induces for example IL-8, IL-10 and IP-10 production.

Known TLR Ligands

Ligands for many but not all of the TLRs have been described. For instance, it has been reported that TLR1 and TLR2 signals in response to peptidoglycan and lipopeptides. Yoshimura A et al. (1999) *J Immunol* 163:1-5; Brightbill HD et al. (1999) *Science* 285:732-6; Aliprantis AO et al. (1999) *Science* 285:736-9; Takeuchi O et al. (1999) *Immunity* 11:443-51; Underhill DM et al. (1999) *Nature* 401:811-5. TLR4 has been reported to signal in response to lipopolysaccharide (LPS). Hoshino K et al. (1999) *J Immunol* 162:3749-52; Poltorak A et al. (1998) *Science* 282:2085-8; Medzhitov R et al. (1997) *Nature* 388:394-7. Bacterial

flagellin has been reported to be a natural ligand for TLR5. Hayashi F et al. (2001) *Nature* 410:1099-1103. TLR6, in conjunction with TLR2, has been reported to signal in response to proteoglycan. Ozinsky A et al. (2000) *Proc Natl Acad Sci USA* 97:13766-71; Takeuchi O et al. (2001) *Int Immunol* 13:933-40.

5 TLR9 is a receptor for CpG DNA. Hemmi H et al. (2000) *Nature* 408:740-5. Other TLR9 ligands are described herein under "Immunostimulatory Nucleic Acids". Certain imidazoquinoline compounds having antiviral activity are ligands of TLR7 and TLR8. Imidazoquinolines are potent synthetic activators of immune cells with antiviral and antitumor properties. R-848 is a ligand for human TLR7 and TLR8. Jurk M et al. (2002) *Nat Immunol*
10 3:499. Ligands of TLR3 include poly(I:C) and double-stranded RNA (dsRNA). Alexopoulou et al. (2001) *Nature* 413:732-738. For purposes of this invention, poly(I:C) and double-stranded RNA (dsRNA) are classified as oligonucleotide molecules. TLR3 may have a role in host defense against viruses.

15 Reference and Test Compounds

A test and/or reference compound can be a nucleic acid such as an oligonucleotide or a polynucleotide, an oligopeptide, a polypeptide, a lipid such as a lipopolysaccharide, a carbohydrate such as an oligosaccharide or a polysaccharide, or a small molecule. Alternatively, these compounds may also comprise or be synthesized from elements such as
20 amino acids, carbohydrates, hormones, lipids, organic molecules, and the like.

Small molecules in general include naturally occurring, synthetic, and semisynthetic organic and organometallic compounds with molecular weight less than about 2.5 kDa. Examples of small molecules include most drugs, subunits of polymeric materials, and analogs and derivatives thereof.

25 Some specific examples of small molecules include the imidazoquinolines. As used herein, an imidazoquinolines include imidazoquinoline amines (imidazoquinolinamines), imidazopyridine amines, 6,7-fused cycloalkylimidazopyridine amines, and 1,2 bridged imidazoquinoline amines. These compounds have been described in U.S. Pat. Nos. 4,689,338; 4,929,624; 5,238,944; 5,266,575; 5,268,376; 5,346,905; 5,352,784; 5,389,640;
30 5,395,937; 5,482,936; 5,494,916; 5,525,612; 6,039,969 and 6,110,929. Particular species of imidazoquinoline agents include resiquimod (R-848; S-28463; 4-amino-2 ethoxymethyl- α,α -dimethyl-1*H*-imidazo[4,5-*c*]quinoline-1-ethanol); and imiquimod (R-837; S-26308; 1-(2-methylpropyl)-1*H*-imidazo[4,5-*c*]quinoline-4-amine). Further examples of specific small

molecules include 4-aminoquinoline and derivatives thereof, 9-aminoacridine and derivatives thereof, and additional compounds disclosed in U.S. Pat. Nos. 6,221,882; 6,399,630; 6,479,504; and 6,521,637; and published U.S. Pat. Application No. 2002/0151564 A1, the entire contents of which are hereby incorporated by reference.

5 The test and reference compounds may be formulated for pharmaceutical use or not. For example, a test compound not formulated for pharmaceutical use can be a compound (e.g., a lot or batch of the compound) under evaluation for possible use in preparing a pharmaceutical formulation of the compound.

10 A reference compound, as used herein, is a compound having a known activity in the presence of a TLR. The reference compound may stimulate TLR signaling (and is therefore regarded as a positive reference compound), or it may be inert in the presence of a TLR (and is therefore regarded as a negative reference compound). If it is a positive reference compound, it need not be the best known stimulator of TLR signaling (i.e., it is possible that other reference compounds and even test compounds will stimulate TLR signaling to a greater extent). The readout of the screening assay may simply be stated relative to the level of signaling that occurs in the presence of the reference compound. Preferably, the reference compound is analyzed prior to the screening assay in order to determine its level of activity on a TLR. In some aspects of the invention, the reference compound and the test compound will be assayed separately (i.e., in separate wells); in other aspects, the reference compound and the test compound will be assayed together (i.e., in the same well). These latter aspects are designed to measure the ability of a test compound to modulate the activity of the reference compound. The activity of the test compound and the reference compound combined (i.e., when assayed together in the same well) may be the same as that of the positive reference compound alone, indicating at a minimum that the test compound is not inhibitory; or it may be less than that of the positive reference compound, indicating at a minimum that it is inhibitory to the effect of the reference compound; or it may be additive or synergistic possibly indicating that the test compound is an enhancer. The effect of an enhance may be due to its ability to stimulate TLR signaling independently of the positive reference compound.

30 A "reference composition" as used herein refers to a composition that includes a reference compound and optionally another agent, e.g., a pharmaceutically acceptable carrier and/or another biologically active agent. A reference compound may be an immunostimulatory compound or it may be an immunoinhibitory compound.

- 33 -

As discussed further below, in some aspects of the invention the reference compositions include both finished products, e.g., finished pharmaceutical products, as well as raw materials and other in-process materials used for the preparation of such finished products, all of which contain a known TLR ligand. As used herein, a "production lot" shall refer to a batch or lot of a completed product prepared for release as clinical material, e.g., a pharmaceutical product. As used herein, an "in-process lot" shall refer to a batch or lot of unfinished product that is prepared in the course of making a production lot; an "in-process lot" shall also refer to a batch or lot of raw material provided for use in the production of a production lot.

In some aspects of the invention, the reference compositions of the invention are highly characterized in terms of their chemical, physical, and biological properties. A reference composition will be a specific composition previously determined to have a specific activity, or range of specific activity, of the particular known TLR ligand present in the composition. As used herein, "specific activity" refers to an amount of activity per unit mass or per unit volume of the reference composition as a whole, as determined using a defined assay under defined conditions. In one embodiment the reference composition is a representative sample of a particular lot or batch of a specific TLR ligand. In one embodiment the reference composition is a representative sample of a particular lot or batch of a specific TLR ligand formulated for pharmaceutical use, e.g., a sterile solution of the TLR ligand at a determined concentration or activity.

At least the following parameters are typically very well defined for a given reference composition: chemical formula of the active ingredient TLR ligand (e.g., nucleobase sequence and type of backbone of a nucleic acid; structural formula of a small molecule); concentration; diluent composition; and purity. Such parameters as purity and concentration can be determined using any appropriate physicochemical method, e.g., optical spectroscopy including absorbance at one or more specified wavelengths; nuclear magnetic resonance (NMR) spectroscopy; mass spectrometry (MS), including matrix-assisted laser desorption/ionization mass spectrometry (MALDI-MS); melting point; specific gravity; chromatography including as appropriate high pressure liquid chromatography (HPLC), one- and two-dimensional polyacrylamide gel electrophoresis (PAGE), capillary electrophoresis, and the like; as well as other methods known to those of skill in the art.

Reference compositions can also be very well characterized in terms of their biological activity, independent of the methods of the invention, although the methods of the

- 34 -

invention generally include such characterization, at least in part. A reference composition can be very well characterized in terms of its biological activity by characterizing, both qualitatively and quantitatively, the response by sensitive cells to the reference composition under defined conditions. For example, a reference composition can be a specific CpG oligonucleotide such as SEQ ID NO:1 which in a specific assay and under specific conditions of temperature, concentration, duration of contact between the CpG oligonucleotide and a population of TLR9-expressing cells, and particular readout, reliably yields a specific result or range of results. Results can be expressed in any suitable manner, but can include results expressed on a per-cell basis, e.g., picograms of particular cytokine per cell per hour of contact with the reference composition. Reference compositions can be very well characterized in terms of their biological activity according to one or more parameters, for example, according to their capacity to induce each of a plurality of cytokines.

The methods of the invention also involve measurement of a test activity of a test composition containing a known TLR ligand. A "test composition" as used herein refers to a composition that includes a test compound and optionally another agent, e.g., a pharmaceutically acceptable carrier and/or another biologically active agent. A test compound can be an immunostimulatory compound or it can be an immunoinhibitory compound. In some aspects of the invention, the test compound is a known TLR ligand. Test compositions of the invention may comprise known TLR agonist or TLR antagonist compounds, generally but not necessarily nominally the same as the reference compositions against which comparison is to be made according to some aspects of the invention. Thus test compositions may encompass immunostimulatory compounds, immunoinhibitory compounds, known TLR ligands, finished pharmaceutical products, and raw materials and other in-process materials used for the preparation of such finished products.

Unlike a reference composition, a test composition is not characterized at all, or is only partially characterized, or is not as well characterized as the reference composition, in terms of its chemical, physical, or (most particularly) biological properties. The methods of the invention permit further characterization of the test composition by comparison with a reference composition. In some aspects, a test composition will be a specific composition previously determined to be a ligand of a specific TLR. In one embodiment the test composition is a representative sample of a particular lot or batch of a specific TLR ligand. In one embodiment the test composition is a representative sample of a particular lot or batch of

a specific TLR ligand formulated for pharmaceutical use, e.g., a sterile solution of the TLR ligand at a determined concentration or activity.

Immunostimulatory and Immunoinhibitory Nucleic Acids

5 Nucleic acids useful as reference compounds and as test compounds in the methods of the invention include single- and double-stranded natural and synthetic nucleic acids, including those with phosphodiester, stabilized, and chimeric backbones. Also encompassed are at least the following classes of nucleic acids, which are described in detail below: immunostimulatory CpG nucleic acids (CpG nucleic acids), including but not limited to types
10 A, B, and C; immunostimulatory non-CpG nucleic acids, including without limitation methylated CpG nucleic acids, T-rich nucleic acids, TG-motif nucleic acids, CpI motif nucleic acids, and poly-G nucleic acids; and immunoinhibitory nucleic acids. Nucleic acids useful as reference compounds and as test compounds in the methods of the invention also include nucleic acids with modified backbones, including "soft" and "semi-soft" oligonucleotides as
15 described herein. As will be appreciated from the descriptions below, certain of these various classes of nucleic acids can coexist in a given nucleic acid molecule.

A "nucleic acid" as used herein with respect to test compounds and reference compounds used in the methods of the invention, shall refer to any polymer of two or more individual nucleoside or nucleotide units. Typically individual nucleoside or nucleotide units
20 will include any one or combination of deoxyribonucleosides, ribonucleosides, deoxyribonucleotides, and ribonucleotides. The individual nucleotide or nucleoside units of the nucleic acid can be naturally occurring or not naturally occurring. For example, the individual nucleotide units can include deoxyadenosine, deoxycytidine, deoxyguanosine, thymidine, and uracil. In addition to naturally occurring 2'-deoxy and 2'-hydroxyl forms,
25 individual nucleosides also include synthetic nucleosides having modified base moieties and/or modified sugar moieties, e.g., as described in Uhlmann E et al. (1990) *Chem Rev* 90:543-84. The linkages between individual nucleotide or nucleoside units can be naturally occurring or not naturally occurring. For example, the linkages can be phosphodiester, phosphorothioate, phosphorodithioate, phosphoramidate, as well as peptide linkages and other
30 covalent linkages, known in the art, suitable for joining adjacent nucleoside or nucleotide units. The linkages can also be mixed in a single polymer (e.g., a semi-soft backbone). The nucleic acid test compounds and nucleic acid reference compounds typically range in size from 3-4 units to a few tens of units, e.g., 18-40 units.

- 36 -

In some embodiments the nucleic acids are oligonucleotides made up of 2 to about 100 nucleotides, and more typically 4 to about 40 nucleotides. Oligonucleotides composed exclusively of deoxynucleotides are termed oligodeoxyribonucleotides or, equivalently, oligodeoxynucleotides (ODN).

5 A CpG nucleic acid is an immunostimulatory nucleic acid which contains a cytosine-guanine (CG) dinucleotide, the C residue of which is unmethylated. The effects of CpG nucleic acids on immune modulation have been described extensively in U.S. Pat. Nos. 6,194,388; 6,207,646; 6,214,806; 6,218,371; 6,239,116; and 6,339,068; and published patent applications, such as PCT/US95/01570 (WO 96/02555); PCT/US98/04703 (WO 98/40100);
10 and PCT/US99/09863 (WO 99/56755). The entire contents of each of these patents and published patent applications is hereby incorporated by reference. The entire immunostimulatory nucleic acid can be unmethylated or portions can be unmethylated, but at least the C of the 5'-CG-3' must be unmethylated. The CpG nucleic acid sequences of the invention include, without limitation, those broadly described above as well as those disclosed
15 in U.S. Pat. Nos. 6,207,646 and 6,239,116.

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTGTCGTTTTGTCGTT-3' (SEQ ID NO:1).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTGACGTTTTGTCGTT-3' (SEQ ID NO:139).

20 In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTGTCGTTTTTTTCGA-3' (SEQ ID NO:140).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTCGTCGTTTCGTCGTT-3' (SEQ ID NO:141).

In one embodiment the CpG nucleic acid has a base sequence provided by
25 5'-TCGTCGTTTCGTCGTTTGTGCGTT-3' (SEQ ID NO:142).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTTCGGTCGTTTT-3' (SEQ ID NO:143).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTTCGTGCGTTTTT-3' (SEQ ID NO:144).

30 In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTTCGGCGGCCGCCG-3' (SEQ ID NO:145).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTC_GTTTTAC_GGCGCC_GTGCCG-3' (SEQ ID NO:146).

- 37 -

The oligonucleotides described by SEQ ID NOs: 1, 139-145 are fully stabilized phosphorothioate backbone ODN. The oligonucleotide of SEQ ID NO:146 has a chimeric backbone in which all internucleoside linkages are phosphorothioate except for those indicated by “_”, which are phosphodiester.

5 CpG nucleic acids have been further classified by structure and function into at least the following three types, all of which are intended to be encompassed within the methods of the instant invention: Type B CpG nucleic acids such as SEQ ID NO:1 include the earliest described CpG nucleic acids and characteristically activate B cells but do not induce or only weakly induce expression of IFN- α . Type B nucleic acids are described in U.S. Patents
10 6,194,388; 6,207,646; 6,214,806; 6,218,371; 6,239,116; and 6,339,068. Type A CpG nucleic acids, described in published international application PCT/US00/26527 (WO 01/22990), incorporate a CpG motif, include a hybrid phosphodiester/phosphorothioate backbone, and characteristically induce plasmacytoid dendritic cells to express large amounts of IFN- α but do not activate or only weakly activate B cells. Type C oligonucleotides incorporate a CpG,
15 include a chimeric backbone, include a GC-rich palindromic or nearly-palindromic region, and are capable of both activating B cells and inducing expression of IFN- α . These have been described, for example, in copending U.S. Pat. application Ser. No. 10/224,523, filed August 19, 2002. Exemplary sequences of A, B and C class nucleic acids are described in the afore-mentioned references, patents and patent applications, the entire contents of which are
20 hereby incorporated by reference herein.

In other embodiments of the invention, a non-CpG nucleic acid is used. A non-CpG nucleic acid is an immunostimulatory nucleic acid which either does not have a CpG motif in its sequence, or has a CpG motif which contains a methylated C residue. In some instances, the non-CpG nucleic acid may still be immunostimulatory by virtue of its having other
25 immunostimulatory motifs such as those described herein and known in the art. In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid. In some instances the non-CpG nucleic acid is still immunostimulatory despite methylation of the C of the CpG motif, even without having another non-CpG immunostimulatory motif described herein and known in the art.

30 In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-TZGTZGTTTTGTZGTTTTGTZGTT-3' (SEQ ID NO:147), wherein Z represents 5-methylcytosine.

In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-TZGTZGZTGTZTZZGZTTZTTZTTGZZ-3' (SEQ ID NO:148), wherein Z represents 5-methylcytosine.

5 In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-GZGTTTGZTZZTTZTTZTTGZG-3' (SEQ ID NO:149), wherein Z represents 5-methylcytosine.

In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-GZZZAAGZTGGZATZZGTZA-3' (SEQ ID NO:150), wherein Z represents 5-methylcytosine.

10 Non-CpG nucleic acids include T-rich immunostimulatory nucleic acids. The T-rich immunostimulatory nucleic acids include those disclosed in published PCT patent application PCT/US00/26383 (WO 01/22972), the entire contents of which are incorporated herein by reference. In some embodiments, T-rich nucleic acids 24 bases in length are used. A T-rich nucleic acid is a nucleic acid which includes at least one poly T sequence and/or which has a
15 nucleotide composition of greater than 25% T nucleotide residues. A nucleic acid having a poly-T sequence includes at least four Ts in a row, such as 5'-TTTT-3'. In some embodiments the T-rich nucleic acid includes more than one poly T sequence. In important embodiments, the T-rich nucleic acid may have 2, 3, 4, or more poly T sequences, such as SEQ ID NO:1.

Non-CpG nucleic acids also include poly-G immunostimulatory nucleic acids. A
20 variety of references describe the immunostimulatory properties of poly-G nucleic acids. Pisetsky DS et al. (1993) *Mol Biol Reports* 18:217-221; Krieger M et al. (1994) *Ann Rev Biochem* 63:601-637; Macaya RF et al. (1993) *Proc Natl Acad Sci USA* 90:3745-3749; Wyatt JR et al. (1994) *Proc Natl Acad Sci USA* 91:1356-1360; Rando and Hogan, 1998, In *Applied Antisense Oligonucleotide Technology*, Krieg and Stein, eds., pp. 335-352; Kimura Y et al.
25 (1994) *J Biochem (Tokyo)* 116:991-994.

The immunostimulatory nucleic acids of the invention can also be those which do not possess CpG, methylated CpG, T-rich, or poly-G motifs.

Exemplary immunostimulatory nucleic acid sequences include but are not limited to those immunostimulatory sequences described and listed in U.S. Non-Provisional Pat.
30 Application No. 09/669,187, filed on September 25, 2000, and in corresponding published PCT patent application PCT/US00/26383 (WO 01/22972).

Immunoinhibitory nucleic acids have been described in Lenert P et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:247-56 and in Stunz L et al. (2002) *Eur J Immunol*

32:1212-22. These inhibitory phosphorothioate ODN (S-ODN) differ from stimulatory S-ODN by having 2-3 G substitutions in the central motif. As inhibitory S-ODN did not directly interfere with the NF- κ B DNA binding but prevented CpG-induced NF- κ B nuclear translocation of p50, p65, and c-Rel and blocked p105, I κ B α , and I κ B β degradation, Lenert et al. suggested that the putative target of immunoinhibitory ODN would lie upstream of inhibitory kinase (IKK) activation. Stunz et al. reported that replacing GCGTT or ACGTT with GCGGG or ACGGG converted a stimulatory 15-mer ODN into an inhibitory ODN. All inhibitory ODN had three consecutive G, and a fourth G increased inhibitory activity, but a deazaguanosine substitution to prevent planar stacking did not affect activity. Inhibitory ODN blocked apoptosis protection and cell-cycle entry induced by stimulatory ODN, but not that induced by lipopolysaccharide, anti-CD40 or anti-IgM+IL-4. ODN-driven up-regulation of cyclin D(2), c-Myc, c-Fos, c-Jun and Bcl(XL) and down-regulation of cyclin kinase inhibitor p27(kip1) were all blocked by inhibitory ODN. Stunz et al. also reported that interference with uptake of stimulatory ODN did not account for the inhibitory effects of the immunoinhibitory nucleic acids.

In one embodiment the immunoinhibitory nucleic acid has a base sequence provided by 5'-TCCTGGCGGGGAAGT-3' (SEQ ID NO:151).

Immunoinhibitory nucleic acids have also been described in U.S. Pat. No. 6,194,388, issued to Krieg et al. The immunoinhibitory oligonucleotides disclosed by Krieg et al. are oligonucleotides with GCG trinucleotides at or near the ends of the oligonucleotide and are represented by the formula 5' GCGX_nGCG 3' in which X is a nucleotide and n is an integer between 0 and 50.

The nucleic acids used as either test or reference compounds can be double-stranded or single-stranded. They can be deoxyribonucleotide (DNA) or ribonucleotide (RNA) molecules. Generally, double-stranded molecules are more stable in vivo, while single-stranded molecules have increased immune activity. Thus in some the nucleic acid is single-stranded and in other embodiments the nucleic acid is double-stranded. In certain embodiments, while the nucleic acid is single-stranded, it is capable of forming secondary and tertiary structures (e.g., by folding back on itself, or by hybridizing with itself either throughout its entirety or at select segments along its length). Accordingly, while the primary structure of such a nucleic acid may be single-stranded, its higher order structures may be double- or triple-stranded.

- 40 -

For facilitating uptake into cells, the nucleic acids are preferably in the range of 6 to 100 bases in length. However, nucleic acids of any size equal to or greater than 6 nucleotides (even many kb long) are capable of inducing an immune response. Preferably the nucleic acid is in the range of between 8 and 100 and in some embodiments between 8 and 50 or 8 and 30 nucleotides in size.

The terms "nucleic acid" and "oligonucleotide" are used interchangeably to mean multiple nucleotides (i.e., molecules comprising a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)). As used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms "nucleic acid" and "oligonucleotide" shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base containing polymer. Nucleic acid molecules can be obtained from existing nucleic acid sources (e.g., genomic or cDNA), but are preferably synthetic (e.g., produced by nucleic acid synthesis).

The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with substitutions or modifications, such as in the bases and/or sugars. For example, they include nucleic acids having backbone sugars that are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group or hydroxy group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose or 2'-fluoroarabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have an amino acid backbone with nucleic acid bases). Other examples are described in more detail below.

The immunostimulatory and immunoinhibitory nucleic acids can encompass various chemical modifications and substitutions, in comparison to natural RNA and DNA, involving a phosphodiester internucleoside bridge, a β -D-ribose unit and/or a natural nucleoside base (adenine, guanine, cytosine, thymine, uracil). Examples of chemical modifications are known to the skilled person and are described, for example, in Uhlmann E et al. (1990) *Chem Rev* 90:543; "Protocols for Oligonucleotides and Analogs" Synthesis and Properties & Synthesis and Analytical Techniques, S. Agrawal, Ed, Humana Press, Totowa, USA 1993; Croke ST et al. (1996) *Annu Rev Pharmacol Toxicol* 36:107-129; and Hunziker J et al. (1995) *Mod Synth*

Methods 7:331-417. An oligonucleotide according to the invention may have one or more modifications, wherein each modification is located at a particular phosphodiester internucleoside bridge and/or at a particular β -D-ribose unit and/or at a particular natural nucleoside base position in comparison to an oligonucleotide of the same sequence which is composed of natural DNA or RNA.

For example, the oligonucleotides may comprise one or more modifications and wherein each modification is independently selected from:

- a) the replacement of a phosphodiester internucleoside bridge located at the 3' and/or the 5' end of a nucleoside by a modified internucleoside bridge,
- 10 b) the replacement of phosphodiester bridge located at the 3' and/or the 5' end of a nucleoside by a dephospho bridge,
- c) the replacement of a sugar phosphate unit from the sugar phosphate backbone by another unit,
- d) the replacement of a β -D-ribose unit by a modified sugar unit, and
- 15 e) the replacement of a natural nucleoside base by a modified nucleoside base.

More detailed examples for the chemical modification of an oligonucleotide are as follows.

The oligonucleotides may include modified internucleotide linkages, such as those described in (a) or (b) above. These modified linkages may be partially resistant to degradation (e.g., are stabilized). A "stabilized oligonucleotide molecule" shall mean an oligonucleotide that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endonuclease) resulting from such modifications. Oligonucleotides having phosphorothioate linkages, in some embodiments, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.

25 A phosphodiester internucleoside bridge located at the 3' and/or the 5' end of a nucleoside can be replaced by a modified internucleoside bridge, wherein the modified internucleoside bridge is for example selected from phosphorothioate, phosphorodithioate, NR^1R^2 -phosphoramidate, boranophosphate, α -hydroxybenzyl phosphonate, phosphate-(C_1 - C_{21})-O-alkyl ester, phosphate-[(C_6 - C_{12})aryl-(C_1 - C_{21})-O-alkyl]ester, (C_1 - C_8)alkylphosphonate and/or (C_6 - C_{12})arylphosphonate bridges, (C_7 - C_{12})- α -hydroxymethyl-aryl (e.g., disclosed in
30 WO 95/01363), wherein (C_6 - C_{12})aryl, (C_6 - C_{20})aryl and (C_6 - C_{14})aryl are optionally substituted by halogen, alkyl, alkoxy, nitro, cyano, and where R^1 and R^2 are, independently of each other, hydrogen, (C_1 - C_{18})-alkyl, (C_6 - C_{20})-aryl, (C_6 - C_{14})-aryl-(C_1 - C_8)-alkyl, preferably hydrogen,

(C₁-C₈)-alkyl, preferably (C₁-C₄)-alkyl and/or methoxyethyl, or R¹ and R² form, together with the nitrogen atom carrying them, a 5-6-membered heterocyclic ring which can additionally contain a further heteroatom from the group O, S and N.

The replacement of a phosphodiester bridge located at the 3' and/or the 5' end of a nucleoside by a dephospho bridge (dephospho bridges are described, for example, in Uhlmann E and Peyman A in "Methods in Molecular Biology", Vol. 20, "Protocols for Oligonucleotides and Analogs", S. Agrawal, Ed., Humana Press, Totowa, 1993, Chapter 16, pp. 355 ff), wherein a dephospho bridge is for example selected from the dephospho bridges formacetal, 3'-thioformacetal, methylhydroxylamine, oxime, methylenedimethyl-hydrazo, dimethylenesulfone and/or silyl groups.

A sugar phosphate unit (i.e., a β -D-ribose and phosphodiester internucleoside bridge together forming a sugar phosphate unit) from the sugar phosphate backbone (i.e., a sugar phosphate backbone is composed of sugar phosphate units) can be replaced by another unit, wherein the other unit is for example suitable to build up a "morpholino-derivative" oligomer (as described, for example, in Stirchak EP et al. (1989) *Nucleic Acids Res* 17:6129-41), that is, e.g., the replacement by a morpholino-derivative unit; or to build up a polyamide nucleic acid ("PNA"; as described for example, in Nielsen PE et al. (1994) *Bioconjug Chem* 5:3-7), that is, e.g., the replacement by a PNA backbone unit, e.g., by 2-aminoethylglycine. The oligonucleotide may have other carbohydrate backbone modifications and replacements, such as peptide nucleic acids with phosphate groups (PHONA), locked nucleic acids (LNA), and oligonucleotides having backbone sections with alkyl linkers or amino linkers. The alkyl linker may be branched or unbranched, substituted or unsubstituted, and chirally pure or a racemic mixture.

A β -ribose unit or a β -D-2'-deoxyribose unit can be replaced by a modified sugar unit, wherein the modified sugar unit is for example selected from β -D-ribose, α -D-2'-deoxyribose, L-2'-deoxyribose, 2'-F-2'-deoxyribose, 2'-F-arabinose, 2'-O-(C₁-C₆)alkyl-ribose, preferably 2'-O-(C₁-C₆)alkyl-ribose is 2'-O-methylribose, 2'-O-(C₂-C₆)alkenyl-ribose, 2'-[O-(C₁-C₆)alkyl-O-(C₁-C₆)alkyl]-ribose, 2'-NH₂-2'-deoxyribose, β -D-xylo-furanose, α -arabinofuranose, 2,4-dideoxy- β -D-erythro-hexo-pyranose, and carbocyclic (described, for example, in Froehler J (1992) *Am Chem Soc* 114:8320) and/or open-chain sugar analogs (described, for example, in Vandendriessche et al. (1993) *Tetrahedron* 49:7223) and/or bicyclosugar analogs (described, for example, in Tarkov M et al. (1993) *Helv Chim Acta* 76:481).

In some embodiments the sugar is 2'-O-methylribose, particularly for one or both nucleotides linked by a phosphodiester or phosphodiester-like internucleoside linkage.

In some embodiments, the nucleic acids may be soft or semi-soft nucleic acids. A soft nucleic acid is an immunostimulatory nucleic acid having a partially stabilized backbone, in which phosphodiester or phosphodiester-like internucleotide linkages occur only within and immediately adjacent to at least one internal pyrimidine-purine dinucleotide (YZ). Preferably YZ is YG, a pyrimidine-guanosine (YG) dinucleotide. The at least one internal YZ dinucleotide itself has a phosphodiester or phosphodiester-like internucleotide linkage. A phosphodiester or phosphodiester-like internucleotide linkage occurring immediately adjacent to the at least one internal YZ dinucleotide can be 5', 3', or both 5' and 3' to the at least one internal YZ dinucleotide.

In particular, phosphodiester or phosphodiester-like internucleotide linkages involve "internal dinucleotides". An internal dinucleotide in general shall mean any pair of adjacent nucleotides connected by an internucleotide linkage, in which neither nucleotide in the pair of nucleotides is a terminal nucleotide, i.e., neither nucleotide in the pair of nucleotides is a nucleotide defining the 5' or 3' end of the nucleic acid. Thus a linear nucleic acid that is n nucleotides long has a total of $n-1$ dinucleotides and only $n-3$ internal dinucleotides. Each internucleotide linkage in an internal dinucleotide is an internal internucleotide linkage. Thus a linear nucleic acid that is n nucleotides long has a total of $n-1$ internucleotide linkages and only $n-3$ internal internucleotide linkages. The strategically placed phosphodiester or phosphodiester-like internucleotide linkages, therefore, refer to phosphodiester or phosphodiester-like internucleotide linkages positioned between any pair of nucleotides in the nucleic acid sequence. In some embodiments the phosphodiester or phosphodiester-like internucleotide linkages are not positioned between either pair of nucleotides closest to the 5' or 3' end.

Preferably a phosphodiester or phosphodiester-like internucleotide linkage occurring immediately adjacent to the at least one internal YZ dinucleotide is itself an internal internucleotide linkage. Thus for a sequence N_1 YZ N_2 , wherein N_1 and N_2 are each, independent of the other, any single nucleotide, the YZ dinucleotide has a phosphodiester or phosphodiester-like internucleotide linkage, and in addition (a) N_1 and Y are linked by a phosphodiester or phosphodiester-like internucleotide linkage when N_1 is an internal nucleotide, (b) Z and N_2 are linked by a phosphodiester or phosphodiester-like internucleotide linkage when N_2 is an internal nucleotide, or (c) N_1 and Y are linked by a phosphodiester or

- 44 -

phosphodiester-like internucleotide linkage when N_1 is an internal nucleotide and Z and N_2 are linked by a phosphodiester or phosphodiester-like internucleotide linkage when N_2 is an internal nucleotide.

Soft nucleic acids according to the instant invention are believed to be relatively susceptible to nuclease cleavage compared to completely stabilized nucleic acids. Without meaning to be bound to a particular theory or mechanism, it is believed that soft nucleic acids of the invention are cleavable to fragments with reduced or no immunostimulatory activity relative to full-length soft nucleic acids. Incorporation of at least one nuclease-sensitive internucleotide linkage, particularly near the middle of the nucleic acid, is believed to provide an "off switch" which alters the pharmacokinetics of the nucleic acid so as to reduce the duration of maximal immunostimulatory activity of the nucleic acid. This can be of particular value in tissues and in clinical applications in which it is desirable to avoid injury related to chronic local inflammation or immunostimulation, e.g., the kidney.

A semi-soft nucleic acid is an immunostimulatory nucleic acid having a partially stabilized backbone, in which phosphodiester or phosphodiester-like internucleotide linkages occur only within at least one internal pyrimidine-purine (YZ) dinucleotide. Semi-soft nucleic acids generally possess increased immunostimulatory potency relative to corresponding fully stabilized immunostimulatory nucleic acids. Due to the greater potency of semi-soft nucleic acids, semi-soft nucleic acids may be used, in some instances, at lower effective concentrations and have lower effective doses than conventional fully stabilized immunostimulatory nucleic acids in order to achieve a desired biological effect.

It is believed that the foregoing properties of semi-soft nucleic acids generally increase with increasing "dose" of phosphodiester or phosphodiester-like internucleotide linkages involving internal YZ dinucleotides. Thus it is believed, for example, that generally for a given nucleic acid sequence with five internal YZ dinucleotides, an nucleic acid with five internal phosphodiester or phosphodiester-like YZ internucleotide linkages is more immunostimulatory than an nucleic acid with four internal phosphodiester or phosphodiester-like YG internucleotide linkages, which in turn is more immunostimulatory than an nucleic acid with three internal phosphodiester or phosphodiester-like YZ internucleotide linkages, which in turn is more immunostimulatory than an nucleic acid with two internal phosphodiester or phosphodiester-like YZ internucleotide linkages, which in turn is more immunostimulatory than an nucleic acid with one internal phosphodiester or phosphodiester-like YZ internucleotide linkage. Importantly, inclusion of even one internal phosphodiester or

phosphodiester-like YZ internucleotide linkage is believed to be advantageous over no internal phosphodiester or phosphodiester-like YZ internucleotide linkage. In addition to the number of phosphodiester or phosphodiester-like internucleotide linkages, the position along the length of the nucleic acid can also affect potency.

5 The soft and semi-soft nucleic acids will generally include, in addition to the phosphodiester or phosphodiester-like internucleotide linkages at preferred internal positions, 5' and 3' ends that are resistant to degradation. Such degradation-resistant ends can involve any suitable modification that results in an increased resistance against exonuclease digestion over corresponding unmodified ends. For instance, the 5' and 3' ends can be stabilized by the
10 inclusion thereof at least one phosphate modification of the backbone. In a preferred embodiment, the at least one phosphate modification of the backbone at each end is independently a phosphorothioate, phosphorodithioate, methylphosphonate, or methylphosphorothioate internucleotide linkage. In another embodiment, the degradation-resistant end includes one or more nucleotide units connected by peptide or amide linkages at
15 the 3' end.

A phosphodiester internucleotide linkage is the type of linkage characteristic of nucleic acids found in nature. The phosphodiester internucleotide linkage includes a phosphorus atom flanked by two bridging oxygen atoms and bound also by two additional oxygen atoms, one charged and the other uncharged. Phosphodiester internucleotide linkage
20 is particularly preferred when it is important to reduce the tissue half-life of the nucleic acid.

A phosphodiester-like internucleotide linkage is a phosphorus-containing bridging group that is chemically and/or diastereomerically similar to phosphodiester. Measures of similarity to phosphodiester include susceptibility to nuclease digestion and ability to activate RNAse H. Thus for example phosphodiester, but not phosphorothioate, nucleic acids are
25 susceptible to nuclease digestion, while both phosphodiester and phosphorothioate nucleic acids activate RNAse H. In a preferred embodiment the phosphodiester-like internucleotide linkage is boranophosphate (or equivalently, boranophosphonate) linkage. U.S. Patent No. 5,177,198; U.S. Patent No. 5,859,231; U.S. Patent No. 6,160,109; U.S. Patent No. 6,207,819; Sergueev et al., (1998) *J Am Chem Soc* 120:9417-27. In another preferred embodiment the
30 phosphodiester-like internucleotide linkage is diastereomerically pure Rp phosphorothioate. It is believed that diastereomerically pure Rp phosphorothioate is more susceptible to nuclease digestion and is better at activating RNAse H than mixed or diastereomerically pure Sp phosphorothioate. Stereoisomers of CpG nucleic acids are the subject of co-pending U.S.

patent application 09/361,575 filed July 27, 1999, and published PCT application PCT/US99/17100 (WO 00/06588). It is to be noted that for purposes of the instant invention, the term "phosphodiester-like internucleotide linkage" specifically excludes phosphorodithioate and methylphosphonate internucleotide linkages.

5 As described above the soft and semi-soft nucleic acids of the invention may have phosphodiester like linkages between C and G. One example of a phosphodiester-like linkage is a phosphorothioate linkage in an *R_p* conformation. Nucleic acid p-chirality can have apparently opposite effects on the immune activity of a CpG nucleic acid, depending upon the time point at which activity is measured. At an early time point of 40 minutes, the *R_p* but not
10 the *S_p* stereoisomer of phosphorothioate CpG nucleic acid induces JNK phosphorylation in mouse spleen cells. In contrast, when assayed at a late time point of 44 hr, the *S_p* but not the *R_p* stereoisomer is active in stimulating spleen cell proliferation. This difference in the kinetics and bioactivity of the *R_p* and *S_p* stereoisomers does not result from any difference in cell uptake, but rather most likely is due to two opposing biologic roles of the p-chirality.
15 First, the enhanced activity of the *R_p* stereoisomer compared to the *S_p* for stimulating immune cells at early time points indicates that the *R_p* may be more effective at interacting with the CpG receptor, TLR9, or inducing the downstream signaling pathways. On the other hand, the faster degradation of the *R_p* PS-nucleic acids compared to the *S_p* results in a much shorter duration of signaling, so that the *S_p* PS-nucleic acids appear to be more biologically
20 active when tested at later time points.

A surprisingly strong effect is achieved by the p-chirality at the CpG dinucleotide itself. In comparison to a stereo-random CpG nucleic acid the congener in which the single CpG dinucleotide was linked in *R_p* was slightly more active, while the congener containing an *S_p* linkage was nearly inactive for inducing spleen cell proliferation.

25 Nucleic acids also include substituted purines and pyrimidines such as C-5 propyne pyrimidine and 7-deaza-7-substituted purine modified bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, and thymine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

30 A modified base is any base which is chemically distinct from the naturally occurring bases typically found in DNA and RNA such as T, C, G, A, and U, but which share basic chemical structures with these naturally occurring bases. The modified nucleoside base may be, for example, selected from hypoxanthine, uracil, dihydrouracil, pseudouracil, 2-thiouracil,

4-thiouracil, 5-aminouracil, 5-(C₁-C₆)-alkyluracil, 5-(C₂-C₆)-alkenyluracil, 5-(C₂-C₆)-alkynyluracil, 5-(hydroxymethyl)uracil, 5-chlorouracil, 5-fluorouracil, 5-bromouracil, 5-hydroxycytosine, 5-(C₁-C₆)-alkylcytosine, 5-(C₂-C₆)-alkenylcytosine, 5-(C₂-C₆)-alkynylcytosine, 5-chlorocytosine, 5-fluorocytosine, 5-bromocytosine, N²-dimethylguanine, 5 2,4-diamino-purine, 8-azapurine, a substituted 7-deazapurine, preferably 7-deaza-7-substituted and/or 7-deaza-8-substituted purine, 5-hydroxymethylcytosine, N4-alkylcytosine, e.g., N4-ethylcytosine, 5-hydroxydeoxycytidine, 5-hydroxymethyldeoxycytidine, N4-alkyldeoxycytidine, e.g., N4-ethyldeoxycytidine, 6-thiodeoxyguanosine, and deoxyribonucleosides of nitropyrrole, C5-propynylpyrimidine, and 10 diaminopurine e.g., 2,6-diaminopurine, inosine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, hypoxanthine or other modifications of a natural nucleoside bases. This list is meant to be exemplary and is not to be interpreted to be limiting.

Modified cytosines include but are not limited to 5-substituted cytosines (e.g., 5-methyl-cytosine, 5-fluoro-cytosine, 5-chloro-cytosine, 5-bromo-cytosine, 5-iodo-cytosine, 5- 15 hydroxy-cytosine, 5-hydroxymethyl-cytosine, 5-difluoromethyl-cytosine, and unsubstituted or substituted 5-alkynyl-cytosine), 6-substituted cytosines, N4-substituted cytosines (e.g., N4-ethyl-cytosine), 5-aza-cytosine, 2-mercapto-cytosine, isocytosine, pseudo-isocytosine, cytosine analogs with condensed ring systems (e.g., N,N'-propylene cytosine or phenoxazine), and uracil and its derivatives (e.g., 5-fluoro-uracil, 5-bromo-uracil, 5- 20 bromovinyl-uracil, 4-thio-uracil, 5-hydroxy-uracil, 5-propynyl-uracil). In another embodiment, the cytosine base is substituted by a universal base (e.g., 3-nitropyrrole, P-base), an aromatic ring system (e.g., fluorobenzene or difluorobenzene) or a hydrogen atom (dSpacer).

Modified guanines include but are not limited to 7-deazaguanine, 25 7-deaza-7-substituted guanine (such as 7-deaza-7-(C₂-C₆)alkynylguanine), 7-deaza-8-substituted guanine, hypoxanthine, N2-substituted guanines (e.g., N2-methyl-guanine), 5-amino-3-methyl-3H,6H-thiazolo[4,5-d]pyrimidine-2,7-dione, 2,6-diaminopurine, 2-aminopurine, purine, indole, adenine, substituted adenines (e.g., N6-methyl-adenine, 8-oxo-adenine) 8-substituted guanine (e.g., 8-hydroxyguanine and 8-bromoguanine), and 30 6-thioguanine. In another embodiment, the guanine base is substituted by a universal base (e.g., 4-methyl-indole, 5-nitro-indole, and K-base), an aromatic ring system (e.g., benzimidazole or dichloro-benzimidazole, 1-methyl-1H-[1,2,4]triazole-3-carboxylic acid amide) or a hydrogen atom (dSpacer).

For use in the instant invention, the oligonucleotide reference compounds and test compounds can be synthesized *de novo* using any of a number of procedures well known in the art, for example, the β -cyanoethyl phosphoramidite method (Beaucage SL et al. (1981) *Tetrahedron Lett* 22:1859), or the nucleoside H-phosphonate method (Garegg et al. (1986) *Tetrahedron Lett* 27:4051-4; Froehler BC et al. (1986) *Nucleic Acids Res* 14:5399-407; Garegg et al (1986) *Tetrahedron Lett* 27:4055-8; Gaffney et al. (1988) *Tetrahedron Lett* 29:2619-22). These chemistries can be performed by a variety of automated nucleic acid synthesizers available in the market. These oligonucleotides are referred to as synthetic oligonucleotides. An isolated oligonucleotide generally refers to an oligonucleotide which is separated from components which it is normally associated with in nature. As an example, an isolated oligonucleotide may be one which is separated from a cell, from a nucleus, from mitochondria or from chromatin.

Modified backbones such as phosphorothioates can be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Pat. No. 092,574) can be prepared by automated solid phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described (e.g., Uhlmann E et al. (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165).

TLR expression

The cell lines can be used in their native state without any modification. For example, in the case of the RPMI 8226 cell line, it can be used to identify compounds that signal through at least TLR9 and/or TLR7. In other instances, however, the cell line can be modified to express a TLR that it does not naturally express. In still other instances, the cell to be used in the screening method may express one or more endogenous TLR and yet still be manipulated to express an additional TLR different from those it endogenously expresses. The cell may also be manipulated in order to increase or decrease the level of TLR that it endogenously expresses. The cells may be stably or transiently transfected.

A cell that does not naturally express a protein or polypeptide, but is genetically manipulated to do so is referred to as ectopically expressing the protein or polypeptide.

The basic screening method remains the same regardless of which TLR is expressed by the cell. However, the reference compound and the readout may vary depending upon the TLR(s) expressed. In the most simple aspect, the screening method is used to identify a compound that signals through a TLR such as for example TLR9. In this case, the positive
5 reference compound may be an immunostimulatory compound already known to act through TLR9 (e.g., CpG nucleic acid).

The methods of the invention involve, in part, contacting a functional TLR with a test composition. A functional TLR is a full-length TLR protein or a fragment thereof capable of inducing or inhibiting a signal in response to interaction with its ligand. Generally the
10 functional TLR will include at least a TLR ligand-binding fragment of the extracellular domain of the full-length TLR and at least a fragment of a TIR domain capable of interacting with another Toll homology domain-containing polypeptide, e.g., MyD88. In various embodiments the functional TLR is a full-length TLR selected from TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9, and TLR10.

15 To date, there are eleven TLRs known. Nucleic acid and amino acid sequences for ten currently known human TLRs are available from public databases such as GenBank. Similarly, nucleic acid and amino acid sequences for various TLRs from numerous non-human species are also available from public databases including GenBank. For example, nucleic acid and amino acid sequences for human TLR9 (hTLR9) can be found as GenBank
20 accession numbers AF245704 (coding region spanning nucleotides 145-3243) (SEQ ID NO: 60) and AAF78037 (SEQ ID NO: 62), respectively. Nucleic acid and amino acid sequences for murine TLR9 (mTLR9) can be found as GenBank accession numbers AF348140 (coding region spanning nucleotides 40-3138) (SEQ ID NO: 68) and AAK29625 (SEQ ID NO: 72), respectively.

25 Nucleic acid and amino acid sequences for human TLR8 (hTLR8) can be found as GenBank accession numbers AF245703 (coding region spanning nucleotides 49-3174) (SEQ ID NO: 46) and AAF78036 (SEQ ID NO: 50), respectively. Nucleic acid and amino acid sequences for murine TLR8 (mTLR8) can be found as GenBank accession numbers AY035890 (coding region spanning nucleotides 59-3157) (SEQ ID NO: 55) and AAK62677
30 (SEQ ID NO: 57), respectively.

Nucleic acid and amino acid sequences for human TLR7 (hTLR7) can be found as GenBank accession numbers AF240467 (coding region spanning nucleotides 135-3285) (SEQ ID NO: 31) and AAF60188 (SEQ ID NO: 34), respectively. Nucleic acid and amino acid

- 50 -

sequences for murine TLR7 (mTLR7) can be found as GenBank accession numbers AY035889 (coding region spanning nucleotides 49-3201) (SEQ ID NO: 38) and AAK62676 (SEQ ID NO: 41), respectively.

5 Nucleic acid and amino acid sequences for human TLR3 (hTLR3) can be found as GenBank accession numbers NM_003265 (coding region spanning nucleotides 102-2816) (SEQ ID NO: 7) and NP_003256 (SEQ ID NO: 8), respectively. Nucleic acid and amino acid sequences for murine TLR3 (hTLR3) can be found as GenBank accession numbers AF355152 (coding region spanning nucleotides 44-2761) (SEQ ID NO: 9) and AAK26117 (SEQ ID NO: 10), respectively.

10 Nucleic acid and amino acid sequences for human TLR1 (hTLR1) can be found as GenBank accession numbers NM_003263 and NP_003254, respectively. Nucleic acid and amino acid sequences for murine TLR1 (mTLR1) can be found as GenBank accession numbers NM_030682 and NP_109607, respectively.

The functional TLR also is not limited to native TLR polypeptides. As used herein, a
15 native TLR is one that is naturally occurring. The TLR may be a non-native (or non-naturally occurring TLR). An example is a chimeric TLR having an extracellular domain and the cytoplasmic domain derived from TLRs from different species. Such chimeric TLR polypeptides can include, for example, a human TLR extracellular domain and a murine TLR cytoplasmic domain. In alternative embodiments, such chimeric TLR polypeptides can
20 include chimerae created with different TLR splice variants or allotypes.

TLR Signaling Pathways

The screening methods provided by the invention measure TLR signaling activity. TLR signaling activity is activity that results from interaction of a TLR with a TLR ligand.
25 TLR signaling can be measured in a number of ways including but not limited to interaction between a TLR and a protein or factor (such as an adaptor protein), interaction between downstream proteins or factors (such as an adaptor protein) with each other, activation of nuclear factors such as transcription factors or transcription complexes, up- or down-regulation of genes, phosphorylation or dephosphorylation of proteins or factors in the
30 signaling cascade, expression, production and/or secretion of cytokines and/or chemokines, changes in cell cycle status, up- or down-regulation of cell surface marker expression, and the like. Those of ordinary skill in the art are familiar with assays for measuring these latter

events including but not limited to gel shift assays, immunoprecipitations, phosphorylation status analysis of proteins, Northern analysis, RT-PCR analysis, etc.

The following is an exemplary TLR signaling pathway or cascade. It is to be understood that this is meant to be illustrative and that different factors may be involved in the signaling of particular TLR. One TLR signaling pathway is known to use the cytoplasmic Toll/IL-1 receptor (TIR) homology domain, present in all TLRs. This domain interacts (e.g., binds to) and thereby transduces a signal to a similar domain on an adapter protein (e.g., MyD88). This type of interaction is referred to as a like:like interaction of TIR domains. This interaction is followed by an another interaction between the adapter protein and a kinase, through their respective "death domains". In the case of at least TLR4 signaling, the kinase then interacts with tumor necrosis factor (TNF) receptor-associated factor-6 (TRAF6). Medzhitov R et al., *Mol Cell* 2:253 (1998); Kopp EB et al., *Curr Opin Immunol* 11:15 (1999). After TRAF6, two sequential kinase activation steps lead to phosphorylation of the inhibitory protein I kappa B and its dissociation from NF- κ B. The first kinase is a mitogen-activated kinase kinase kinase (MAPKKK) known as NIK, for NF- κ B-inducing kinase. The target of this kinase is another kinase made up of two chains, called I kappa B kinase α (IKK α) and I kappa B kinase β (IKK β), that together form a heterodimer of IKK α :IKK β , which phosphorylates I kappa B. NF- κ B translocates to the nucleus to activate genes with kappa B binding sites in their promoters and enhancers such as the genes encoding IL-6, IL-8, the p40 subunit of IL-12, and the costimulatory molecule CD86. The signaling mechanisms of TLRs are not limited to this pathway; other signaling pathways exist and can be used in the screening readouts of the methods provided herein.

The screening assays employ a number of readouts (or parameters). The readouts can be native readouts. A native readout is one that does not rely on introduction of a reporter construct into the cell of interest. The readouts can be artificial. An artificial readout is one that relies on introduction of a reporter construct into the cell of interest. Examples of both are provided herein. In still other embodiments, a given assay may measure one or more native readouts and one or more artificial readouts. Each readout whether native or artificial is related to signaling pathways that ensue after TLR engagement with a ligand.

Each cell line described herein will be associated with a particular set of native readouts which the invention seeks to determine in the screening assays provided. As an example, the response of the RPMI 8226 cell line to an immunomodulatory molecule can be assessed in terms of native readouts such as CD71 expression, CD86 expression, HLA-DR

- 52 -

expression, IL-8 expression, IL-8 production, IL-8 secretion, IL-10 expression, IL-10 production, IL-10 secretion, IP-10 expression, IP-10 production, IP-10 secretion, TNF- α expression, TNF- α production and TNF- α secretion. RAMOS response can be assessed, inter alia, by CD80 cell surface expression. Raji response can be assessed, inter alia, by IL-6 secretion.

As described in greater detail herein, the cell line can be used in an unmodified form. In one respect, an unmodified cell line will naturally respond to a TLR ligand through a native readout system. For example, an RPMI 8226 cell exposed to an immunostimulatory TLR ligand may increase expression of IP-10 from the native gene locus. Alternatively, the cell line may be modified to contain a reporter construct that acts as a surrogate for the IP-10 gene locus. For example, the reporter construct may contain the TLR responsive promoter elements that are naturally found in the native IP-10 locus operably linked to a reporter coding sequence that encodes a gene product that is detectable and quantifiable. The structure and variability of suitable reporter constructs will be discussed in greater detail herein.

Readouts typically include the induction of a gene under control of a specific promoter such as a NF- κ B promoter. The gene under the control of the NF- κ B promoter can be a gene which naturally includes an NF- κ B promoter or it can be a gene in a construct in which an NF- κ B promoter has been inserted. Endogenous genes and transfected constructs which include the NF- κ B promoter include but are not limited to IL-8, IL-12 p40, NF- κ B-luc, IL-12 p40-luc, and TNF-luc.

Increases in cytokine levels can result from increased production, increased stability, increased secretion, or any combination of the foregoing, of the cytokine in response to the TLR-mediated signaling. Cytokines generally include, without limitation, IL-1, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-10, IL-11, IL-12, IL-13, IL-15, IL-18, IFN- α , IFN- β , IFN- γ , TNF- α , GM-CSF, G-CSF, M-CSF. Th1 cytokines include but are not limited to IL-2, IFN- γ , and IL-12. Th2 cytokines include but are not limited to IL-4, IL-5, and IL-10.

Increases in chemokine levels can result from increased production, increased stability, increased secretion, or any combination of the foregoing, of the chemokine in response to the TLR-mediated signaling. Chemokines of particular significance in the invention include but are not limited to CCL5 (RANTES), CXCL9 (Mig), CXCL10 (IP-10), CXCL11 (I-TAC), IL-8, and MCP-1.

- 53 -

TLR signaling activity can also be measured by phosphorylation, such as total cellular phosphorylation or phosphorylation of specific factors such as but not limited to IRAK, ERK, MyD88, TRAF6, p38, NF- κ B subunits, c-Jun and c-Fos.

5 TLR signaling activity can be measured by changes in gene expression. The expression of CD71, CD86, CD80, CD69, CD54, HLA-DR, HLA class I, IL-6, IL-8, IL-10, IP-9, IP-10, IFN- α , TNF- α , and the like can be assessed as a measure of TLR signaling activity. Gene expression analysis may be performed using microarray techniques.

TLR signaling activity can also be measured by cell proliferation status or changes thereto.

10 TLR signaling activity can also be measured by cell surface marker expression such as the cell surface expression of markers such as but not limited to CD71, CD86, HLA-DR, CD80, HLA class I, CD54 and CD69.

TLR signaling activity can also be measured by antibody secretion such as but not limited to IgM secretion.

15

Reporter and Expression Constructs

The cells can be manipulated by the introduction of expression and/or reporter constructs. The expression constructs preferably comprise a TLR coding sequence, as described above. The reporter constructs can be used as surrogate measures of native TLR
20 signaling activity. These reporter constructs are intended to substitute for the "native" readouts capable with the cell line. In order to act as substitutes, the reporter constructs include a promoter element derived from a gene known to be modulated following TLR engagement with a TLR ligand. The reporter construct further includes a coding sequence linked to the promoter. The coding sequence is usually that of a reporter (i.e., a protein that is
25 detectable or quantifiable).

The reporter construct generally includes a promoter, a coding sequence and a polyadenylation signal. These nucleic acids shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, in addition to
30 promoter elements that are responsive to TLR signaling. The nucleic acid constructs may optionally include enhancer sequences or upstream activator sequences as desired.

The promoter in the reporter construct will include a TLR responsive promoter element, and will therefore be regarded as a TLR responsive promoter. As used herein, a

- 54 -

TLR responsive promoter is a promoter having an activity that is modulated (i.e., either activated or inhibited) by signaling through a TLR (e.g., by TLR interaction with its ligand). In order to be modulated by TLR signaling, the promoter contains sites that are bound by transcription factors modulated by TLR signaling. The factors may be activated or inhibited by TLR signaling. Activation of the transcription factor includes increases in the activity of the transcription factor per se, increases in its ability to interact with other factors or with DNA that serve to increase its activity, and increases in its transcription and translation (i.e., increased mRNA and protein levels of the transcription factor). Conversely, inhibition of the transcription factor includes decreases in the activity of the transcription factor per se, decreases in its ability to interact with other factors or with DNA that serve to decrease its activity, and decreases in its transcription and translation (i.e., decreased mRNA and protein levels of the transcription factor). The effect on the transcription factor is usually the downstream result of other interactions in the signaling pathway. The expression of coding sequences linked to such promoters will therefore be modulated by TLR signaling events, and it is the level of expression of these coding sequences that can be used as a readout of TLR signaling in the screening methods provided herein.

The TLR responsive promoter may comprise a transcription factor binding site selected from the group consisting of a NF- κ B binding site, an AP-1 binding site, a CRE, a SRE, an interferon-stimulated response element (ISRE), a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE, among others. These binding sites and their sequences are known in the art. Below is a exemplary list of these sequences.

W = A or T, R = A or G, Y = C or T

NF- κ B Binding site:

Consensus p50 subunit
5' GGGGATYCCC 3' (SEQ ID NO:90)

Consensus p65 subunit
5' GGGRNTTTC 3' (SEQ ID NO:91)

Example of p65 subunit binding site
5' AGT TGA GGG GAC TTT CCC AGG C 3' (SEQ ID NO:92)

CREB Binding site:
5'AGA GAT TGC CTG ACG TCA GAG AGC TAG 3' (SEQ ID NO:93)

- 55 -

AP-1 Binding site:

5'- CGC TTG ATG AGT CAG CCG GAA -3' (SEQ ID NO:94)

5'- CGC ATG AGT CAG ACA -3' (SEQ ID NO:95)

5 ISRE :

5'- TGCAGAAGTGAAACTGAGG-3' (SEQ ID NO:96)

5'- AGAACGAAACA-3' (SEQ ID NO:97)

5'- GAGAAGTGAAAGTGG-3' (SEQ ID NO:98)

5'- TAAGAACATGAAACTGAA-3' (SEQ ID NO:99)

10 5'- ATGAAACTGAAAGTA-3' (SEQ ID NO:100)

5'- TGAAAACCGAAAGCGC-3' (SEQ ID NO:101)

5'- AGAAATGGAAAGT-3' (SEQ ID NO:102)

SRE

15 5'- TCACCCAC-3' (SEQ ID NO:103)

5'- CTCACCCAC-3' (SEQ ID NO:104)

5'- GCCACCCTAC-3' (SEQ ID NO:105)

NFAT:

20 5'- TATGAAACAGTTTTTCC -3' (SEQ ID NO:106)

5'- AGGAAACTC -3' (SEQ ID NO:107)

5'- ARGARATTCC -3' (SEQ ID NO:108)

5'- CCAGTTGAGCCAGAGA -3' (SEQ ID NO:109)

25 GAS:

5'- CTTTCAGTTTCATATTACTCTAAATCCATT -3' (SEQ ID NO:110)

p53 Binding Site :

30 p53 Consensus site:

5'- RRRCWWGYYY -3' (SEQ ID NO:111)

Examples of p53 binding sites:

5'- AGGCATGCCT -3' (SEQ ID NO:112)

35 5'- GGGCTTGCCC -3' (SEQ ID NO:113)

5'- GGGCTTGCTT -3' (SEQ ID NO:114)

5'- GCCTGGACTTGCC -3' (SEQ ID NO:115)

5'- GGACATGCCCCGGGCATGTCC -3' (SEQ ID NO:116)

5'- GTAGCATTAGCCCAGACATGTCC -3' (SEQ ID NO:117)

40

TARE (TNF- α response element):

e.g. from the COL1A1 promoter

5'GAGGTATGCAGACAAGAGTCAGAGTTTCCCCTTGAA 3' (SEQ ID

NO:118)

45

SRF

5'- CCWWWWWWGG -3' (SEQ ID NO:119)

5'- CCAAATAAGGC -3' (SEQ ID NO:120)

- 56 -

The TLR responsive promoter element can be derived from the promoter of a naturally occurring (i.e., an endogenous) gene that is activated or inhibited by TLR signaling (such as the IL-6 gene, the IL-8 gene, the IL-10 gene, the IL-12 p40 gene, the IP-9 gene, the IP-10 gene, the type 1 IFN gene, the IFN- α 4 gene, the IFN- β gene, the TNF- α gene, the TNF- β gene, the RANTES gene, the ITAC gene, the IGFBP4 gene, the CD54 gene, the CD69 gene, the CD71 gene, the CD80 gene, the CD86 gene, the HLA-DR gene, the HLA class I gene, and the like). The afore-mentioned genes are genes that are known to be activated in response to TLR interaction with its ligand.

Suitable promoter regions are described in the Examples. Briefly, the upstream (5') - 620 to +50 promoter region of IFN- α 4 or the upstream (5') -140 to +9 promoter region of IFN- α 1 can be used. In one embodiment, the IFN- α 4 sequence is cloned into the *Sma*I site of the pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') promoter region of IFN- α 4.

The promoter can also be the upstream (5') -280 to +20 promoter region of IFN- β .

The promoter can also be the upstream (5') -397 to +5 promoter region of RANTES. In one embodiment, the RANTES promoter sequence is cloned into the *Nhe*I site (filled in with Klenow) of the pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') -397 to +5 promoter region of RANTES.

The promoter can also be the upstream truncated (-250 to +30) and full length (-860 to +30) promoter regions derived from human IL-12 p40 genomic DNA. In one embodiment, the truncated IL-12 p40 promoter was cloned as a *Kpn*I-*Xho*I insert into p β gal-Basic (Promega) resulting in an expression vector that includes a β gal gene under the control of the upstream (5') -250 to +30 promoter region of human IL-12 p40. In another embodiment, the full length IL-12 p40 promoter was cloned as a *Kpn*I-*Xho*I insert into p β gal-Basic (Promega) resulting in an expression vector that includes a β gal gene under the control of the upstream (5') -751 to +30 promoter region of human IL-12 p40. In another embodiment, the truncated -250 to +30 promoter region of human IL-12 p40 was cloned into the pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') -250 to +30 promoter region of human IL-12 p40. In yet another embodiment, the full length IL-12 p40 promoter of human IL-12 p40 was cloned into the

pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') -751 to +30 promoter region of human IL-12 p40.

The promoter can also be the upstream (5') -288 to +7 promoter region derived from human IL-6 genomic DNA. The promoter can also be derived from the full-length promoter region of the IL-6 gene from -1174 to +7 (Accession No M22111, SEQ ID NO:129).

The promoter can also be the upstream (5') -734 to +44 or the upstream (5') -162 to +44 promoter region derived from human IL-8 genomic DNA. Mukaida N et al. (1989) *J Immunol* 143:1366-71.

The promoter can also be derived from the -615 to +30 promoter region of human TNF- α .

The promoter can also be derived from a promoter region of human TNF- β .

The promoter can also be derived from the -875 to +97 promoter region of human IP-10.

The promoter can also be derived from the -219 to +114 promoter region of human CXCL11 (IP9). The promoter can also be derived from the full length (-934 to +114) promoter region of human CXCL11 (IP9).

The promoter can also be derived from the -289 to +217 promoter region of human IGFBP4 (Insulin growth factor binding protein 4). The promoter can also be derived from the full length (-836 to +217) promoter region of human IGFBP4.

The promoter response element generally will be present in multiple copies, e.g., as tandem repeats. For example, in one reporter construct, coding sequence for luciferase is under control of an upstream 6X tandem repeat of NF- κ B response element. In another example, an ISRE-luciferase reporter construct useful in the invention is available from Stratagene (catalog no. 219092) and includes a 5x ISRE tandem repeat joined to a TATA box upstream of a luciferase reporter gene.

The reporter construct coding sequence is preferably any nucleotide sequence that codes for a protein capable of detection or quantification. The protein can be an enzyme (e.g., luciferase, alkaline phosphatase, β -galactosidase, chloramphenicol acetyltransferase (CAT), secreted alkaline phosphatase, etc.), a bioluminescence marker (e.g., green fluorescent protein (GFP, U.S. Pat. No. 5,491,084), etc.), blue fluorescent protein (BFP, e.g., U.S. Pat. No. 6,486,382), etc.), a surface-expressed molecule (e.g., CD25, CD80, CD86), a secreted molecule (e.g., IL-1, IL-6, IL-8, IL-12 p40, TNF- α), a hapten or antigen, and other detectable protein products known to those of skill in the art. For assays relying on enzyme activity

- 58 -

readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using flow cytometry (FACS) analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many of these and other suitable readout systems are well known in the art and are commercially available. Preferably, the coding sequence encodes a protein having a level or an activity that is quantifiable, preferably with a wide linear range.

The expression construct coding sequence is preferably a TLR coding sequence derived from the sequences listed herein. Preferably, the expression construct promoter is a constitutive promoter, although in some embodiments it may be inducible. Those of ordinary skill in the art are familiar with such promoters.

As used herein, a coding sequence and the regulatory sequences (such as promoters) are said to be operably linked when they are covalently linked in such a way as to place the expression or transcription and/or translation of the coding sequence under the influence or control of the regulatory sequence. Two DNA sequences are said to be operably linked if induction of a promoter in the 5' regulatory sequence results in the transcription of the coding sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the coding sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a regulatory sequence would be operably linked to a coding sequence if the gene expression sequence were capable of effecting transcription of that coding sequence such that the resulting transcript is translated into the desired protein or polypeptide.

Methods for nucleic acid introduction into cells are known in the art.

The nucleic acid may be delivered to the cells alone or in association with a vector. In its broadest sense, a vector is any vehicle capable of facilitating the transfer of the nucleic acid to the cells so that the reporter can be expressed. The vector generally transports the nucleic acid to the cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In general, the vectors useful in the invention include, but are not limited to, plasmids, phagemids, viruses, other vehicles derived from viral or bacterial sources that have been manipulated by the insertion or incorporation of the antigen nucleic acid sequences. Viral vectors are a preferred type of vector and include, but are not limited

to, nucleic acid sequences from the following viruses: retrovirus, such as Moloney murine leukemia virus, Harvey murine sarcoma virus, murine mammary tumor virus, and Rous sarcoma virus; adenovirus, adeno-associated virus; SV40-type viruses; polyoma viruses; Epstein-Barr viruses; papilloma viruses; herpes virus; vaccinia virus; polio virus; and RNA virus such as a retrovirus. One can readily employ other vectors not named but known in the art.

Preferred viral vectors are based on non-cytopathic eukaryotic viruses in which non-essential genes have been replaced with the gene of interest. Non-cytopathic viruses include retroviruses, the life cycle of which involves reverse transcription of genomic viral RNA into DNA with subsequent proviral integration into host cellular DNA. Retroviruses have been approved for human gene therapy trials. Most useful are those retroviruses that are replication-deficient (i.e., capable of directing synthesis of the desired proteins, but incapable of manufacturing an infectious particle). Such genetically altered retroviral expression vectors have general utility for the high-efficiency transduction of genes *in vivo*. Standard protocols for producing replication-deficient retroviruses (including the steps of incorporation of exogenous genetic material into a plasmid, transfection of a packaging cell lined with plasmid, production of recombinant retroviruses by the packaging cell line, collection of viral particles from tissue culture media, and infection of the target cells with viral particles) are provided in Kriegler, M., Gene Transfer and Expression, A Laboratory Manual W.H. Freeman C.O., New York (1990) and Murray, E.J. Methods in Molecular Biology, vol. 7, Humana Press, Inc., Clifton, New Jersey (1991).

A preferred virus for certain applications is the adeno-associated virus, a double-stranded DNA virus. The adeno-associated virus can be engineered to be replication-deficient and is capable of infecting a wide range of cell types and species. It further has advantages such as, heat and lipid solvent stability; high transduction frequencies in cells of diverse lineages, including hemopoietic cells; and lack of superinfection inhibition thus allowing multiple series of transductions. Reportedly, wild-type adeno-associated virus manifest some preference for integration sites into human cellular DNA, thereby minimizing the possibility of insertional mutagenesis and variability of inserted gene expression characteristic of retroviral infection. In addition, wild-type adeno-associated virus infections have been followed in tissue culture for greater than 100 passages in the absence of selective pressure, implying that the adeno-associated virus genomic integration is a relatively stable event. The adeno-associated virus can also function in an extrachromosomal fashion.

Recombinant adeno-associated viruses that lack the replicase protein apparently lack this integration sequence specificity.

Other vectors include plasmid vectors. Plasmid vectors have been extensively described in the art and are well-known to those of skill in the art. See e.g., Sambrook et al.,
5 Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor Laboratory Press, 1989. In the last few years, plasmid vectors have been found to be particularly advantageous for delivering genes to cells *in vivo* because of their inability to replicate within and integrate into a host genome. These plasmids, however, having a promoter compatible with the host cell, can express a peptide from a gene operatively encoded within the plasmid.
10 Some commonly used plasmids include pBR322, pUC18, pUC19, pRc/CMV, SV40, and pBlueScript. Other plasmids are well-known to those of ordinary skill in the art. Additionally, plasmids may be custom designed using restriction enzymes and ligation reactions to remove and add specific fragments of DNA.

In general, the vectors useful in the invention are divided into two classes: biological
15 vectors and chemical/physical vectors. Biological vectors and chemical/physical vectors are useful in the delivery and/or uptake of reporter constructs of the invention.

Most biological vectors are used for delivery of nucleic acids and thus would be most appropriate in the delivery of nucleic acids.

As used herein, a "chemical/physical vector" refers to a natural or synthetic molecule,
20 other than those derived from bacteriological or viral sources, capable of delivering the reference and test compound.

A preferred chemical/physical vector of the invention is a colloidal dispersion system. Colloidal dispersion systems include lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system of the invention is a
25 liposome. Liposomes are artificial membrane vessels which are useful as a delivery vector *in vivo* or *in vitro*. It has been shown that large unilamellar vessels (LUV), which range in size from 0.2 - 4.0 μm can encapsulate large macromolecules. RNA, DNA and intact virions can be encapsulated within the aqueous interior and be delivered to cells in a biologically active form (Fraley, et al., *Trends Biochem. Sci.*, (1981) 6:77).

30 Liposomes may be targeted to a particular tissue by coupling the liposome to a specific ligand such as a monoclonal antibody, sugar, glycolipid, or protein. Ligands which may be useful for targeting a liposome to an immune cell include, but are not limited to, intact or fragments of molecules which interact with immune cell specific receptors and molecules,

such as antibodies, which interact with the cell surface markers of immune cells. Such ligands may easily be identified by binding assays well known to those of skill in the art. In still other embodiments, the liposome may be targeted to the cancer by coupling it to a one of the immunotherapeutic antibodies discussed earlier. Additionally, the vector may be coupled to a nuclear targeting peptide, which will direct the vector to the nucleus of the host cell.

Lipid formulations for transfection are commercially available from QIAGEN, for example, as EFFECTENE™ (a non-liposomal lipid with a special DNA condensing enhancer) and SUPERFECT™ (a novel acting dendrimeric technology).

Liposomes are commercially available from Gibco BRL, for example, as LIPOFECTIN™ and LIPOFECTACE™, which are formed of cationic lipids such as N-[1-(2, 3 dioleyloxy)-propyl]-N, N, N-trimethylammonium chloride (DOTMA) and dimethyl dioctadecylammonium bromide (DDAB). Methods for making liposomes are well known in the art and have been described in many publications. Liposomes also have been reviewed by Gregoriadis, G. in *Trends in Biotechnology*, (1985) 3:235-241. In some preferred embodiments, the method of choice for delivering DNA (for transfection) to the cells is electroporation, particularly where a stably transfected cell line is sought.

The present invention is further illustrated by the following Examples, which in no way should be construed as further limiting.

Examples

Example 1. Biological Activity of Production Lot of CpG ODN (SEQ ID NO:1) Assayed Using Cells Stably Transfected with hTLR9 Expression Vector

CpG ODN (SEQ ID NO:1) is currently in preclinical and clinical trials for a number of clinical applications. SEQ ID NO:1 has been discovered to induce signaling through TLR9. In order to assess different lots of clinical material, the methods of the invention are employed, using a highly characterized lot of SEQ ID NO:1 as a reference.

In a TLR9 assay, the CpG-non-responsive human embryonal kidney cell line HEK293 (e.g., ATCC CRL-1573) was stably transfected with a hTLR9 expression construct and found to express full-length human TLR9 constitutively. The cells also contained a genomic copy of a reporter construct with a 6x NF- κ B binding site and a luciferase gene reporter cassette. Incubation of the cells with CpG ODN (SEQ ID NO:1) activates NF- κ B driven expression of luciferase, while incubation with medium alone (negative control) does not. The cells are

- 62 -

then lysed and activity of the luciferase protein determined by its catalytic activity of luciferin oxidation which is measured in a luminometer. Results are expressed as fold induction above medium control.

Assay set-up includes a reference standard material which is highly pure and well characterized. The reference material is used to create a standard curve within a defined range where the dose-response curve is linear (e.g., in the range of the EC50 value for SEQ ID NO:1, 70-100 nM). The test material is dissolved for testing and assayed at a defined concentration. Activity of the test material is calculated using the standard curve of the reference material. Quality of the tested material is deemed acceptable if activity of the test material compared to activity of the reference material falls within predetermined limits.

Example 2. Biological Activity of Production Lot of CpG ODN (SEQ ID NO:1) Assayed Using RPMI 8226 Cells

The assay of Example 1 is performed using RPMI 8226 cells (ATCC CCL-155) in place of the stably transfected HEK cells of Example 1. RPMI 8226 cells naturally express human TLR9. The cells are stably transfected with a 6x NF- κ B-luciferase reporter construct. It is to be understood that the assay could also be carried out by measuring a native readout such as IL-10 secretion.

Example 3. Expression Vectors for Human TLR3 (hTLR3) and Murine TLR3 (mTLR3)

To create an expression vector for human TLR3, human TLR3 cDNA was amplified by the polymerase chain method (PCR) from a cDNA made from human 293 cells using the primers 5'-GAAACTCGAGCCACCATGAGACAGACTTTGCCTTGTATCTAC-3' (sense, SEQ ID NO:152) and 5'-GAAAGAATTCTTAATGTACAGAGTTTTTGGATCCAAG-3' (antisense, SEQ ID NO:153). The primers introduce *Xho*I and *Eco*RI restriction endonuclease sites at their 5' ends for use in subsequent cloning into the expression vector. The resulting amplification product fragment was cloned into pGEM-T Easy vector (Promega), isolated, cut with *Xho*I and *Eco*RI restriction endonucleases, ligated into an *Xho*I/*Eco*RI-digested pcDNA3.1 expression vector (Invitrogen). The insert was fully sequenced and translated into protein. The cDNA sequence corresponds to the published cDNA sequence for hTLR3, available as GenBank accession no. NM_003265 (SEQ ID NO:7). The open reading frame codes for a protein 904 amino acids long, having the sequence corresponding to GenBank accession no. NP_003256 (SEQ ID NO:8).

Corresponding nucleotide and amino acid sequences for murine TLR3 (mTLR3) are known. The nucleotide sequence of mTLR3 cDNA has been reported as GenBank accession no. AF355152 (SEQ ID NO:9), and the amino acid sequence of mTLR3 has been reported as GenBank accession no. AAK26117 (SEQ ID NO:10).

5

Example 4. Reconstitution of TLR3 Signaling in 293 Fibroblasts

Human TLR3 cDNA and murine TLR3 cDNA in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the *EcoRI* site. The resulting expression vectors mentioned above were transfected into
10 CpG-DNA non-responsive human 293 fibroblast cells (ATCC, CRL-1573) using the calcium phosphate method. Utilizing a "gain of function" assay it was possible to reconstitute human TLR3 (hTLR3) and murine TLR3 (mTLR3) signaling in 293 fibroblast cells.

Since NF- κ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-8; Muzio M et al. (1998) *J Exp Med*
15 187:2097-101), in a first set of experiments human 293 fibroblast cells were transfected with hTLR3 alone or co-transfected with hTLR3 and an NF- κ B-driven luciferase reporter construct.

Likewise, in a second set of experiments, 293 fibroblast cells were transfected with hTLR3 alone or co-transfected with hTLR3 and an IFN- α 4-driven luciferase reporter
20 construct (described in Example 8 below).

In a third group of experiments, 293 fibroblast cells were transfected with hTLR3 alone or co-transfected with hTLR3 and a RANTES-driven luciferase reporter construct (described in Example 14 below).

25 Example 5. Reconstitution of TLR7 Signaling

Methods for cloning murine and human TLR7 have been described in pending U.S. Pat. Application No. 09/954,987 and corresponding published PCT application PCT/US01/29229 (WO 02/22809), both filed September 17, 2001, the contents of which are incorporated herein by reference. Human TLR7 cDNA and murine TLR7 cDNA in pT-Adv
30 vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the *EcoRI* site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR7 (hTLR7) and murine TLR7 (mTLR7) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors

mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Example 6. Reconstitution of TLR8 Signaling

5 Methods for cloning murine and human TLR8 have been described in pending U.S. Pat. Application No. 09/954,987 and corresponding published PCT application PCT/US01/29229 (WO 02/22809), both filed September 17, 2001, the contents of which are incorporated by reference. Human TLR8 cDNA and murine TLR8 cDNA in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from
10 Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR8 (hTLR8) and murine TLR8 (mTLR8) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

15

Example 7. Reconstitution of TLR9 Signaling in 293 Fibroblasts

 Methods for cloning murine and human TLR9 have been described in pending U.S. Pat. Application No. 09/954,987 and corresponding published PCT application PCT/US01/29229 (WO 02/22809), both filed September 17, 2001, the contents of which are
20 incorporated by reference. Human TLR9 cDNA and murine TLR9 cDNA in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors
25 mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- κ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates (2×10^6 cells/plate) with 16 μ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe,
30 Germany). Clones were tested for TLR9 expression by RT-PCR, for example as shown in Fig. 21. The clones were also screened for IL-8 production or NF- κ B-luciferase activity after stimulation with ODN. Four different types of clones were generated.

- 65 -

293-hTLR9-luc: expressing human TLR9 and 6x NF- κ B-luciferase reporter
 293-mTLR9-luc: expressing murine TLR9 and 6x NF- κ B-luciferase reporter
 293-hTLR9: expressing human TLR9
 293-mTLR9: expressing murine TLR9

5

Human 293 fibroblast cells were transiently transfected with hTLR9 and a 6x NF- κ B-luciferase reporter plasmid (NF- κ B-luc, kindly provided by Patrick Baeuerle, Munich, Germany) (Fig. 18A) or with hTLR9 alone (Fig. 18B). After stimulus with CpG-ODN (2 μ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:1), GpC-ODN (2 μ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:154), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h, Fig. 18A) or IL-8 production by ELISA (48h, Fig. 18B) was monitored. Results are representative of three independent experiments. Fig. 18 shows that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Human 293 fibroblast cells were transiently transfected with mTLR9 and the NF- κ B-luc construct. Similar data was obtained for IL-8 production (not shown). Thus expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG DNA stimulation similar to hTLR4 reconstitution of LPS responses.

Figs. 19 and 20 demonstrate the responsiveness of a stable 293-mTLR9-luc and 293-hTLR9-luc clones after stimulation with CpG-ODN (2 μ M, SEQ ID NO:1), GpC-ODN (2 μ M, SEQ ID NO:154), Me-CpG-ODN (2 μ M; TZGTZGTTTTGTZGTTTTGTZGTT, Z = 5-methylcytidine, SEQ ID NO:147), LPS (100 ng/ml) or media, as measured by monitoring NF- κ B activation. Similar results were obtained utilizing IL-8 production with the stable clones. These results demonstrate that CpG-DNA non-responsive cell lines can be stably genetically complemented with TLR9 to become responsive to CpG DNA in a motif-specific manner.

Example 8. Method of Making IFN- α 4 Reporter Vector

A number of reporter vectors may be used in the practice of the invention. Some of the reporter vectors are commercially available, e.g., the luciferase reporter vectors pNF- κ B-Luc (Stratagene) and pAP1-Luc (Stratagene). These two reporter vectors place the luciferase gene under control of an upstream (5') promoter region derived from genomic DNA for NF- κ B or AP1, respectively. Other reporter vectors can be constructed following standard

- 66 -

methods using the desired promoter and a vector containing a suitable reporter, such as luciferase, β -galactosidase (β -gal), chloramphenicol acetyltransferase (CAT), and other reporters known by those skilled in the art. Following are some examples of reporter vectors constructed for use in the present invention.

5 IFN- α 4 is an immediate-early type 1 IFN. Sequence-specific PCR products for the -620 to +50 promoter region of IFN- α 4 were derived from genomic DNA of human 293 cells and cloned into the *Sma*I site of the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -620 to +50 promoter region of IFN- α 4. The sequence of the -620 to +50 promoter region of IFN- α 4 is provided as
10 SEQ ID NO:121.

Example 9. Method of Making IFN- α 1 Reporter Vector

IFN- α 1 is a late type 1 IFN. Sequence-specific PCR products for the -140 to +9 promoter region of IFN- α 1 were derived from genomic DNA of human 293 cells and cloned
15 into *Sma*I site of the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -140 to +9 promoter region of IFN- α 1. A sequence of the -140 to +9 promoter region of IFN- α 1 is provided as SEQ ID NO:122.

Example 10. Method of Making IFN- β Reporter Vector

20 IFN- β is an immediate-early type 1 IFN. The -280 to +20 promoter region of IFN- β was derived from the pUC β 26 vector (Algarte M et al. (1999) *J Virol* 73:2694-702) by restriction at *Eco*RI and *Taq*I sites. The 300 bp restriction fragment was filled in by Klenow enzyme and cloned into *Nhe*I-digested and filled in pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -280
25 to +20 promoter region of IFN- β . A sequence of the -280 to +20 promoter region of IFN- β is provided as SEQ ID NO:123.

Example 11. Method of Making Human IL-6 Reporter Vectors

Reporter constructs are made using the -285 to +7 promoter region derived from
30 human IL-6 genomic DNA. (Takeshita et al. Eur. J. Immunol. 2000. 30: 108-116.) In one reporter construct the IL-6 promoter region is cloned as a *Kpn*I-*Xho*I insert into pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of

an upstream (5') -288 to +7 promoter region derived from human IL-6 genomic DNA. A sequence of the -288 to +7 promoter region of human IL-6 is provided as SEQ ID NO:128.

The promoter can also be derived from the full-length promoter region of the IL-6 gene from -1174 to +7 (GenBank Accession No M22111) as shown below as SEQ ID NO:129.

Example 12. Method of Making Human IL-8 Reporter Vectors

Reporter constructs have been made using a -546 to +44 and a truncated -133 to +44 promoter region derived from human IL-8 genomic DNA. Mukaida N et al. (1989) *J Immunol* 143:1366-71. In each reporter construct the IL-8 promoter region was cloned as a *KpnI-XhoI* insert into pGL3-Basic Vector (Promega). One of the resulting expression vectors includes a luciferase gene under control of an upstream (5') -546 to +44 promoter region derived from human IL-8 genomic DNA. Another of the resulting expression vectors includes a luciferase gene under control of an upstream (5') -133 to +44 promoter region derived from human IL-8 genomic DNA.

The promoter can also be the upstream (5') -734 to +44 or the upstream (5') -162 to +44 promoter region derived from human IL-8 genomic DNA. Mukaida N et al. (1989) *J Immunol* 143:1366-71. A sequence of the -734 to +44 promoter region derived from human IL-8 is provided below as SEQ ID NO: 130.

Example 13. Method of Making Human IL-12 p40 Reporter Vectors

Reporter constructs have been made using truncated (-250 to +30, SEQ ID NO:127) and full length (-751 to +30, SEQ ID NO:126) promoter regions derived from human IL-12 p40 genomic DNA. (Takeshita et al. Eur. J. Immunol. 2000. 30: 108-116.) In one reporter construct the truncated IL-12 p40 promoter was cloned as a *KpnI-XhoI* insert into p β gal-Basic (Promega). The resulting expression vector includes a β gal gene under control of an upstream (5') -250 to +30 promoter region of human IL-12 p40. In a second reporter construct the full length IL-12 p40 promoter was cloned as a *KpnI-XhoI* insert into p β gal-Basic (Promega). The resulting expression vector includes a β gal gene under control of an upstream (5') -751 to +30 promoter region of human IL-12 p40. In a third reporter construct the truncated -250 to +30 promoter region of human IL-12 p40 was cloned into the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -250 to +30 promoter region of human IL-12 p40. In a

fourth reporter construct the full length IL-12 p40 promoter of human IL-12 p40 was cloned into the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -751 to +30 promoter region of human IL-12 p40. A sequence of the -751 to +30 promoter region of human IL-12 p40 is provided as SEQ ID NO: 126.

Example 14. Method of Making RANTES Reporter Vector

Transcription of the chemokine RANTES is believed to be regulated at least in part by IRF3 and by NF- κ B. Lin R et al. (1999) *J Mol Cell Biol* 19(2):959-66; Genin P et al. (2000) *J Immunol* 164:5352-61. A 483 bp sequence-specific PCR product including the -397 to +5 promoter region of RANTES was derived from genomic DNA of human 293 cells, restricted with *Pst*I and cloned into pCAT-Basic Vector (Promega) using *Hind*III (filled in with Klenow) and *Pst*I sites (filled in). The -397 to +5 promoter region of RANTES was then isolated from the resulting RANTES/chloramphenicol acetyltransferase (CAT) reporter plasmid by restriction with *Bgl*II and *Sal*I, filled in with Klenow enzyme, and cloned into the *Nhe*I site (filled in with Klenow) of the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -397 to +5 promoter region of RANTES. Comparison of the insert sequence -397 to +5 of Genin P et al. (2000) *J Immunol* 164:5352-61 and GenBank accession no. AB023652 (SEQ ID NO:125) revealed two point deletions (at positions 105 and 273 of SEQ ID NO:125) which do not create new restriction sites. A sequence of the -397 to +5 promoter region of RANTES is provided as SEQ ID NO:125.

Example 15. RT-PCR Analysis of Cell Lines for TLR Expression

TLR expression was determined using total RNA of cells prepared by standard methods (QIAGEN). RNA was transcribed to cDNA using AMV Reverse Transcriptase (Roche). Quantitative PCR was performed with TLR-gene specific primer sets using a LightCycler Instrument (Roche). Controls for genomic DNA impurities were performed by a similar PCR method using RNA (but without reverse transcriptase).

A variety of cell lines was screened for their expression of TLR3, 7, 8 and 9. These cell lines are A549 (human lung carcinoma), BeWo (human choriocarcinoma), HeLa (human cervix carcinoma), Hep-2 (human cervix carcinoma), KG-1 (human acute myeloid leukemia), MUTZ-3 (human acute myelomonocytic leukemia), Nalm-6 (human B cell precursor

leukemia), NK-92 (human Natural killer cell line), NK-92 MI (human Natural killer cell line, IL-2 independent), Raji (human Burkitt's lymphoma, B lymphocyte), RAMOS (Burkitt's lymphoma, B lymphocyte), RPMI 8226 (human multiple myeloma, B lymphocyte), THP-1 (human acute monocytic leukemia), U937 (human lymphoma) and Jurkat (human T cell leukemia).

All B cell lines express, as determined by Real Time-PCR (RT-PCR), endogenous TLR9. In addition, all lines except NALM co-express TLR7. Nevertheless, none of the other cell lines appeared to express TLR7, whereas low TLR9 expression on the mRNA level was observed for KG-1 and THP-1. TLR3 appeared to be expressed in most of these cell lines, with the highest mRNA levels for example in the NK cell lines (e.g., NK-92).

Raji cells contain high levels of TLR9 mRNA and low levels of TLR3 and TLR7 mRNA suggesting high expression of TLR9 protein and lower levels of TLR3 and TLR7 protein.

These results indicate that the cell lines expressing TLR9 can be used to screen potential new TLR9 ligands (CpG ODN, etc.), cell lines expressing TLR7 to screen potential new TLR7 ligands (ORN (oligoribonucleotides), small molecules, etc.), and cell lines expressing both receptors may be used to screen for "hybrid" TLR7 and 9 agonists. In addition, cell lines lacking TLR8 expression (i.e., all cell lines tested) can be used to confirm the specificity of a TLR7 versus a TLR8 ligand (i.e., the latter should not be able to stimulate TLR7-expressing cells). In contrast, cell lines expressing TLR3 (e.g., Raji cells) may be used to screen for potential new TLR3 ligands (dsRNA, etc.).

Example 16. Screening of Various Cell Lines for Responses to TLR Ligands

Except where otherwise indicated, the following general methods were used. Cells were plated at 5×10^5 /ml in 48 well plates in RPMI medium with 10% FBS. Stimulation was performed by addition of the oligonucleotides or other compounds diluted to the test concentrations in TE. Cells were incubated for 24 or 48h and the supernatants were taken to analyse for the presence of cytokines or chemokines.

The TLR ligands used are as follows:

TLR3: Poly I:C

TLR7, TLR8: R-848

TLR9:

T*C*C*A*G*G*A*C*T*T*C*T*C*T*C*A*G*G*T*T (SEQ ID NO: 2);

- 70 -

T*C*G*T*C*G*T*T*T*T*G*T*C*G*T*T*T*G*T*C*G*T*T (SEQ ID NO: 1);
 T*G*C*T*G*C*T*T*T*T*G*T*G*C*T*T*T*G*T*G*C*T*T (SEQ ID NO: 154);
 T*C*G*T*C*G*T*T*T*T*C*G*G*C*G*C*G*C*G*C*C*G (SEQ ID NO: 158);
 G*G*G_G_A_C_G_A_C_G_T_C_G_T_G_G*G*G*G*G*G (SEQ ID NO: 159);
 5 T*G*C*T*G*C*T*T*T*T*C*G*G*C*G*G*C*C*G*C*C*G (SEQ ID NO: 160);
 G*G*G_G_A_G_C_A_G_C_T_G_C_T_G_G*G*G*G*G*G (SEQ ID NO: 161).

* phosphorothioate linkage; _ phosphodiester linkage.

Increased expression of cell surface markers was determined using cells stimulated as
 10 described above and then stained with different monoclonal antibody combinations specific
 for the cell surface markers. Analysis of the cells was performed by flow cytometry.

Changes in reporter gene activity were determined using cells transfected with a
 NF- κ B reporter construct (Stratagene) and a β -galactosidase reporter control plasmid
 (Invitrogen) using electroporation. For NF- κ B analysis, a 5x NF- κ B-Luciferase Vector
 15 (Stratagene) was used. The amount of DNA transfected as well as cell concentration was
 varied. Stimulation was performed 24h after transfection. Cells were stimulated with the
 indicated amounts of ODN, R-848, LPS, TNF- α , or IL-1 β for the indicated incubation times.
 Cell extracts were prepared by lysing the cells in 100 μ l reporter lysis buffer (Promega) using
 the freeze-thaw method. All data were normalized for β -galactosidase expression.
 20 Stimulation indices were calculated in reference to luciferase activity of medium without
 addition of ODN.

Stimulation of the Raji cell line with a TLR9 ligand (CpG ODN), a TLR3 ligand (poly
 I:C) or a TLR7 ligand (R-848) results in the ligand-specific secretion of cytokines. Figs. 14
 and 15 show IL-6 production of Raji cells upon stimulation with ODN, poly I:C or R-848.
 25 Fig. 16 shows IFN- α 2 production of Raji cells upon stimulation with ODN, poly I:C or R-848.
 In all assays, cells were incubated with Na-Butyrate for 48h before stimulation with TLR
 ligands. CpG stimulation of the RAMOS cell lines can result in the CpG-specific up-
 regulation of cell surface markers such as CD80, as shown in Fig. 17.

30 **Example 17. Inhibition of a Positive Reference Compound Response with an Inhibitory Test Compound**

Inhibition of CpG mediated chemokine production was determined using RPMI 8226
 cells incubated with increasing amounts of SEQ ID NO:1 in the presence of an

immunoinhibitory ODN (SEQ ID NO: 151). IP-10 production was measured 24h later by ELISA (Fig. 9).

Equivalents

5 The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described
10 herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages and objects of the invention are not necessarily encompassed by each embodiment of the invention.

 All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

15

 We claim:

- 72 -

Claims

1. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising
contacting an RPMI 8226 cell that expresses a TLR with a test compound and
5 measuring a test level of TLR signaling activity,
wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and
wherein the TLR signaling activity is selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-8 expression, IL-8 production, IL-8
10 secretion, IL-10 expression, IL-10 production, IL-10 secretion, IP-10 expression, IP-10 production, IP-10 secretion, TNF- α expression, TNF- α production and TNF- α secretion.
2. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising
15 contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity,
wherein a test level that is positive is indicative of an immunostimulatory compound, and
wherein the cell is a Raji cell, a RAMOS cell, a Nalm cell, a THP-1 cell, or a KG-
20 1 cell.
3. The method of claim 1 or 2, wherein the test level is positive relative to a reference level determined by contacting the cell with a reference compound and measuring a reference TLR signaling activity.
25
4. The method of claim 3, wherein the reference compound is a positive reference compound
5. The method of claim 4, wherein the positive reference compound is
30 selected from the group consisting of an immunostimulatory nucleic acid and an imidazoquinoline compound.

- 73 -

6. The method of claim 3, wherein the reference compound is a negative reference compound.

7. The method of claim 6, wherein the negative reference compound is
5 medium alone.

8. The method of claim 5, wherein the immunostimulatory nucleic acid is selected from the group consisting of a CpG nucleic acid, a T-rich nucleic acid, a poly-T nucleic acid and a poly-G nucleic acid.

10

9. The method of claim 5, wherein the imidazoquinoline compound is selected from the group consisting of R-848 and R-847.

10. The method of claim 1 or 2, wherein the test compound is a nucleic
15 acid.

11. The method of claim 10, wherein the nucleic acid does not comprise a motif selected from the group consisting of a CpG motif, a poly-T motif, a T-rich motif and a poly-G motif.

20

12. The method of claim 10, wherein the nucleic acid comprises a phosphorothioate backbone linkage.

13. The method of claim 10, wherein the nucleic acid is a DNA, an RNA or
25 a DNA-RNA hybrid.

14. The method of claim 1 or 2, wherein the test compound is a non-nucleic acid small molecule.

15. The method of claim 1 or 2, wherein the test compound comprises an
30 amino acid, a carbohydrate, a lipid, or a hormone.

16. The method of claim 15, wherein the carbohydrate is a polysaccharide.

17. The method of claim 1 or 2, wherein the test compound is derived from a molecular library.

5 18. The method of claim 1, wherein the cell is transfected with a nucleic acid.

19. The method of claim 18, wherein the nucleic acid encodes a TLR or a reporter construct.

10 20. The method of claim 2, wherein the cell is transfected with a nucleic acid.

21. The method of claim 20, wherein the nucleic acid encodes a TLR or a reporter construct.

22. The method of claim 19 or 21, wherein the TLR is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9 and TLR10.

20 23. The method of claim 22, wherein the TLR is a human TLR.

24. The method of claim 19 or 21, wherein the reporter construct is selected from the group consisting of a luciferase reporter construct, a β -galactosidase reporter construct, a chloramphenicol acetyltransferase reporter construct, a green fluorescent protein reporter construct, and a secreted alkaline phosphatase construct.

25. The method of claim 19 or 21, wherein the reporter construct comprises a TLR responsive promoter.

30 26. The method of claim 25, wherein the TLR responsive promoter comprises a transcription factor binding site selected from the group consisting of a NF- κ B binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an

- 75 -

IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE.

27. The method of claim 25, wherein the TLR responsive promoter is a
5 promoter region selected from the group consisting of an IL-1 promoter region, an IL-6
promoter region, an IL-8 promoter region, an IL-10 promoter region, an IL-12 p40 promoter
region, an IFN- α 1 promoter region, an IFN- α 4 promoter region, an IFN- β promoter region, an
IFN- γ promoter region, a TNF- α promoter region, a TNF- β promoter region, an IP-9 promoter
region, an IP-10 promoter region, a RANTES promoter region, an ITAC promoter region, a
10 MCP-1 promoter region, an IGFBP4 promoter region, a CD54 promoter region, a CD69
promoter region, a CD71 promoter region, a CD80 promoter region, a CD86 promoter region,
a HLA-DR promoter region, and a HLA class I promoter region.

28. The method of claim 18 or 20, wherein the cell is stably transfected.
15

29. The method of claim 1 or 2, wherein the TLR signaling activity is
measured by cytokine secretion or chemokine secretion.

30. The method of claim 1, wherein the TLR signaling activity is selected
20 from the group consisting of IL-8 secretion, IL-10 secretion, IP-10 secretion and TNF- α
secretion.

31. The method of claim 2, wherein the TLR signaling activity is selected
from the group consisting of IL-6 expression, IL-6 production, IL-6 secretion, IL-8
25 expression, IL-8 production, IL-8 secretion, IL-10 expression, IL-10 production, IL-10
secretion, IP-10 expression, IP-10 production, IP-10 secretion, IL-12 expression, IL-12
production, IL-12 secretion, TNF- α expression, TNF- α production and TNF- α secretion.

32. The method of claim 2, wherein the TLR signaling activity is measured
30 by phosphorylation.

33. The method of claim 32, wherein phosphorylation is total cellular
phosphorylation.

34. The method of claim 32, wherein phosphorylation is phosphorylation of a factor selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, NFkB subunits, c-Jun and c-Fos.

5

35. The method of claim 1 or 2, wherein the TLR signaling activity is measured by gene expression.

36. The method of claim 1, wherein the TLR signaling activity is measured
10 by gene expression selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-8 expression, IL-10 expression, IP-10 expression, and TNF- α expression.

37. The method of claim 35, wherein TLR signaling activity is measured
15 by microarray techniques.

38. The method of claim 2, wherein the TLR signaling activity is measured by cell proliferation.

20 39. The method of claim 1 or 2, wherein TLR signaling activity is measured by cell surface marker expression.

40. The method of claim 1, wherein TLR signaling activity is measured by cell surface expression of CD71, CD86 or HLA-DR.

25

41. The method of claim 2, wherein TLR signaling activity is measured by CD71 cell surface expression, CD86 cell surface expression, HLA-DR cell surface expression, CD80 cell surface expression, HLA class I cell surface expression, CD54 cell surface expression and CD69 cell surface expression.

30

42. The method of claim 2, wherein TLR signaling activity is measured by antibody secretion.

43. The method of claim 42, wherein the antibody secretion is IgM secretion.

44. A composition comprising
an RPMI 8226 cell stably transfected with a nucleic acid encoding a TLR
5 polypeptide, or a fragment thereof.

45. The composition of claim 44, further comprising a reporter construct
comprising a promoter and a reporter sequence wherein the promoter is a TLR responsive
promoter.

10

46. The composition of claim 45, wherein the TLR responsive promoter
comprises a nucleic acid sequence selected from the group consisting of an NF- κ B binding
site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3
binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding
15 site, and a TARE.

47. The composition of claim 45, wherein the reporter sequence is selected
from the group consisting of a luciferase sequence, a β -galactosidase sequence, a green
fluorescent protein sequence, a secreted alkaline phosphatase sequence and a chloramphenicol
20 transferase sequence.

48. The composition of claim 44, wherein the TLR polypeptide or fragment
thereof is a human TLR polypeptide or fragment thereof.

25 49. The composition of claim 44, wherein the TLR polypeptide or fragment
thereof is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6,
TLR7, TLR8, TLR9 and TLR10.

50. The composition of claim 44, wherein the TLR polypeptide or fragment
30 thereof is a human TLR polypeptide.

51. A screening method for identifying agonists of Toll-like receptor (TLR)
signaling activity, comprising

- 78 -

contacting an cell that ectopically expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

5 wherein the cell that ectopically expresses a TLR is selected from the group consisting of RPMI 8226, RAMOS, Raji, Nalm, THP-1, KG-1 and 293 HEK.

52. The method of claim 51, wherein the test level is positive relative to a reference level determined by contacting the cell with a reference compound and measuring a
10 reference TLR signaling activity.

53. The method of claim 52, wherein the reference compound is a positive reference compound.

15 54. The method of claim 53, wherein the positive reference compound is selected from the group consisting of an immunostimulatory nucleic acid and an imidazoquinoline compound.

55. The method of claim 54, wherein the immunostimulatory nucleic acid
20 is selected from the group consisting of a CpG nucleic acid, a T-rich nucleic acid, a poly-T nucleic acid and a poly-G nucleic acid.

56. The method of claim 54, wherein the imidazoquinoline compound is selected from the group consisting of R-848 and R-847.

25

57. The method of claim 52, wherein the reference compound is negative reference compound.

58. The method of claim 57, wherein the negative reference compound is
30 medium alone.

59. The method of claim 51, wherein the test compound is a nucleic acid.

- 79 -

60. The method of claim 59, wherein the nucleic acid does not comprise a motif selected from the group consisting of a CpG motif, a poly-T motif, a T-rich motif and a poly-G motif.

5 61. The method of claim 59, wherein the nucleic acid comprises a phosphorothioate backbone linkage.

62. The method of claim 59, wherein the nucleic acid is a DNA, an RNA, or a DNA-RNA hybrid.

10

63. The method of claim 51, wherein the test compound is a non-nucleic acid small molecule.

64. The method of claim 51, wherein the test compound comprises an amino acid, a carbohydrate, a lipid, or a hormone.

15

65. The method of claim 64, wherein the carbohydrate is a polysaccharide.

66. The method of claim 51, wherein the test compound is derived from a molecular library.

20

67. The method of claim 51, wherein the TLR signaling activity is selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-6 expression, IL-6 production, IL-6 secretion, IL-8 expression, IL-8 production, IL-8 secretion, IL-10 expression, IL-10 production, IL-10 secretion, IL-12 expression, IL-12 production, IL-12 secretion, IP-10 expression, IP-10 production, IP-10 secretion, TNF- α expression, TNF- α production and TNF- α secretion.

25

68. The method of claim 51, wherein the TLR is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9 and TLR10.

30

69. The method of claim 51, wherein the TLR is a human TLR.

- 80 -

70. The method of claim 51, wherein the cell is transfected with a reporter construct.

71. The method of claim 70, wherein the reporter construct is selected from the group consisting of a luciferase reporter construct, a β -galactosidase reporter construct, a chloramphenicol acetyltransferase reporter construct, a green fluorescent protein reporter construct, and a secreted alkaline phosphatase construct.

72. The method of claim 71, wherein the TLR signaling activity is measured by luciferase expression, β -galactosidase expression, chloramphenicol expression, acetyltransferase expression, green fluorescent protein expression, alkaline phosphatase expression and alkaline phosphatase secretion.

73. The method of claim 71, wherein the reporter construct comprises a TLR responsive promoter.

74. The method of claim 25 or 73, wherein the TLR responsive promoter is a TLR1 responsive promoter, a TLR2 responsive promoter, a TLR3 responsive promoter, a TLR4 responsive promoter, a TLR5 responsive promoter, a TLR6 responsive promoter, a TLR7 responsive promoter, a TLR8 responsive promoter, a TLR9 responsive promoter and a TLR10 responsive promoter.

75. The method of claim 73, wherein the TLR responsive promoter comprises a transcription factor binding site selected from the group consisting of an NF- κ B binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE.

76. The method of claim 73, wherein the TLR responsive promoter is a promoter region selected from the group consisting of an IL-1 promoter region, an IL-6 promoter region, an IL-8 promoter region, an IL-10 promoter region, an IL-12 p40 promoter region, an IFN- α 1 promoter region, an IFN- α 4 promoter region, an IFN- β promoter region, an IFN- γ promoter region, a TNF- α promoter region, a TNF- β promoter region, an IP-9 promoter

- 81 -

region, an IP-10 promoter region, a RANTES promoter region, an ITAC promoter region, a MCP-1 promoter region, an IGFBP4 promoter region, a CD54 promoter region, a CD69 promoter region, a CD71 promoter region, a CD80 promoter region, a CD86 promoter region, a HLA-DR promoter region, and a HLA class I promoter region.

5

77. The method of claim 51, wherein the cell is stably transfected with a TLR nucleic acid.

78. The method of claim 70, wherein the cell is stably transfected with the
10 reporter construct.

79. The method of claim 51, wherein the TLR signaling activity is measured by cytokine secretion or chemokine secretion.

80. The method of claim 79, wherein the cytokine secretion or chemokine secretion is selected from the group consisting of IL-8 secretion, TNF- α secretion, IL-10 secretion and IP-10 secretion.

81. The method of claim 79, wherein the cytokine secretion or chemokine
20 secretion is selected from the group consisting of IL-6 secretion and IL-12 secretion.

82. The method of claim 51, wherein the TLR signaling activity is measured by phosphorylation.

83. The method of claim 82, wherein phosphorylation is total cellular
25 phosphorylation.

84. The method of claim 82, wherein phosphorylation is phosphorylation of a factor selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, NF- κ B
30 subunits, c-Jun and c-Fos.

85. The method of claim 51, wherein the TLR signaling activity is measured by gene expression.

86. The method of claim 85, wherein the gene expression is selected from the group consisting of IL-8 expression, IL-10 expression, IP-10 expression, CD71 expression, CD86 expression and HLA-DR expression.

5

87. The method of claim 85, wherein the gene expression is selected from the group consisting of IL-6 expression, IL-12 expression and TNF- α expression.

88. The method of claim 51, wherein the TLR signaling activity is
10 measured by microarray techniques.

89. The method of claim 51, wherein the TLR signaling activity is measured by cell proliferation.

90. The method of claim 51, wherein the TLR signaling activity is
15 measured by cell surface marker expression.

91. The method of claim 90, wherein the cell surface marker expression is selected from the group consisting of CD71 cell surface expression, CD86 cell surface
20 expression and HLA-DR cell surface expression.

92. The method of claim 90, wherein the cell surface marker expression is selected from the group consisting of CD80 cell surface expression, HLA class I cell surface expression, CD54 cell surface expression and CD69 cell surface expression.

25

93. The method of claim 51, wherein the TLR signaling activity is measured by antibody secretion.

94. The method of claim 93, wherein the antibody secretion is IgM
30 secretion.

95. A screening method for identifying antagonists of Toll-like receptor (TLR) signaling activity, comprising

- 83 -

contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

5 wherein a test level that is less than a reference level is indicative of test compound that is a TLR antagonist, and

wherein the cell is selected from the group consisting of a RPMI 8226 cell, a RAMOS cell, a Raji cell, a THP-1 cell, a Nalm cell and a KG-1 cell.

10 96. The method of claim 95, wherein the positive reference compound is selected from the group consisting of an immunostimulatory nucleic acid and an immunostimulatory imidazoquinoline compound.

97. The method of claim 96, wherein the immunostimulatory nucleic acid
15 is selected from the group consisting of a CpG nucleic acid, a T-rich nucleic acid, a poly-T nucleic acid and a poly-G nucleic acid.

98. The method of claim 96, wherein the imidazoquinoline compound is selected from the group consisting of R-848 and R-847.

20 99. The method of claim 95, wherein the test compound is a nucleic acid.

100. The method of claim 99, wherein the nucleic acid does not comprise a motif selected from the group consisting of a CpG motif, a poly-T motif, a T-rich motif and a
25 poly-G motif.

101. The method of claim 99, wherein the nucleic acid comprises a phosphorothioate backbone linkage.

30 102. The method of claim 99, wherein the nucleic acid is a DNA, an RNA or a DNA-RNA hybrid.

- 84 -

103. The method of claim 95, wherein the test compound is a non-nucleic acid small molecule.

104. The method of claim 95, wherein the test compound comprises an
5 amino acid, a carbohydrate, a lipid, or a hormone.

105. The method of claim 104, wherein the carbohydrate is a polysaccharide.

106. The method of claim 95, wherein the test compound is derived from a
10 molecular library.

107. The method of claim 95, wherein the experimental cell is transfected with a nucleic acid.
15

108. The method of claim 107, wherein the nucleic acid encodes a TLR or a reporter construct.

109. The method of claim 108, wherein the TLR is selected from the group
20 consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9 and TLR10.

110. The method of claim 108, wherein the TLR is a human TLR.

111. The method of claim 108, wherein the reporter construct is selected
25 from the group consisting of a luciferase reporter construct, a β -galactosidase reporter construct, a chloramphenicol acetyltransferase reporter construct, a green fluorescent protein reporter construct, and a secreted alkaline phosphatase construct.

112. The method of claim 111, wherein the TLR signaling activity is
30 selected from the group consisting of luciferase expression, β -galactosidase expression, chloramphenicol acetyltransferase expression, green fluorescent protein expression, alkaline phosphatase expression and alkaline phosphatase secretion.

- 85 -

113. The method of claim 108, wherein the reporter construct comprises a TLR responsive promoter.

114. The method of claim 113, wherein the TLR responsive promoter
5 comprises a transcription factor binding site selected from the group consisting of an NF- κ B binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE.

115. The method of claim 113, wherein the TLR responsive promoter is a
10 promoter region selected from the group consisting of an IL-1 promoter region, an IL-6 promoter region, an IL-8 promoter region, an IL-10 promoter region, an IL-12 p40 promoter region, an IFN- α 1 promoter region, an IFN- α 4 promoter region, an IFN- β promoter region, an IFN- γ promoter region, a TNF- α promoter region, a TNF- β promoter region, an IP-9 promoter
15 region, an IP-10 promoter region, a RANTES promoter region, an ITAC promoter region, a MCP-1 promoter region, an IGFBP4 promoter region, a CD54 promoter region, a CD69 promoter region, a CD71 promoter region, a CD80 promoter region, a CD86 promoter region, a HLA-DR promoter region, and a HLA class I promoter region.

116. The method of claim 113, wherein the TLR responsive promoter is
20 selected from the group consisting of a TLR1 responsive promoter, TLR2 responsive promoter, a TLR3 responsive promoter, a TLR4 responsive promoter, a TLR5 responsive promoter, a TLR6 responsive promoter, a TLR7 responsive promoter, a TLR8 responsive promoter, a TLR9 responsive promoter and a TLR10 responsive promoter.

25

117. The method of claim 107, wherein the cell is stably transfected with the nucleic acid.

118. The method of claim 95, wherein the TLR signaling activity is
30 measured by cytokine secretion or chemokine secretion.

- 86 -

119. The method of claim 118, wherein the cytokine secretion or chemokine secretion is selected from the group consisting of IL-6 secretion, IL-12 secretion and TNF- α secretion.

5 120. The method of claim 118, wherein the cytokine secretion or chemokine secretion is selected from the group consisting of IL-8 secretion, IL-10 secretion and IP-10 secretion.

121. The method of claim 95, wherein the TLR signaling activity is
10 measured by phosphorylation.

122. The method of claim 121, wherein phosphorylation is total cellular phosphorylation.

15 123. The method of claim 122, wherein phosphorylation is phosphorylation of a factor selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, NF- κ B subunits, c-Jun and c-Fos.

124. The method of claim 95, wherein the TLR signaling activity is
20 measured by gene expression.

125. The method of claim 124, wherein the gene expression is selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-8 expression, IL-10 expression and IP-10 expression.

25 126. The method of claim 124, wherein the gene expression is selected from the group consisting of IL-6 expression, IL-12 expression and TNF- α expression.

127. The method of claim 95, wherein the TLR signaling activity is
30 measured by microarray techniques.

128. The method of claim 95, wherein the TLR signaling activity is measured by cell proliferation.

129. The method of claim 95, wherein the TLR signaling activity is measured by cell surface marker expression.

5 130. The method of claim 129, wherein the cell surface marker expression is selected from the group consisting of CD71 cell surface expression, CD86 cell surface expression and HLA-DR MHC class II cell surface expression.

10 131. The method of claim 129, wherein the cell surface marker expression is selected from the group consisting of CD80 cell surface expression, HLA class I cell surface expression, CD54 cell surface expression and CD69 cell surface expression.

132. The method of claim 95, wherein the TLR signaling activity is measured by antibody secretion.

15 133. The method of claim 132, wherein the antibody secretion is IgM secretion.

134. The method of claim 95, wherein the cell is contacted to the positive reference compound and the test compound simultaneously.

135. The method of claim 95, wherein the cell is contacted to the positive reference compound prior to contact with the test compound.

25 136. The method of claim 95, wherein the cell is contacted to the test compound prior to contact with the positive reference compound.

137. A method for quality assessment of a test composition containing a known Toll like receptor (TLR) ligand, comprising:
30 measuring a reference activity of a reference composition comprising a known TLR ligand, wherein the known TLR ligand is a nucleic acid molecule;
measuring a test activity of a test composition comprising the known TLR ligand; and
comparing the test activity to the reference activity.

138. The method of claim 137, further comprising selecting the test composition if the test activity falls within a predetermined range of variance about the reference activity.

5

139. The method of claim 1, wherein the reference composition is a first production lot of a pharmaceutical composition comprising the known TLR ligand, and wherein the test composition is a second production lot of a pharmaceutical composition comprising the known TLR ligand.

10

140. The method of claim 137, wherein the reference composition is a first in-process lot of a composition comprising the known TLR ligand, and wherein the test composition is a second in-process lot of a composition comprising the known TLR ligand.

15

141. The method of claim 137, wherein the measuring the reference activity comprises contacting the reference composition with an isolated cell expressing a TLR responsive to the known TLR ligand, and wherein the measuring the test activity comprises contacting the test composition with the isolated cell expressing a TLR responsive to the known TLR ligand.

20

142. The method of claim 141, wherein the isolated cell expressing the TLR responsive to the known TLR ligand comprises an expression vector for the TLR responsive to the known TLR ligand.

25

143. The method of claim 141, wherein the isolated cell expressing the TLR responsive to the known TLR ligand naturally expresses the TLR responsive to the known TLR ligand.

30

144. The method of claim 141, wherein the isolated cell expressing the TLR responsive to the known TLR ligand is RPMI 8226.

145. The method of claim 137, wherein the measuring the reference activity and the measuring the test activity each comprise measuring signaling activity mediated by a TLR responsive to the known TLR ligand.

5 146. The method of claim 145, wherein the signaling activity is activity of a reporter construct under control of NF- κ B response element.

147. The method of claim 145, wherein the signaling activity is activity of a reporter construct under control of interferon-stimulated response element (ISRE).

10

148. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IFN- α promoter.

149. The method of claim 145, wherein the signaling activity is activity of a
15 reporter gene under control of an IFN- β promoter.

150. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IL-6 promoter.

20 151. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IL-8 promoter.

152. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IL-12 p40 promoter.

25

153. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of a RANTES promoter.

154. The method of claim 137, wherein the known TLR ligand is a TLR9
30 ligand.

155. The method of claim 137, wherein the known TLR ligand is a TLR3
ligand.

156. The method of claim 137, wherein the known TLR ligand is a TLR7 ligand.

5 157. The method of claim 137, wherein the known TLR ligand is a TLR8 ligand.

158. The method of claim 137, wherein the known TLR ligand is an immunostimulatory nucleic acid.

10

159. The method of claim 137, wherein the known TLR ligand is a CpG nucleic acid.

160. The method of claim 137, wherein the known TLR ligand is an immunoinhibitory nucleic acid.

15

161. A method for quality assessment of a test lot of a pharmaceutical product containing a known TLR9 ligand, comprising:

20 measuring a reference activity of a reference lot of a pharmaceutical product comprising a known TLR9 ligand, wherein the known TLR9 ligand is a nucleic acid molecule;

measuring a test activity of a test lot of a pharmaceutical product comprising the known TLR9 ligand;

25 comparing the test activity to the reference activity; and

rejecting the test lot if the test activity falls outside of a predetermined range of variance about the reference activity.

162. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence TCGTCGTTTTGTCGTTTTGTCGTT (SEQ ID NO:1).

30

- 91 -

163. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTTGACGTTTTGTCGTT-3' (SEQ ID NO:139).

5 164. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTTGTCGTTTTTTTCGA-3' (SEQ ID NO:140).

165. The method of claim 161, wherein the known TLR9 ligand is an
10 oligonucleotide comprising a base sequence 5'-TCGTCGTTTCGTCGTTTCGTCGTT-3' (SEQ ID NO:141).

166. The method of claim 161, wherein the known TLR9 ligand is an
15 oligonucleotide comprising a base sequence 5'-TCGTCGTTTCGTCGTTTGTGTCGTT-3' (SEQ ID NO:142).

167. The method of claim 161, wherein the known TLR9 ligand is an
oligonucleotide comprising a base sequence 5'-TCGTCGTTTTTCGGTCGTTTT-3' (SEQ ID
NO:143).

20

168. The method of claim 161, wherein the known TLR9 ligand is an
oligonucleotide comprising a base sequence 5'-TCGTCGTTTTTCGTGCGTTTTT-3' (SEQ
ID NO:144).

25 169. The method of claim 161, wherein the known TLR9 ligand is an
oligonucleotide comprising a base sequence 5'-TCGTCGTTTTCGGCGGCCCGCCG-3' (SEQ
ID NO:145).

170. The method of claim 161, wherein the known TLR9 ligand is an
30 oligonucleotide comprising a base sequence 5'-TCGTC_GTTTTAC_GGCGCC_GTGCCG-3'
(SEQ ID NO:146), wherein every internucleoside linkage is phosphorothioate except for
those indicated by “_”, which are phosphodiester.

- 92 -

171. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

5 wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

wherein the cell is a Raji cell, a RAMOS cell, a Nalm cell, a THP-1 cell, or a KG-1 cell, and the TLR is TLR9.

10 172. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

15 wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

wherein the cell is a Raji cell or a RAMOS cell, and the TLR is TLR7.

173. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

20 contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

25 wherein the cell is a Raji cell, a RAMOS cell, a KG-1 cell, a Nalm-6 cell, a Jurkat cell, a Hela cell, a Hep-2 cell, an A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell, and the TLR is TLR3.

174. A screening method for identifying antagonists of Toll-like receptor (TLR) signaling activity, comprising

30 contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

- 93 -

wherein a test level that is less than a reference level is indicative of a test compound that is a TLR antagonist, and

wherein the cell is selected from the group consisting of a RPMI 8226 cell, a RAMOS cell, a Raji cell, a THP-1 cell, a Nalm cell and a KG-1 cell, and the TLR is TLR9.

5

175. A screening method for identifying antagonists of Toll-like receptor (TLR) signaling activity, comprising

contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

10 contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

wherein a test level that is less than a reference level is indicative of a test compound that is a TLR antagonist, and

15 wherein the cell is selected from the group consisting of a RPMI 8226 cell, a RAMOS cell and a Raji cell, and the TLR is TLR7.

175. A screening method for identifying antagonists of Toll-like receptor (TLR) signaling activity, comprising

20 contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

wherein a test level that is less than a reference level is indicative of a test compound that is a TLR antagonist, and

25 wherein the cell is selected from the group consisting of a Raji cell, a RAMOS cell, a KG-1 cell, a Nalm-6 cell, a Jurkat cell, a HeLa cell, a Hep-2 cell, an A549 cell, a Bewo cell, an NK-92 cell and an NK-92 MI cell, and the TLR is TLR3.

30 176. A screening method for identifying an enhancer of a Toll-like receptor (TLR) agonist, comprising

contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity, and

contacting a cell with the positive reference compound and a test compound and measuring a test level of TLR signaling activity,

wherein the positive reference compound is a TLR agonist, and a test level that is greater than the reference level is indicative of a test compound that is an enhancer of a TLR agonist.

177. The method of claim 176, wherein the positive reference compound is an immunostimulatory nucleic acid.

178. The method of claim 176, wherein the positive reference compound is an imidazoquinoline compound.

180. The method of claim 176, wherein the cell is selected from the group consisting of a KG-1 cell, a Nalm-6 cell, a Raji cell, a RAMOS cell, a Jurkat cell, a HeLa cell, a Hep-2 cell, an A549 cell, a Bewo cell, an NK-92 cell and an NK-92 MI cell, and the TLR is TLR3.

181. The method of claim 176, wherein the cell is selected from the group consisting of a KG-1 cell, a Nalm-6 cell, a Raji cell, an RPMI 8226 cell, a RAMOS cell, and a THP-1 cell, and the TLR is TLR9.

182. The method of claim 176, wherein the cell is selected from the group consisting of a Raji cell, an RPMI 8226 cell and a RAMOS cell, and the TLR is TLR7.

183. The method of claim 1, wherein the TLR is TLR7 or TLR9.

184. The method of claim 172-175 or 176, wherein the cell is unmodified.

1/15




Fig. 1

2/15




Fig. 2

3/15




Fig. 3

4/15




Fig. 4

5/15




Fig. 5

6/15




Fig. 6

7/15




Fig. 7

8/15




Fig. 8

9/15




Fig. 9

10/15




Fig. 10




Fig. 11

11/15




Fig. 12

12/15




Fig. 13




Fig. 14

13/15




Fig. 15




Fig. 16




Fig. 17

SUBSTITUTE SHEET (RULE 26)

14/15




Fig. 18A







Fig. 18B

**Fig. 19****Fig. 20**

SEQUENCE LISTING

<110> COLEY PHARMACEUTICAL GmbH
COLEY PHARMACEUTICAL GROUP INC.

<120> METHODS AND PRODUCTS FOR IDENTIFICATION AND ASSESSMENT OF TLR
LIGANDS

<130> C1041.70024WO00

<140> not yet assigned
<141> 2004-04-22

<150> US 60/464,586
<151> 2003-04-22

<150> US 60/464,588
<151> 2003-04-22

<160> 161

<170> PatentIn version 3.2

<210> 1
<211> 24
<212> DNA
<213> Artificial Sequence

<220>

<223> oligonucleotide

<400> 1
tcgtcgtttt gtcgttttgt cggt 24

<210> 2
<211> 20
<212> DNA
<213> Artificial Sequence

<220>

<223> oligonucleotide

<400> 2
tccaggactt ctctcagggt 20

<210> 3
<211> 2600
<212> DNA
<213> Homo sapiens

<400> 3
ggatccaaag gagacctata gtgactccca ggagctctta gtgaccaagt gaaggtacct 60
gtgggggtca ttgtgcccat tgctctttca ctgctttcaa ctggtagttg tgggttgaag 120
cactggacaa tgccacatac tttgtggatg gtgtgggtct tgggggtcat catcagcctc 180
tccaaggaag aatcctccaa tcaggcttct ctgtcttggt accgcaatgg tatctgcaag 240

ggcagctcag gatctttaaa ctccattccc tcagggctca cagaagctgt aaaaagcctt 300
gacctgtcca acaacaggat cacctacatt agcaacagtg acctacagag gtgtgtgaac 360
ctccaggctc tgggtgtgac atccaatgga attaacacaa tagaggaaga ttctttttct 420
tccttgggca gtcttgaaca tttagactta tcctataatt acttatctaa tttatcgtct 480
tcctgggtca agcccccttc ttctttaaca ttcttaaact tactgggaaa tccttacaaa 540
accctagggg aaacatctct tttttctcat ctcaaaaat tgcaaatcct gagagtggga 600
aatatggaca ccttcactaa gattcaaaga aaagattttg ctggacttac cttccttgag 660
gaacttgaga ttgatgcttc agatctacag agctatgagc caaaaagttt gaagtcaatt 720
cagaacgtaa gtcactgat ccttcatatg aagcagcata ttttactgct ggagattttt 780
gtagatgta caagttccgt ggaatgtttg gaactgagag atactgattt ggacactttc 840
catttttcag aactatccac tggtgaaaca aattcattga ttaaaaagtt tacatttaga 900
aatgtgaaaa tcaccgatga aagtttgtt caggttatga aacttttgaa tcagatttct 960
ggattgttag aattagagtt tgatgactgt acccttaatg gagttggtaa ttttagagca 1020
tctgataatg acagagttat agatccagggt aaagtggaaa cgtaacaat ccggaggctg 1080
catattccaa ggttttactt attttatgat ctgagcactt tatattcact tacagaaaga 1140
gttaaaagaa tcacagtaga aaacagtaaa gtttttctgg ttccttggtt actttcacia 1200
catttaaaat cattagaata cttggatctc agtgaaaatt tgatgggtga agaatacttg 1260
aaaaattcag cctgtgagga tgccctggccc tctctacaaa ctttaatttt aaggcaaat 1320
catttgcat cattggaaaa aaccggagag actttgctca ctctgaaaaa cttgactaac 1380
attgatatca gtaagaatag ttttcattct atgcctgaaa cttgtcagtg gccagaaaag 1440
atgaaatatt tgaacttatc cagcacacga atacacagtg taacaggctg cattcccaag 1500
acactggaaa ttttagatgt tagcaacaac aatctcaatt tattttcttt gaatttgccg 1560
caactcaaag aactttatat ttccagaaat aagttgatga ctctaccaga tgccctctc 1620
ttacccatgt tactagtatt gaaaatcagt aggaatgcaa taactacgtt ttctaaggag 1680
caacttgact catttcacac actgaagact ttggaagctg gtggcaataa cttcatttgc 1740
tcctgtgaat tcctctcctt cactcaggag cagcaagcac tggccaaagt cttgattgat 1800
tgccagcaa attacctgtg tgactctcca tcccatgtgc gtggccagca gggtcaggat 1860
gtccgcctct cgggtgtcga atgtcacagg acagcactgg tgtctggcat gtgctgtgct 1920
ctgttcctgc tgatcctgct cacgggggtc ctgtgccacc gtttccatgg cctgtgggtat 1980
atgaaaatga tgtgggcctg gctccaggcc aaaaggaagc ccaggaaagc tcccagcagg 2040
aacatctgct atgatgcatt tgtttcttac agtgagcggg atgcctactg ggtggagaac 2100

cttatgggtcc aggagctgga gaacttcaat ccccccttca agttgtgtct tcataagcgg 2160
 gacttcattc ctggcaagtg gatcattgac aatatcattg actccattga aaagagccac 2220
 aaaactgtct ttgtgctttc tgaaaacttt gtgaagagtg agtggtgcaa gtatgaactg 2280
 gacttctccc atttccgtct ttttgaagag aacaatgatg ctgccattct cattcttctg 2340
 gagcccattg agaaaaaagc cattccccag cgcttctgca agctgcggaa gataatgaac 2400
 accaagacct acctggagtg gcccatggac gaggctcagc gggaaggatt ttgggtaaatt 2460
 ctgagagctg cgataaagtc ctaggttccc atatttaaga ccagtctttg tctagttggg 2520
 atctttatgt cactagttat agttaagttc attcagacat aattatataa aaactacgtg 2580
 gatgtaccgt catttgagga 2600

<210> 4
 <211> 784
 <212> PRT
 <213> Homo sapiens

<400> 4

Met Pro His Thr Leu Trp Met Val Trp Val Leu Gly Val Ile Ile Ser
 1 5 10 15
 Leu Ser Lys Glu Glu Ser Ser Asn Gln Ala Ser Leu Ser Cys Asp Arg
 20 25 30
 Asn Gly Ile Cys Lys Gly Ser Ser Gly Ser Leu Asn Ser Ile Pro Ser
 35 40 45
 Gly Leu Thr Glu Ala Val Lys Ser Leu Asp Leu Ser Asn Asn Arg Ile
 50 55 60
 Thr Tyr Ile Ser Asn Ser Asp Leu Gln Arg Cys Val Asn Leu Gln Ala
 65 70 75 80
 Leu Val Leu Thr Ser Asn Gly Ile Asn Thr Ile Glu Glu Asp Ser Phe
 85 90 95
 Ser Ser Leu Gly Ser Leu Glu His Leu Asp Leu Ser Tyr Asn Tyr Leu
 100 105 110
 Ser Asn Leu Ser Ser Ser Trp Phe Lys Pro Leu Ser Ser Leu Thr Phe
 115 120 125
 Leu Asn Leu Leu Gly Asn Pro Tyr Lys Thr Leu Gly Glu Thr Ser Leu
 130 135 140
 Phe Ser His Leu Thr Lys Leu Gln Ile Leu Arg Val Gly Asn Met Asp
 145 150 155 160
 Thr Phe Thr Lys Ile Gln Arg Lys Asp Phe Ala Gly Leu Thr Phe Leu
 165 170 175
 Glu Glu Leu Glu Ile Asp Ala Ser Asp Leu Gln Ser Tyr Glu Pro Lys
 180 185 190

Ser Leu Lys Ser Ile Gln Asn Val Ser His Leu Ile Leu His Met Lys
 195 200 205
 Gln His Ile Leu Leu Leu Glu Ile Phe Val Asp Val Thr Ser Ser Val
 210 215 220
 Glu Cys Leu Glu Leu Arg Asp Thr Asp Leu Asp Thr Phe His Phe Ser
 225 230 235 240
 Glu Leu Ser Thr Gly Glu Thr Asn Ser Leu Ile Lys Lys Phe Thr Phe
 245 250 255
 Arg Asn Val Lys Ile Thr Asp Glu Ser Leu Phe Gln Val Met Lys Leu
 260 265 270
 Leu Asn Gln Ile Ser Gly Leu Leu Glu Leu Glu Phe Asp Asp Cys Thr
 275 280 285
 Leu Asn Gly Val Gly Asn Phe Arg Ala Ser Asp Asn Asp Arg Val Ile
 290 295 300
 Asp Pro Gly Lys Val Glu Thr Leu Thr Ile Arg Arg Leu His Ile Pro
 305 310 315 320
 Arg Phe Tyr Leu Phe Tyr Asp Leu Ser Thr Leu Tyr Ser Leu Thr Glu
 325 330 335
 Arg Val Lys Arg Ile Thr Val Glu Asn Ser Lys Val Phe Leu Val Pro
 340 345 350
 Cys Leu Leu Ser Gln His Leu Lys Ser Leu Glu Tyr Leu Asp Leu Ser
 355 360 365
 Glu Asn Leu Met Val Glu Glu Tyr Leu Lys Asn Ser Ala Cys Glu Asp
 370 375 380
 Ala Trp Pro Ser Leu Gln Thr Leu Ile Leu Arg Gln Asn His Leu Ala
 385 390 395 400
 Ser Leu Glu Lys Thr Gly Glu Thr Leu Leu Thr Leu Lys Asn Leu Thr
 405 410 415
 Asn Ile Asp Ile Ser Lys Asn Ser Phe His Ser Met Pro Glu Thr Cys
 420 425 430
 Gln Trp Pro Glu Lys Met Lys Tyr Leu Asn Leu Ser Ser Thr Arg Ile
 435 440 445
 His Ser Val Thr Gly Cys Ile Pro Lys Thr Leu Glu Ile Leu Asp Val
 450 455 460
 Ser Asn Asn Asn Leu Asn Leu Phe Ser Leu Asn Leu Pro Gln Leu Lys
 465 470 475 480
 Glu Leu Tyr Ile Ser Arg Asn Lys Leu Met Thr Leu Pro Asp Ala Ser
 485 490 495
 Leu Leu Pro Met Leu Leu Val Leu Lys Ile Ser Arg Asn Ala Ile Thr
 500 505 510
 Thr Phe Ser Lys Glu Gln Leu Asp Ser Phe His Thr Leu Lys Thr Leu

```
<400> 5
gccccccatg gccatatggg caccgggggag cggcgggctgg aggactccta ggctcctggg      60
caggcgggtca catggcagaa gatgtgtccg caatcatagt ttctgatggg gaaggttggg      120
cggcagtcctc tgcgacctag aagtggaaaa gatgtcgttc aaggaggtgc ggactgtttc      180
```


cttctgacca	ggatcttggt	tctgagtgt	ggggcttcac	ttctctgctt	ttcgttcatc	240
tctggagcat	ccgaattgca	tcaccgggtca	gaaaacaact	taccgaaacc	tcagacaaag	300
cgtaaatct	cagaggatgc	tacgagctct	ttggctcttc	tggatcttgg	tggccataac	360
agtcctcttc	agcaaacgct	gttctgctca	ggagtctctg	tcattgtgatg	cttctgggggt	420
gtgtgatggc	cgctccaggt	ctttcacctc	tattccctcc	ggactcacag	cagccatgaa	480
aagccttgac	ctgtctttca	acaagatcac	ctacattggc	catggtgacc	tccgagcgtg	540
tgcgaacctc	caggttctga	ttttgaagtc	cagcagaatc	aatacaatag	aggagacgc	600
cttttattct	ctgggcagtc	ttgaacattt	ggatttgtct	gataatcacc	tatctagttt	660
atcttctctc	tggttcgggc	ccctttcctc	tttgaataac	ttaaacttaa	tgggaaatcc	720
ttaccagaca	ctgggggtaa	catcgctttt	tccaatctc	acaaatttac	aaaccctcag	780
gataggaaat	gtagagactt	tcagtgagat	aaggagaata	gattttgctg	ggctgacttc	840
tctcaatgaa	cttgaaatta	aggcattaag	tctccggaat	tatcagtccc	aaagtctaaa	900
gtcgatccgc	gacatccatc	acctgactct	tcacttaagc	gagtctgctt	tcctgctgga	960
gatttttgca	gatattctga	gttctgtgag	atatttagaa	ctaagagata	ctaacttggc	1020
caggttccag	ttttcaccac	tgcccgtaga	tgaagtcagc	tcaccgatga	agaagctggc	1080
attccgaggc	tcggttctca	ctgatgaaag	ctttaacgag	ctcctgaagc	tggtgctgta	1140
catcttgga	ctgtcggagg	tagagtctga	cgactgtacc	ctcaatgggc	tcggcgattt	1200
caaccctcgc	gagtcagacg	tagtgagcga	gctgggtaaa	gtagaaacag	tcactatccg	1260
gaggttgcat	atccccagct	tctatttggt	ttatgacctg	agtactgtct	attccctcct	1320
ggagaagggtg	aagcgaatca	cagtagagaa	cagcaagggtc	ttcctgggtc	cctgctcggt	1380
ctcccagcat	ttaaaatcat	tagaattctt	agacctcagc	gaaaatctga	tggttgaaga	1440
atatttgaag	aactcagcct	gtaagggagc	ctggccttct	ctacaaacct	tagttttgag	1500
ccagaatcat	ttgagatcaa	tgcaaaaaac	aggagagatt	ttgctgactc	tgaaaaacct	1560
gacctccctt	gacatcagca	ggaacacttt	tcattccgatg	cccagacagct	gtcagtggcc	1620
agaaaagatg	cgcttctctga	atttgtccag	tacagggatc	cgggtggtaa	aaactgtcat	1680
tcctcagacg	ctggagggtgt	tggatgttag	taacaacaat	cttgactcat	tttctttggt	1740
cttgctcgg	ctgcaagagc	tctatatctc	cagaaataag	ctgaaaacac	tcccagatgc	1800
ttcggtgttc	cctgtgttgc	tggatcatgaa	aatcagagag	aatgcagtaa	gtactttctc	1860
taaagaccaa	cttggttctt	ttcccaaact	ggagactctg	gaagcaggcg	acaaccactt	1920
tgtttgctcc	tgcgaactcc	tatcctttac	tatggagacg	ccagctctgg	ctcaaactct	1980
ggttgactgg	ccagacagct	acctgtgtga	ctctccgctc	cgctgcacg	gccacaggct	2040
tcaggatgcc	cggccctccg	tcttggaaatg	tcaccaggct	gcactgggtgt	ctggagtctg	2100

```

ctgtgccctt ctctgttga tcttgctcgt aggtgccctg tgccaccatt tccacgggct 2160
gtggtacctg agaattgatgt gggcgtggct ccaggccaag aggaagccca agaaagctcc 2220
ctgcagggac gtttgcctatg atgcctttgt ttcctacagt gagcaggatt cccattgggt 2280
ggagaacctc atggtccagc agctggagaa ctctgacctg ccctttaagc tgtgtctcca 2340
caagcgggac ttcgttccgg gcaaatggat cattgacaac atcatcgatt ccatcgaaaa 2400
gagccacaaa actgtgttcg tgctttctga gaacttcgta cggagcgagt ggtgcaagta 2460
cgaactggac ttctccact tcaggctctt tgacgagaac aacgacggcg ccatccttgt 2520
tttgcctggag cccattgaga ggaaagccat tccccagcgc ttctgcaaac tgcgcaagat 2580
aatgaacacc aagacctacc tggagtggcc cttggatgaa ggccagcagg aagtgttttg 2640
ggtaaatctg agaactgcaa taaagtccta ggttctccac ccagttctg acttccttaa 2700
ctaaggtctt tgtgacacaa actgtaacaa agtttataag taacatagaa ttgtattatt 2760
gaggatatta actatggggt ttgtcttgaa tactgttata taaatatgtg acatcaggct 2820
ttag 2824

```

<210> 6
 <211> 784
 <212> PRT
 <213> murine

<400> 6

```

Met Leu Arg Ala Leu Trp Leu Phe Trp Ile Leu Val Ala Ile Thr Val
1           5           10          15

Leu Phe Ser Lys Arg Cys Ser Ala Gln Glu Ser Leu Ser Cys Asp Ala
20          25          30

Ser Gly Val Cys Asp Gly Arg Ser Arg Ser Phe Thr Ser Ile Pro Ser
35          40          45

Gly Leu Thr Ala Ala Met Lys Ser Leu Asp Leu Ser Phe Asn Lys Ile
50          55          60

Thr Tyr Ile Gly His Gly Asp Leu Arg Ala Cys Ala Asn Leu Gln Val
65          70          75          80

Leu Ile Leu Lys Ser Ser Arg Ile Asn Thr Ile Glu Gly Asp Ala Phe
85          90          95

Tyr Ser Leu Gly Ser Leu Glu His Leu Asp Leu Ser Asp Asn His Leu
100         105         110

Ser Ser Leu Ser Ser Ser Trp Phe Gly Pro Leu Ser Ser Leu Lys Tyr
115         120         125

Leu Asn Leu Met Gly Asn Pro Tyr Gln Thr Leu Gly Val Thr Ser Leu
130         135         140

```

Phe Pro Asn Leu Thr Asn Leu Gln Thr Leu Arg Ile Gly Asn Val Glu
 145 150 155 160
 Thr Phe Ser Glu Ile Arg Arg Ile Asp Phe Ala Gly Leu Thr Ser Leu
 165 170 175
 Asn Glu Leu Glu Ile Lys Ala Leu Ser Leu Arg Asn Tyr Gln Ser Gln
 180 185 190
 Ser Leu Lys Ser Ile Arg Asp Ile His His Leu Thr Leu His Leu Ser
 195 200 205
 Glu Ser Ala Phe Leu Leu Glu Ile Phe Ala Asp Ile Leu Ser Ser Val
 210 215 220
 Arg Tyr Leu Glu Leu Arg Asp Thr Asn Leu Ala Arg Phe Gln Phe Ser
 225 230 235 240
 Pro Leu Pro Val Asp Glu Val Ser Ser Pro Met Lys Lys Leu Ala Phe
 245 250 255
 Arg Gly Ser Val Leu Thr Asp Glu Ser Phe Asn Glu Leu Leu Lys Leu
 260 265 270
 Leu Arg Tyr Ile Leu Glu Leu Ser Glu Val Glu Phe Asp Asp Cys Thr
 275 280 285
 Leu Asn Gly Leu Gly Asp Phe Asn Pro Ser Glu Ser Asp Val Val Ser
 290 295 300
 Glu Leu Gly Lys Val Glu Thr Val Thr Ile Arg Arg Leu His Ile Pro
 305 310 315 320
 Gln Phe Tyr Leu Phe Tyr Asp Leu Ser Thr Val Tyr Ser Leu Leu Glu
 325 330 335
 Lys Val Lys Arg Ile Thr Val Glu Asn Ser Lys Val Phe Leu Val Pro
 340 345 350
 Cys Ser Phe Ser Gln His Leu Lys Ser Leu Glu Phe Leu Asp Leu Ser
 355 360 365
 Glu Asn Leu Met Val Glu Glu Tyr Leu Lys Asn Ser Ala Cys Lys Gly
 370 375 380
 Ala Trp Pro Ser Leu Gln Thr Leu Val Leu Ser Gln Asn His Leu Arg
 385 390 395 400
 Ser Met Gln Lys Thr Gly Glu Ile Leu Leu Thr Leu Lys Asn Leu Thr
 405 410 415
 Ser Leu Asp Ile Ser Arg Asn Thr Phe His Pro Met Pro Asp Ser Cys
 420 425 430
 Gln Trp Pro Glu Lys Met Arg Phe Leu Asn Leu Ser Ser Thr Gly Ile
 435 440 445
 Arg Val Val Lys Thr Cys Ile Pro Gln Thr Leu Glu Val Leu Asp Val
 450 455 460
 Ser Asn Asn Asn Leu Asp Ser Phe Ser Leu Phe Leu Pro Arg Leu Gln

465 470 475 480
 Glu Leu Tyr Ile Ser Arg Asn Lys Leu Lys Thr Leu Pro Asp Ala Ser
 485 490 495

 Leu Phe Pro Val Leu Leu Val Met Lys Ile Arg Glu Asn Ala Val Ser
 500 505 510

 Thr Phe Ser Lys Asp Gln Leu Gly Ser Phe Pro Lys Leu Glu Thr Leu
 515 520 525

 Glu Ala Gly Asp Asn His Phe Val Cys Ser Cys Glu Leu Leu Ser Phe
 530 535 540

 Thr Met Glu Thr Pro Ala Leu Ala Gln Ile Leu Val Asp Trp Pro Asp
 545 550 555 560

 Ser Tyr Leu Cys Asp Ser Pro Pro Arg Leu His Gly His Arg Leu Gln
 565 570 575

 Asp Ala Arg Pro Ser Val Leu Glu Cys His Gln Ala Ala Leu Val Ser
 580 585 590

 Gly Val Cys Cys Ala Leu Leu Leu Leu Ile Leu Leu Val Gly Ala Leu
 595 600 605

 Cys His His Phe His Gly Leu Trp Tyr Leu Arg Met Met Trp Ala Trp
 610 615 620

 Leu Gln Ala Lys Arg Lys Pro Lys Lys Ala Pro Cys Arg Asp Val Cys
 625 630 635 640

 Tyr Asp Ala Phe Val Ser Tyr Ser Glu Gln Asp Ser His Trp Val Glu
 645 650 655

 Asn Leu Met Val Gln Gln Leu Glu Asn Ser Asp Pro Pro Phe Lys Leu
 660 665 670

 Cys Leu His Lys Arg Asp Phe Val Pro Gly Lys Trp Ile Ile Asp Asn
 675 680 685

 Ile Ile Asp Ser Ile Glu Lys Ser His Lys Thr Val Phe Val Leu Ser
 690 695 700

 Glu Asn Phe Val Arg Ser Glu Trp Cys Lys Tyr Glu Leu Asp Phe Ser
 705 710 715 720

 His Phe Arg Leu Phe Asp Glu Asn Asn Asp Ala Ala Ile Leu Val Leu
 725 730 735

 Leu Glu Pro Ile Glu Arg Lys Ala Ile Pro Gln Arg Phe Cys Lys Leu
 740 745 750

 Arg Lys Ile Met Asn Thr Lys Thr Tyr Leu Glu Trp Pro Leu Asp Glu
 755 760 765

 Gly Gln Gln Glu Val Phe Trp Val Asn Leu Arg Thr Ala Ile Lys Ser
 770 775 780

<210> 7

<211> 3029

<212> DNA

<213> Homo sapiens

<400> 7

gcggccgcgt cgacgaaatg tctggatttg gactaaagaa aaaaggaaaag gctagcagtc 60
 atccaacaga atcatgagac agactttgcc ttgtatctac ttttgggggg gccttttgcc 120
 ctttgggatg ctgtgtgcat cctccaccac caagtgcact gttagccatg aagttgctga 180
 ctgcagccac ctgaagttga ctcaggtacc cgatgatcta cccacaaaca taacagtgtt 240
 gaaccttacc cataatcaac tcagaagatt accagccgcc aacttcacaa ggtatagcca 300
 gctaactagc ttggatgtag gatttaacac catctcaaaa ctggagccag aattgtgcc 360
 gaaacttccc atgttaaaag ttttgaacct ccagcacaat gagctatctc aactttctga 420
 taaaaccttt gcctttctgca cgaatttgac tgaactccat ctcatgtcca actcaatcca 480
 gaaaattaaa aataatccct ttgtcaagca gaagaattta atcacattag atctgtctca 540
 taatggcttg tcatctacaa aattaggaac tcaggttcag ctggaaaatc tccaagagct 600
 tctattatca aacaataaaa ttcaagcgct aaaaagtga gaactggata tctttgcca 660
 ttcattctta aaaaaattag agttgtcatc gaatcaaatt aaagagtttt ctccagggtg 720
 ttttcacgca attggaagat tatttggcct ctttctgaac aatgtccagc tgggtcccag 780
 ccttacagag aagctatggt tgggaattagc aaacacaagc attcggaaatc tgtctctgag 840
 taacagccag ctgtccacca ccagcaatac aactttcttg ggactaaagt ggacaaatct 900
 cactatgctc gatctttcct acaacaactt aaatgtgggt ggtaacgatt cctttgcttg 960
 gcttccacaa ctagaatatt tcttcctaga gtataataat atacagcatt tgttttctca 1020
 ctctttgcac gggcttttca atgtgaggta cctgaatttg aaacggtctt ttactaaaca 1080
 aagtatttcc ctgctcac tccccagat tgatgatttt tcttttcagt ggctaaaatg 1140
 tttggagcac cttaacatgg aagataatga tattccaggc ataaaaagca atatgttcac 1200
 aggattgata aacctgaaat acttaagtct atccaactcc ttacaagtt tgcgaacttt 1260
 gacaaatgaa acatttgtat cacttgctca ttctccctta cacatactca acctaacca 1320
 gaataaaatc tcaaaaatag agagtgtgc tttctcttgg ttggggccacc tagaagtact 1380
 tgacctgggc cttaatgaaa ttgggcaaga actcacaggc caggaatgga gaggtctaga 1440
 aaatattttc gaaatctatc tttcctacaa caagtacctg cagctgacta ggaactcctt 1500
 tgccttggtc ccaagccttc aacgactgat gctccgaagg gtggccctta aaaatgtgga 1560
 tagctctcct tcaccattcc agcctcttog taacttgacc attctggatc taagcaacaa 1620
 caacatagcc aacataaatg atgacatggt ggagggctct gagaaactag aaattctcga 1680
 tttgcagcat aacaacttag cagggctctg gaaacacgca aaccctgggt gtcccattta 1740
 tttcctaaag ggtctgtctc acctccacat ccttaacttg gagtccaacg gctttgacga 1800

gatcccagtt gaggtcttca aggattttatt tgaactaaag atcatcgatt taggattgaa 1860
taattttaa acacttccag catctgtctt taataatcag gtgtctctaa agtcattgaa 1920

ccttcagaag aatctcataa catccgttga gaagaagggtt ttccgggccag ctttcaggaa 1980
cctgactgag ttagatatgc gctttaatcc ctttgattgc acgtgtgaaa gtattgctg 2040
gtttgttaat tggattaacg agaccatac caacatccct gagctgtcaa gccactacct 2100
ttgcaacact ccacctcact atcatgggtt cccagtgaga ctttttgata catcatcttg 2160
caaagacagt gccccctttg aactcttttt catgatcaat accagtatcc tgttgatttt 2220
tatcttttatt gtactttctca tccaacttga gggctggagg atatcttttt attggaatgt 2280
ttcagtacat cgagttcttg gtttcaaaga aatagacaga cagacagaac agtttgaata 2340
tgcagcatat ataattcatg cctataaaga taaggattgg gtctgggaac atttctcttc 2400
aatggaaaag gaagaccaat ctctcaaatt ttgtctggaa gaaagggact ttgaggcggg 2460
tgtttttgaa ctagaagcaa ttgttaacag catcaaaaga agcagaaaaa ttatttttgt 2520
tataacacac catctattaa aagaccatt atgcaaaaga ttcaaggtag atcatgcagt 2580
tcaacaagct attgaacaaa atctggattc cattatattg gttttccttg aggagattcc 2640
agattataaa ctgaaccatg cactctgttt gcgaagagga atgtttaaat ctactgcat 2700
cttgaactgg ccagttcaga aagaacggat aggtgccttt cgtcataaat tgcaagtagc 2760
acttgatcc aaaaactctg tacattaaat ttatttaaatt attcaattag caaaggagaa 2820
actttctcaa tttaaaaagt tctatggcaa atttaagttt tccataaagg tgttataatt 2880
tgttatttca tttttgtaa tgattatatt ctatcacaat tacatctctt ctaggaaaat 2940
gtgtctcctt atttcaggcc tatttttgac aattgactta attttacca aaataaaaca 3000
tataagcacg caaaaaaaaa aaaaaaaaaa 3029

<210> 8
<211> 904
<212> PRT
<213> Homo sapiens

<400> 8

Met Arg Gln Thr Leu Pro Cys Ile Tyr Phe Trp Gly Gly Leu Leu Pro
1 5 10 15

Phe Gly Met Leu Cys Ala Ser Ser Thr Thr Lys Cys Thr Val Ser His
20 25 30

Glu Val Ala Asp Cys Ser His Leu Lys Leu Thr Gln Val Pro Asp Asp
35 40 45

Leu Pro Thr Asn Ile Thr Val Leu Asn Leu Thr His Asn Gln Leu Arg
50 55 60

Arg Leu Pro Ala Ala Asn Phe Thr Arg Tyr Ser Gln Leu Thr Ser Leu

65	70	75	80
Asp Val Gly Phe Asn Thr Ile Ser Lys Leu Glu Pro Glu Leu Cys Gln	85	90	95
Lys Leu Pro Met Leu Lys Val Leu Asn Leu Gln His Asn Glu Leu Ser	100	105	110
Gln Leu Ser Asp Lys Thr Phe Ala Phe Cys Thr Asn Leu Thr Glu Leu	115	120	125
His Leu Met Ser Asn Ser Ile Gln Lys Ile Lys Asn Asn Pro Phe Val	130	135	140
Lys Gln Lys Asn Leu Ile Thr Leu Asp Leu Ser His Asn Gly Leu Ser	145	150	155
Ser Thr Lys Leu Gly Thr Gln Val Gln Leu Glu Asn Leu Gln Glu Leu	165	170	175
Leu Leu Ser Asn Asn Lys Ile Gln Ala Leu Lys Ser Glu Glu Leu Asp	180	185	190
Ile Phe Ala Asn Ser Ser Leu Lys Lys Leu Glu Leu Ser Ser Asn Gln	195	200	205
Ile Lys Glu Phe Ser Pro Gly Cys Phe His Ala Ile Gly Arg Leu Phe	210	215	220
Gly Leu Phe Leu Asn Asn Val Gln Leu Gly Pro Ser Leu Thr Glu Lys	225	230	235
Leu Cys Leu Glu Leu Ala Asn Thr Ser Ile Arg Asn Leu Ser Leu Ser	245	250	255
Asn Ser Gln Leu Ser Thr Thr Ser Asn Thr Thr Phe Leu Gly Leu Lys	260	265	270
Trp Thr Asn Leu Thr Met Leu Asp Leu Ser Tyr Asn Asn Leu Asn Val	275	280	285
Val Gly Asn Asp Ser Phe Ala Trp Leu Pro Gln Leu Glu Tyr Phe Phe	290	295	300
Leu Glu Tyr Asn Asn Ile Gln His Leu Phe Ser His Ser Leu His Gly	305	310	315
Leu Phe Asn Val Arg Tyr Leu Asn Leu Lys Arg Ser Phe Thr Lys Gln	325	330	335
Ser Ile Ser Leu Ala Ser Leu Pro Lys Ile Asp Asp Phe Ser Phe Gln	340	345	350
Trp Leu Lys Cys Leu Glu His Leu Asn Met Glu Asp Asn Asp Ile Pro	355	360	365
Gly Ile Lys Ser Asn Met Phe Thr Gly Leu Ile Asn Leu Lys Tyr Leu	370	375	380
Ser Leu Ser Asn Ser Phe Thr Ser Leu Arg Thr Leu Thr Asn Glu Thr	385	390	395
Phe Val Ser Leu Ala His Ser Pro Leu His Ile Leu Asn Leu Thr Lys			400

405 410 415
 Asn Lys Ile Ser Lys Ile Glu Ser Asp Ala Phe Ser Trp Leu Gly His
 420 425 430
 Leu Glu Val Leu Asp Leu Gly Leu Asn Glu Ile Gly Gln Glu Leu Thr
 435 440 445
 Gly Gln Glu Trp Arg Gly Leu Glu Asn Ile Phe Glu Ile Tyr Leu Ser
 450 455 460
 Tyr Asn Lys Tyr Leu Gln Leu Thr Arg Asn Ser Phe Ala Leu Val Pro
 465 470 475 480
 Ser Leu Gln Arg Leu Met Leu Arg Arg Val Ala Leu Lys Asn Val Asp
 485 490 495
 Ser Ser Pro Ser Pro Phe Gln Pro Leu Arg Asn Leu Thr Ile Leu Asp
 500 505 510
 Leu Ser Asn Asn Asn Ile Ala Asn Ile Asn Asp Asp Met Leu Glu Gly
 515 520 525
 Leu Glu Lys Leu Glu Ile Leu Asp Leu Gln His Asn Asn Leu Ala Arg
 530 535 540
 Leu Trp Lys His Ala Asn Pro Gly Gly Pro Ile Tyr Phe Leu Lys Gly
 545 550 555 560
 Leu Ser His Leu His Ile Leu Asn Leu Glu Ser Asn Gly Phe Asp Glu
 565 570 575
 Ile Pro Val Glu Val Phe Lys Asp Leu Phe Glu Leu Lys Ile Ile Asp
 580 585 590
 Leu Gly Leu Asn Asn Leu Asn Thr Leu Pro Ala Ser Val Phe Asn Asn
 595 600 605
 Gln Val Ser Leu Lys Ser Leu Asn Leu Gln Lys Asn Leu Ile Thr Ser
 610 615 620
 Val Glu Lys Lys Val Phe Gly Pro Ala Phe Arg Asn Leu Thr Glu Leu
 625 630 635 640
 Asp Met Arg Phe Asn Pro Phe Asp Cys Thr Cys Glu Ser Ile Ala Trp
 645 650 655
 Phe Val Asn Trp Ile Asn Glu Thr His Thr Asn Ile Pro Glu Leu Ser
 660 665 670
 Ser His Tyr Leu Cys Asn Thr Pro Pro His Tyr His Gly Phe Pro Val
 675 680 685
 Arg Leu Phe Asp Thr Ser Ser Cys Lys Asp Ser Ala Pro Phe Glu Leu
 690 695 700
 Phe Phe Met Ile Asn Thr Ser Ile Leu Leu Ile Phe Ile Phe Ile Val
 705 710 715 720
 Leu Leu Ile His Phe Glu Gly Trp Arg Ile Ser Phe Tyr Trp Asn Val
 725 730 735
 Ser Val His Arg Val Leu Gly Phe Lys Glu Ile Asp Arg Gln Thr Glu

740 745 750
 Gln Phe Glu Tyr Ala Ala Tyr Ile Ile His Ala Tyr Lys Asp Lys Asp
 755 760 765
 Trp Val Trp Glu His Phe Ser Ser Met Glu Lys Glu Asp Gln Ser Leu
 770 775 780
 Lys Phe Cys Leu Glu Glu Arg Asp Phe Glu Ala Gly Val Phe Glu Leu
 785 790 795 800
 Glu Ala Ile Val Asn Ser Ile Lys Arg Ser Arg Lys Ile Ile Phe Val
 805 810 815
 Ile Thr His His Leu Leu Lys Asp Pro Leu Cys Lys Arg Phe Lys Val
 820 825 830
 His His Ala Val Gln Gln Ala Ile Glu Gln Asn Leu Asp Ser Ile Ile
 835 840 845
 Leu Val Phe Leu Glu Glu Ile Pro Asp Tyr Lys Leu Asn His Ala Leu
 850 855 860
 Cys Leu Arg Arg Gly Met Phe Lys Ser His Cys Ile Leu Asn Trp Pro
 865 870 875 880
 Val Gln Lys Glu Arg Ile Gly Ala Phe Arg His Lys Leu Gln Val Ala
 885 890 895
 Leu Gly Ser Lys Asn Ser Val His
 900

<210> 9
 <211> 3310
 <212> DNA
 <213> murine

<400> 9
 tagaatatga tacagggatt gcaccataa tctgggctga atcatgaaag ggtgttcctc 60
 ttatctaattg tactcctttg ggggactttt gtccctatgg attcttcttg tgtcttccac 120
 aaaccaatgc actgtgagat acaacgtagc tgactgcagc catttgaagc taacacacat 180
 acctgatgat cttccctcta acataacagt gttgaatctt actcacaacc aactcagaag 240
 attaccacct accaacttta caagatacag ccaacttgct atcttggatg caggatttaa 300
 ctccatttca aaactggagc cagaactgtg ccaaatactc cctttgttga aagtattgaa 360
 cctgcaacat aatgagctct ctgagatttc tgatcaaacc tttgtcttct gcacgaacct 420
 gacagaactc gatctaattg ctaactcaat acacaaaatt aaaagcaacc ctttcaaaaa 480
 ccagaagaat ctaatcaaat tagatttgct tcataatggg ttatcatcta caaagtggg 540
 aacggggggtc caactggaga acctccaaga actgctctta gcaaaaaata aaatccttgc 600
 gttgcgaagt gaagaacttg agtttcttgg caattcttct ttacgaaagt tggacttgct 660
 atcaaatcca cttaaagagt tctccccggg gtgtttccag acaattggca agttattgcg 720

cctcctcttg aacaacgccc aactgaaccc ccacctcaca gagaagcttt gctgggaact	780
ttcaaacaca agcatccaga atctctctct ggctaacaac cagctgctgg ccaccagcga	840
gagcactttc tctgggctga agtggacaaa tctcaccag ctcgatcttt cctacaacaa	900
cctccatgat gtcggcaacg gttccttctc ctatctccca agcctgaggt atctgtctct	960
ggagtacaac aatatacagc gtctgtcccc tcgctctttt tatggactct ccaacctgag	1020
gtacctgagt ttgaagcgag catttactaa gcaaagtgtt tcacttgctt cacatcccaa	1080
cattgacgat ttttcctttc aatgggtaaa atatttgga tatctcaaca tggatgacaa	1140
taatattcca agtaccacaaa gcaatacctt cacgggattg gtgagtctga agtacctaag	1200
tctttccaaa actttcacaa gtttgcaaac ttaacaaat gaaacatttg tgtcacttgc	1260
tcattctccc ttgctcactc tcaacttaac gaaaaatcac atctcaaaaa tagcaaatgg	1320
tactttctct tggttaggcc aactcaggat acttgatctc ggccttaatg aaattgaaca	1380
aaaactcagc ggccaggaat ggagaggtct gagaaatata tttgagatct acctatccta	1440
taacaaatac ctocaaactgt ctaccagttc ctttgcatgt gtccccagcc ttcaaagact	1500
gatgctcagg agggtagccc ttaaaaatgt ggatatctcc ccttcacctt tccgcctct	1560
tcgtaacttg accattctgg acttaagcaa caacaacata gccaacataa atgaggactt	1620
gctggagggt cttgagaatc tagaaatcct ggattttcag cacaataact tagccaggct	1680
ctggaaacgc gcaaaccocg gtgggtcccg taatttcctg aaggggctgt ctcacctcca	1740
catcttgaat ttagagtcca acggcttaga tgaaatccca gtcgggggtt tcaagaactt	1800
attcgaacta aagagcatca atctaggact gaataactta aacaaacttg aaccattcat	1860
ttttgatgac cagacatctc taaggctact gaacctccag aagaacctca taacatctgt	1920
tgagaaggat gttttcgggc cgccttttca aaacctgaac agtttagata tgcgcttcaa	1980
tccgttcgac tgcacgtgtg aaagtatttc ctggtttggt aactggatca accagacca	2040
cactaatatc tttgagctgt ccaactcacta cctctgtaac actccacatc attattatgg	2100
cttccccctg aagcttttctg atacatcatc ctgtaaagac agcgccccct ttgaactcct	2160
cttcataatc agcaccagta tgctcctggg ttttatactt gtggtactgc tcattcacat	2220
cgagggctgg aggatctctt tttactggaa tgtttcagtg catcggttcc ttgggttcaa	2280
ggaaatagac acacaggctg agcagtttga atatacagcc tacataattc atgcccataa	2340
agacagagac tgggtctggg aacatttctc cccaatggaa gaacaagacc aatctctcaa	2400
attttgcta gaagaaaggg actttgaagc aggcgtcctt ggacttgaag caattgttaa	2460
tagcatcaaa agaagccgaa aaatcatttt cgttatcaca caccatttat taaaagacct	2520
tctgtgcaga agattcaagg tacatcacgc agttcagcaa gctattgagc aaaatctgga	2580
ttcaattata ctgatttttc tccagaatat tccagattat aaactaaacc atgcactctg	2640

```

tttgccaaga ggaatgttta aatctcattg catcttgaac tggccagtgc agaaagaacg 2700
gataaatgcc ttcatcata aattgcaagt agcacttgga tctcggaatt cagcacatta 2760
aactcatttg aagatttgga gtcggtaaag ggatagatcc aatttataaa ggtccatcat 2820
gaatctaagt ttacttgaa agttttgtat atttatttat atgtatagat gatgatatta 2880
catcacaatc caatctcagt ttgaaatat ttcggttat ttcatgaca tctggtttat 2940
tcaactccaaa taaacacatg ggcagttaaa aacatcctct attaatagat taccattaa 3000
ttcttgaggt gtatcacagc tttaaagggt tttaaatttt ttatataaa taagactgag 3060
agttttataa atgtaatttt ttaaaactcg agtcttactg tgtagctcag aaaggcctgg 3120
aaattaatat attagagagt catgtcttga acttatttat ctctgcctcc ctctgtctcc 3180
agagtgttgc ttttaagggc atgtagcacc acaccagct atgtacgtgt gggattttat 3240
aatgctcatt ttgagacgt ttatagaata aaagataatt gcttttatgg tataaggcta 3300
cttgaggtaa 3310

```

<210> 10
 <211> 905
 <212> PRT
 <213> murine

<400> 10

```

Met Lys Gly Cys Ser Ser Tyr Leu Met Tyr Ser Phe Gly Gly Leu Leu
1          5          10          15
Ser Leu Trp Ile Leu Leu Val Ser Ser Thr Asn Gln Cys Thr Val Arg
          20          25          30
Tyr Asn Val Ala Asp Cys Ser His Leu Lys Leu Thr His Ile Pro Asp
          35          40          45
Asp Leu Pro Ser Asn Ile Thr Val Leu Asn Leu Thr His Asn Gln Leu
          50          55          60
Arg Arg Leu Pro Pro Thr Asn Phe Thr Arg Tyr Ser Gln Leu Ala Ile
          65          70          75          80
Leu Asp Ala Gly Phe Asn Ser Ile Ser Lys Leu Glu Pro Glu Leu Cys
          85          90          95
Gln Ile Leu Pro Leu Leu Lys Val Leu Asn Leu Gln His Asn Glu Leu
          100          105          110
Ser Gln Ile Ser Asp Gln Thr Phe Val Phe Cys Thr Asn Leu Thr Glu
          115          120          125
Leu Asp Leu Met Ser Asn Ser Ile His Lys Ile Lys Ser Asn Pro Phe
          130          135          140
Lys Asn Gln Lys Asn Leu Ile Lys Leu Asp Leu Ser His Asn Gly Leu
          145          150          155          160

```

Ser Ser Thr Lys Leu Gly Thr Gly Val Gln Leu Glu Asn Leu Gln Glu
 165 170 175
 Leu Leu Leu Ala Lys Asn Lys Ile Leu Ala Leu Arg Ser Glu Glu Leu
 180 185 190
 Glu Phe Leu Gly Asn Ser Ser Leu Arg Lys Leu Asp Leu Ser Ser Asn
 195 200 205
 Pro Leu Lys Glu Phe Ser Pro Gly Cys Phe Gln Thr Ile Gly Lys Leu
 210 215 220
 Phe Ala Leu Leu Leu Asn Asn Ala Gln Leu Asn Pro His Leu Thr Glu
 225 230 235 240
 Lys Leu Cys Trp Glu Leu Ser Asn Thr Ser Ile Gln Asn Leu Ser Leu
 245 250 255
 Ala Asn Asn Gln Leu Leu Ala Thr Ser Glu Ser Thr Phe Ser Gly Leu
 260 265 270
 Lys Trp Thr Asn Leu Thr Gln Leu Asp Leu Ser Tyr Asn Asn Leu His
 275 280 285
 Asp Val Gly Asn Gly Ser Phe Ser Tyr Leu Pro Ser Leu Arg Tyr Leu
 290 295 300
 Ser Leu Glu Tyr Asn Asn Ile Gln Arg Leu Ser Pro Arg Ser Phe Tyr
 305 310 315 320
 Gly Leu Ser Asn Leu Arg Tyr Leu Ser Leu Lys Arg Ala Phe Thr Lys
 325 330 335
 Gln Ser Val Ser Leu Ala Ser His Pro Asn Ile Asp Asp Phe Ser Phe
 340 345 350
 Gln Trp Leu Lys Tyr Leu Glu Tyr Leu Asn Met Asp Asp Asn Asn Ile
 355 360 365
 Pro Ser Thr Lys Ser Asn Thr Phe Thr Gly Leu Val Ser Leu Lys Tyr
 370 375 380
 Leu Ser Leu Ser Lys Thr Phe Thr Ser Leu Gln Thr Leu Thr Asn Glu
 385 390 395 400
 Thr Phe Val Ser Leu Ala His Ser Pro Leu Leu Thr Leu Asn Leu Thr
 405 410 415
 Lys Asn His Ile Ser Lys Ile Ala Asn Gly Thr Phe Ser Trp Leu Gly
 420 425 430
 Gln Leu Arg Ile Leu Asp Leu Gly Leu Asn Glu Ile Glu Gln Lys Leu
 435 440 445
 Ser Gly Gln Glu Trp Arg Gly Leu Arg Asn Ile Phe Glu Ile Tyr Leu
 450 455 460
 Ser Tyr Asn Lys Tyr Leu Gln Leu Ser Thr Ser Ser Phe Ala Leu Val
 465 470 475 480
 Pro Ser Leu Gln Arg Leu Met Leu Arg Arg Val Ala Leu Lys Asn Val

Asp	Ile	Ser	Pro	485	Pro	Phe	Arg	Pro	Leu	490	Arg	Asn	Leu	Thr	495	Ile	Leu
			500					505						510			
Asp	Leu	Ser	Asn	Asn	Asn	Ile	Ala	Asn	Ile	Asn	Glu	Asp	Leu	Leu	Glu		
		515					520					525					
Gly	Leu	Glu	Asn	Leu	Glu	Ile	Leu	Asp	Phe	Gln	His	Asn	Asn	Leu	Ala		
		530				535					540						
Arg	Leu	Trp	Lys	Arg	Ala	Asn	Pro	Gly	Gly	Pro	Val	Asn	Phe	Leu	Lys		
545					550					555					560		
Gly	Leu	Ser	His	Leu	His	Ile	Leu	Asn	Leu	Glu	Ser	Asn	Gly	Leu	Asp		
			565						570					575			
Glu	Ile	Pro	Val	Gly	Val	Phe	Lys	Asn	Leu	Phe	Glu	Leu	Lys	Ser	Ile		
			580					585					590				
Asn	Leu	Gly	Leu	Asn	Asn	Leu	Asn	Lys	Leu	Glu	Pro	Phe	Ile	Phe	Asp		
		595					600					605					
Asp	Gln	Thr	Ser	Leu	Arg	Ser	Leu	Asn	Leu	Gln	Lys	Asn	Leu	Ile	Thr		
	610					615					620						
Ser	Val	Glu	Lys	Asp	Val	Phe	Gly	Pro	Pro	Phe	Gln	Asn	Leu	Asn	Ser		
625					630					635					640		
Leu	Asp	Met	Arg	Phe	Asn	Pro	Phe	Asp	Cys	Thr	Cys	Glu	Ser	Ile	Ser		
				645					650					655			
Trp	Phe	Val	Asn	Trp	Ile	Asn	Gln	Thr	His	Thr	Asn	Ile	Phe	Glu	Leu		
		660					665						670				
Ser	Thr	His	Tyr	Leu	Cys	Asn	Thr	Pro	His	His	Tyr	Tyr	Gly	Phe	Pro		
		675					680					685					
Leu	Lys	Leu	Phe	Asp	Thr	Ser	Ser	Cys	Lys	Asp	Ser	Ala	Pro	Phe	Glu		
	690					695					700						
Leu	Leu	Phe	Ile	Ile	Ser	Thr	Ser	Met	Leu	Leu	Val	Phe	Ile	Leu	Val		
705					710					715					720		
Val	Leu	Leu	Ile	His	Ile	Glu	Gly	Trp	Arg	Ile	Ser	Phe	Tyr	Trp	Asn		
			725					730						735			
Val	Ser	Val	His	Arg	Ile	Leu	Gly	Phe	Lys	Glu	Ile	Asp	Thr	Gln	Ala		
		740						745					750				
Glu	Gln	Phe	Glu	Tyr	Thr	Ala	Tyr	Ile	Ile	His	Ala	His	Lys	Asp	Arg		
		755					760					765					
Asp	Trp	Val	Trp	Glu	His	Phe	Ser	Pro	Met	Glu	Glu	Gln	Asp	Gln	Ser		
	770					775						780					
Leu	Lys	Phe	Cys	Leu	Glu	Glu	Arg	Asp	Phe	Glu	Ala	Gly	Val	Leu	Gly		
785					790					795					800		
Leu	Glu	Ala	Ile	Val	Asn	Ser	Ile	Lys	Arg	Ser	Arg	Lys	Ile	Ile	Phe		
			805					810						815			
Val	Ile	Thr	His	His	Leu	Leu	Lys	Asp	Pro	Leu	Cys	Arg	Arg	Phe	Lys		

820 825 830
 Val His His Ala Val Gln Gln Ala Ile Glu Gln Asn Leu Asp Ser Ile
 835 840 845
 Ile Leu Ile Phe Leu Gln Asn Ile Pro Asp Tyr Lys Leu Asn His Ala
 850 855 860
 Leu Cys Leu Arg Arg Gly Met Phe Lys Ser His Cys Ile Leu Asn Trp
 865 870 875 880
 Pro Val Gln Lys Glu Arg Ile Asn Ala Phe His His Lys Leu Gln Val
 885 890 895
 Ala Leu Gly Ser Arg Asn Ser Ala His
 900 905

<210> 11
 <211> 3811
 <212> DNA
 <213> Homo sapiens

<400> 11
 acagggccac tgctgtcac agaagcagtg aggatgatgc caggatgatg tctgcctcgc 60
 gcctggctgg gactctgac ccagccatgg ccttctctc ctgctgaga ccagaaagct 120
 gggagccctg cgtggagact tggccctaaa ccacacagaa gagctggcat gaaaccaga 180
 gctttcagac tccggagcct cagcccttca ccccgattcc attgcttctt gctaaatgct 240
 gccgttttat cacggaggtg gttcctaata ttacttatca atgcatggag ctgaatttct 300
 acaaaatccc cgacaacctc cctttctcaa ccaagaacct ggacctgagc tttaatcccc 360
 tgaggcattt aggcagctat agcttcttca gtttccaga actgcaggtg ctggatttat 420
 ccaggtgtga aatccagaca attgaagatg gggeatatca gagcctaagc cacctctcta 480
 ccttaatatt gacaggaaac cccatccaga gtttagccct gggagcctt tctggactat 540
 caagtttaca gaagctggtg gctgtggaga caaatctagc atctctagag aacttcccca 600
 ttggacatct caaaactttg aaagaactta atgtggctca caatcttatc caatctttca 660
 aattacctga gtatttttct aatctgacca atctagagca cttggacctt tccagcaaca 720
 agattcaaag tattttattgc acagacttgc gggttctaca tcaaagccc ctactcaatc 780
 tctctttaga cctgtccctg aaccctatga actttatcca accaggtgca tttaaagaaa 840
 ttaggcttca taagctgact ttaagaaata attttgatag tttaaatgta atgaaaactt 900
 gtattcaagg tctggctggt ttagaagtcc atcgtttggg tctgggagaa tttagaaatg 960
 aaggaaactt ggaaaagttt gacaaatctg ctctagaggg cctgtgcaat ttgaccattg 1020
 aagaattccg attagcatac ttagactact acctogatga tattattgac ttatttaatt 1080
 gtttgacaaa tgtttcttca ttttccctgg tgagtgtgac tattgaaagg gtaaaagact 1140
 tttcttataa tttcggatgg caacatttag aattagttaa ctgtaaattt ggacagtttc 1200

ccacattgaa actcaaactct ctcaaaaggc ttactttcac ttccaacaaa ggtgggaatg 1260
ctttttcaga agttgatcta ccaagccttg agtttctaga tctcagtaga aatggcttga 1320
gtttcaaagg ttgctgttct caaagtgatt ttgggacaac cagcctaaag tatttagatc 1380
tgagcttcaa tgggtgttatt accatgagtt caaacttctt gggcttagaa caactagaac 1440
atctggattt ccagcattcc aatttgaaac aaatgagtga gttttcagta ttcctatcac 1500
tcagaaacct catttacctt gacatttctc atactcacac cagagttgct ttcaatggca 1560
tcttcaatgg cttgtccagt ctgaagtct tgaaaatggc tggcaattct ttccaggaaa 1620
acttcttcc agatatcttc acagagctga gaaacttgac cttcctggac ctctctcagt 1680
gtcaactgga gcagttgtct ccaacagcat ttaactcact ctccagtctt caggtaactaa 1740
atatgagcca caacaacttc ttttcattgg atacgtttcc ttataagtgt ctgaactccc 1800
tccaggttct tgattacagt ctcaatcaca taatgacttc caaaaaacag gaactacagc 1860
attttccaag tagtctagct ttcttaaact ttactcagaa tgactttgct tgtacttgtg 1920
aacaccagag tttcctgcaa tggatcaagg accagaggca gctcttggtg gaagttgaac 1980
gaatggaatg tgcaacacct tcagataagc agggcatgcc tgtgctgagt ttgaatatca 2040
cctgtcagat gaataagacc atcattggtg tgtcggctct cagtgtgctt gtagtatctg 2100
ttgtagcagt tctggtctat aagttctatt ttcacctgat gcttcttctt ggctgcataa 2160
agtatggtag aggtgaaaac atctatgatg cctttgttat ctactcaagc caggatgagg 2220
actgggtaag gaatgagcta gtaaagaatt tagaagaagg ggtgcctcca tttcagctct 2280
gccttcaacta cagagacttt attcccgtg tggccattgc tgccaacatc atccatgaag 2340
gtttccataa aagccgaaag gtgattgttg tgggtgtcca gcacttcac cagagccgct 2400
ggtgtatctt tgaatatgag attgctcaga cctggcagtt tctgagcagt cgtgctggta 2460
tcatcttcat tgtcctgcag aagggtggaga agaccctgct caggcagcag gtggagctgt 2520
accgccttct cagcaggaac acttacctgg agtgggagga cagtgtcctg gggcggcaca 2580
tcttctggag acgactcaga aaagccctgc tggatggtaa atcatggaat ccagaaggaa 2640
cagtgggtac aggatgcaat tggcaggaag caacatctat ctgaagagga aaaataaaaa 2700
cctcctgagg catttcttgc ccagctgggt ccaacacttg ttcagttaat aagtattaaa 2760
tgctgccaca tgtcaggcct tatgctaagg gtgagtaatt ccatggtgca ctagatatgc 2820
agggctgcta atctcaagga gcttccagtg cagaggggaat aaatgctaga ctaaaataca 2880
gagtcttcca ggtgggcatt tcaaccaact cagtcaagga acccatgaca aagaaagtca 2940
tttcaactct tacctcatca agttgaataa agacagagaa aacagaaaga gacattgttc 3000
ttttcctgag tcttttgaat ggaaattgta ttatgttata gccatcataa aaccattttg 3060

gtagttttga ctgaactggg tggtcacttt ttcctttttg attgaataca atttaaattc 3120
 tacttgatga ctgcagtcgt caaggggctc ctgatgcaag atgccccttc cattttaagt 3180
 ctgtctcctt acagaggtta aagtctaatt gctaattcct aaggaaacct gattaacaca 3240
 tgctcacaac catcctgggc attctcgaac atgttctatt ttttaactaa tcaccctga 3300
 tatattttta tttttatata tccagttttc atttttttac gtcttgcta taagctaata 3360
 tcataaataa ggttggttaa gacgtgcttc aaatatccat attaaccact atttttcaag 3420
 gaagtatgga aaagtacact ctgtcacttt gtcactcgat gtcattccaa agttattgcc 3480
 tactaagtaa tgactgtcat gaaagcagca ttgaaataat ttgtttaaag ggggcactct 3540
 tttaaacggg aagaaaattt ccgcttcctg gtcttatcat ggacaatttg ggctataggc 3600
 atgaaggaag tgggattacc tcaggaagtc accttttctt gattccagaa acatatgggc 3660
 tgataaaccc ggggtgacct catgaaatga gttgcagcag atgtttattt ttttcagaac 3720
 aagtgatgtt tgatggacct atgaatctat ttagggagac acagatggct gggatccctc 3780
 ccctgtacct ttctcactga caggagaact a 3811

<210> 12

<211> 2845

<212> DNA

<213> Homo sapiens

<400> 12

cctctcacc tttagcccag aactgctttg aatacaccaa ttgctgtggg gcggctcgag 60
 gaagagaaga caccagtgcc tcagaaactg ctcggtcaga cggatgtagc gagccacgca 120
 ttcacagggc cactgctgct cacagaagca gtgaggatga tgccaggatg atgtctgcct 180
 cgcgctggc tgggactctg atcccagcca tggccttctt ctctgcgtg agaccagaaa 240
 gctgggagcc ctgcgtggag gtgtgaaatc cagacaattg aagatggggc atatcagagc 300
 ctaagccacc tctctacctt aatattgaca ggaacccca tccagagttt agccctggga 360
 gccttttctg gactatcaag tttacagaag ctggtggctg tggagacaaa tctagcatct 420
 ctagagaact tccccattgg acatctcaaa actttgaaag aacttaattg ggctcacaat 480
 cttatccaat ctttcaaatt acctgagtat ttttctaata tgaccaatct agagcacttg 540
 gacctttcca gcaacaagat tcaaagtatt tattgcacag acttgcggtg tctacatcaa 600
 atgcccctac tcaatctctc tttagacctg tccctgaacc ctatgaactt tatccaacca 660
 ggtgcattta aagaaattag gcttcataag ctgactttaa gaaataattt tgatagttta 720
 aatgtaatga aaacttgat tcaaggctg gctgggttag aagtccatcg tttgggtctg 780
 ggagaattta gaaatgaagg aaacttgga aagtttgaca aatctgctct agagggcctg 840

tgcaatttga ccattgaaga attccgatta gcatacttag actactacct cgatgatatt	900
attgacttat ttaattgttt gacaaatgtt tcttcatttt ccctgggtgag tgtgactatt	960
gaaagggtaa aagacttttc ttataatttc ggatggcaac atttagaatt agttaactgt	1020
aaatttggac agtttccac attgaaactc aaatctctca aaaggcttac tttcacttcc	1080
aacaaagggtg ggaatgcttt ttcagaagtt gatctacca gccttgagtt tctagatctc	1140
agtagaaatg gcttgagttt caaagggtgc tgttctcaaa gtgattttgg gacaaccagc	1200
ctaaagtatt tagatctgag cttcaatggt gttattacca tgagttcaaa cttcttgggc	1260
ttagaacaac tagaacatct ggatttccag cattccaatt tgaaacaaat gagtgagttt	1320
tcagtattcc tatcactcag aaacctcatt taccttgaca tttctcatac tcacaccaga	1380
gttgctttca atggcatctt caatggcttg tccagtctcg aagtcttgaa aatggctggc	1440
aattctttcc aggaaaactt ccttccagat atcttcacag agctgagaaa cttgaccttc	1500
ctggacctct ctcaagtgtc actggagcag ttgtctccaa cagcatttaa ctcactctcc	1560
agtcttcagg tactaaatat gagccacaac aacttctttt cattggatac gtttccttat	1620
aagtgtctga actccctcca ggttcttgat tacagtctca atcacataat gacttccaaa	1680
aaacaggaac tacagcatth tccaagtagt ctagctttct taaatcttac tcagaatgac	1740
tttgcttgta cttgtgaaca ccagagtttc ctgcaatgga tcaaggacca gaggcagctc	1800
ttggtggaag ttgaacgaat ggaatgtgca acaccttcag ataagcagg catgcctgtg	1860
ctgagtttga atatcacctg tcagatgaat aagaccatca ttggtgtgtc ggtcctcagt	1920
gtgcttgtag tatctgttgt agcagttctg gtctataagt tctattttca cctgatgctt	1980
cttgctggct gcataaagta tggtagaggt gaaaacatct atgatgcctt tgttatctac	2040
tcaagccagg atgaggactg ggtaaggaat gagctagtaa agaatttaga agaaggggtg	2100
cctccatttc agctctgcct tcactacaga gactttatc cgggtgtggc cattgctgcc	2160
aacatcatcc atgaaggtht ccataaaagc cgaaagggtga ttgttgtggt gtcccagcac	2220
ttcatccaga gccgctggtg tatctttgaa tatgagattg ctccagacctg gcagtttctg	2280
agcagtcgtg ctggtatcat cttcattgtc ctgcagaagg tggagaagac cctgctcagg	2340
cagcagggtg agctgtaccg ccttctcagc aggaacactt acctggagtg ggaggacagt	2400
gtcctggggc ggcacatctt ctggagacga ctcaaaaaag ccctgctgga tggtaaataca	2460
tggaatccag aaggaacagt gggtaacagga tgcaattggc aggaagcaac atctatctga	2520
agaggaaaaa taaaaacctc ctgaggcatt tcttgcccag ctgggtccaa cacttgttca	2580
gttaataagt attaaatgct gccacatgtc aggccttatg ctaagggtga gtaattccat	2640
ggtgcactag atatgcaggg ctgctaactc caaggagctt ccagtgcaga gggaataaat	2700
gctagactaa aatacagagt cttccagggtg ggcatttcaa ccaactcagt caaggaaccc	2760

atgacaaaga aagtcatttc aactcttacc tcatcaagtt gaataaagac agagaaaaca 2820
 gaaaaaaaaa aaaaaaaaaa aaaaaa 2845

<210> 13
 <211> 3767
 <212> DNA
 <213> Homo sapiens

<400> 13
 cctctcacc tttagcccag aactgctttg aatacaccaa ttgctgtggg gcggctcgag 60
 gaagagaaga caccagtgcc tcagaaactg ctcggtcaga cggatgatagc gagccacgca 120
 ttcacagggc cactgctgct cacagaagca gtgaggatga tgccaggatg atgtctgcct 180
 cgcgcctggc tgggactctg atcccagcca tggccttcct ctctgcgtg agaccagaaa 240
 gctgggagcc ctgcgtggag acttggccct aaaccacaca gaagagctgg catgaaaccc 300
 agagctttca gactccggag cctcagccct tcaccccgat tccattgctt cttgctaaat 360
 gctgccgttt tatcacggag gtgtgaaatc cagacaattg aagatggggc atatcagagc 420
 ctaagccacc tctctacctt aatattgaca ggaaacccca tccagagttt agccctggga 480
 gccttttctg gactatcaag tttacagaag ctggtggctg tggagacaaa tctagcatct 540
 ctagagaact tccccattgg acatctcaaa actttgaaag aacttaatgt ggctcacaat 600
 cttatccaat ctttcaaatt acctgagtat ttttctaate tgaccaatct agagcacttg 660
 gacctttcca gcaacaagat tcaaagtatt tattgcacag acttgccggg tctacatcaa 720
 atgcccctac tcaatctctc tttagacctg tccctgaacc ctatgaactt tatccaacca 780
 ggtgcattta aagaaattag gcttcataag ctgactttaa gaaataattt tgatagttta 840
 aatgtaatga aaacttgtat tcaaggctct gctgggttag aagtccatcg tttggttctg 900
 ggagaattta gaaatgaagg aaacttgga aagtttgaca aatctgctct agagggcctg 960
 tgcaatttga ccattgaaga attccgatta gcatacttag actactacct cgatgatatt 1020
 attgacttat ttaattgttt gacaaatggt tcttcatttt ccctgggtgag tgtgactatt 1080
 gaaagggtta aagacttttc ttataatttc ggatggcaac atttagaatt agttaactgt 1140
 aaatttggac agtttccac attgaaactc aaatctctca aaaggcttac tttcacttcc 1200
 aacaaagggt ggaatgcttt ttcagaagtt gatctaccaa gccttgagtt tctagatctc 1260
 agtagaaatg gcttgagttt caaagggttc tgttctcaaa gtgatttttg gacaaccagc 1320
 ctaaagtatt tagatctgag cttcaatggt gttattacca tgagttcaaa cttcttgggc 1380
 ttagaacaac tagaacatct ggatttccag cattccaatt tgaaacaaat gagtgagttt 1440
 tcagtattcc tatcactcag aaacctcatt taccttgaca tttctcatc tcacaccaga 1500

gttgctttca atggcatctt caatggcttg tccagtctcg aagtcttgaa aatggctggc	1560
aattctttcc aggaaaactt ccttccagat atcttcacag agctgagaaa cttgaccttc	1620
ctggacctct ctcaagtgtca actggagcag ttgtctccaa cagcatttaa ctcactctcc	1680
agtcttcagg tactaaatat gagccacaac aacttctttt cattggatac gtttccttat	1740
aagtgtctga actccctcca ggttcttgat tacagtctca atcacataat gacttccaaa	1800
aaacaggaac tacagcattt tccaagtagt ctagctttct taaatcttac tcagaatgac	1860
tttgcttgta cttgtgaaca ccagagtttc ctgcaatgga tcaaggacca gaggcagctc	1920
ttgggtggaag ttgaacgaat ggaatgtgca acaccttcag ataagcaggg catgcctgtg	1980
ctgagtttga atatcacctg tcagatgaat aagaccatca ttgggtgtgtc ggtcctcagt	2040
gtgcttgtag tatctgttgt agcagttctg gtctataagt tctattttca cctgatgctt	2100
cttgctggct gcataaagta tggtagaggt gaaaacatct atgatgcctt tgttatctac	2160
tcaagccagg atgaggactg ggtaaggaat gagctagtaa agaatttaga agaaggggtg	2220
cctccatttc agctctgcct tcactacaga gactttattc ccggtgtggc cattgctgcc	2280
aacatcatcc atgaaggttt ccataaaagc cgaaagggtga ttgttgtggt gtcccagcac	2340
ttcatccaga gccgctggtg tatctttgaa tatgagattg ctcagacctg gcagtttctg	2400
agcagtcgtg ctggtatcat cttcattgtc ctgcagaagg tggagaagac cctgctcagg	2460
cagcaggtgg agctgtaccg ccttctcagc aggaacactt acctggagtg ggaggacagt	2520
gtcctggggc ggcacatctt ctggagacga ctcagaaaag ccctgctgga tggtaaatca	2580
tggaatccag aaggaacagt gggtagacga tgcaattggc aggaagcaac atctatctga	2640
agaggaaaaa taaaaacctc ctgaggcatt tcttgcccag ctgggtccaa cacttgttca	2700
gttaataagt attaaatgct gccacatgtc aggccttatg ctaagggtga gtaattccat	2760
ggtgcactag atatgcaggg ctgctaactc caaggagctt ccagtgcaga gggataaat	2820
gctagactaa aatacagagt cttccagggt ggcatttcaa ccaactcagt caaggaaccc	2880
atgacaaaaga aagtcatttc aactcttacc tcatcaagtt gaataaagac agagaaaaca	2940
gaaagagaca ttgttctttt cctgagcttt ttgaatggaa attgtattat gttatagcca	3000
tcataaaacc attttggtag ttttgactga actgggtgtt cactttttcc tttttgattg	3060
aatacaattt aaattctact tgatgactgc agtcgtcaag gggctcctga tgcaagatgc	3120
cccttcattt ttaagtctgt ctccctacag aggttaaagt ctagtggcta attcctaagg	3180
aaacctgatt aacacatgct cacaaccatc ctggtcattc tcgagcatgt tctatttttt	3240
aactaatcac ccctgatata tttttatttt tatatatcca gttttcattt ttttacgtct	3300
tgccataaag ctaatatcat aaataagggt gtttaagacg tgcttcaa atccatatta	3360
accactattt ttcaaggaag tatggaaaag tacactctgt cactttgtca ctcgatgtca	3420

ttccaaagtt attgcctact aagtaatgac tgtcatgaaa gcagcattga aataatttgt 3480
ttaaaggggg cactctttta aacgggaaga aaatttccgc ttcttgggtct tatcatggac 3540
aatttgggct agaggcagga aggaagtggg atgacctcag gaggtcacct tttcttgatt 3600
ccagaaacat atgggctgat aaaccggggg tgacctcatg aaatgagttg cagcagaagt 3660
ttattttttt cagaacaagt gatgtttgat ggacctctga atctcttttag ggagacacag 3720
atggctggga tccctcccct gtacccttct cactgccagg agaacta 3767

<210> 14

<211> 3814

<212> DNA

<213> Homo sapiens

<400> 14

cctctcaccc tttagcccag aactgctttg aatacaccaa ttgctgtggg gcggctcgag 60
gaagagaaga caccagtgcc tcagaaactg ctcggtcaga cggatgtagc gagccacgca 120
ttcacagggc cactgctgct cacagaagca gtgaggatga tgccaggatg atgtctgcct 180
cgcgcctggc tgggactctg atcccagcca tggccttcct ctctgcgtg agaccagaaa 240
gctgggagcc ctgctgtggg gtggttccta atattactta tcaatgcatg gagctgaatt 300
tctacaaaat ccccgacaac ctccccttct caaccaagaa cctggacctg agctttaatc 360
ccctgaggca tttaggcagc tatagcttct tcagtttccc agaactgcag gtgctggatt 420
tatccagggtg tgaaatccag acaattgaag atggggcata tcagagccta agccacctct 480
ctaccttaat attgacagga aaccccatcc agagttagc cctgggagcc ttttctggac 540
tatcaagttt acagaagctg gtggctgtgg agacaaatct agcatctcta gagaacttcc 600
ccattggaca tctcaaaact ttgaaagaac ttaatgtggc tcacaatctt atccaatctt 660
tcaaattacc tgagtatttt tctaattctga ccaatctaga gcacttggac ctttccagca 720
acaagattca aagtatttat tgcacagact tgcgggttct acatcaaag cccctactca 780
atctctcttt agacctgtcc ctgaacccta tgaactttat ccaaccaggc gcatttaaag 840
aaattaggct tcataagctg actttaagaa ataattttga tagtttaaag gtaatgaaaa 900
cttgatttca aggtctggct gggttagaag tccatcgttt gggtctggga gaatttagaa 960
atgaaggaaa cttggaaaag tttgacaaat ctgctctaga gggcctgtgc aatttgacca 1020
ttgaagaatt ccgattagca tacttagact actacctga tgatattatt gacttattta 1080
attgtttgac aaatgtttct tcattttccc tggtagtgt gactattgaa agggtaaaaag 1140
acttttctta taatttcgga tggcaacatt tagaattagt taactgtaaa tttggacagt 1200
ttccacatt gaaactcaaa tctctcaaaa ggcttacttt cacttccaac aaagtgagg 1260

atgctttttc	agaagttgat	ctaccaagcc	ttgagtttct	agatctcagt	agaaatggct	1320
tgagtttcaa	aggttgctgt	tctcaaagtg	attttgggac	aaccagccta	aagtatttag	1380
atctgagctt	caatgggtgtt	attaccatga	gttcaaactt	cttgggctta	gaacaactag	1440
aacatctgga	tttccagcat	tccaatttga	aacaatgag	tgagttttca	gtattcctat	1500
cactcagaaa	cctcatttac	cttgacattt	ctcatactca	caccagagtt	gctttcaatg	1560
gcatcttcaa	tggttgttcc	agtctcgaag	tcttgaaaat	ggctggcaat	tctttccagg	1620
aaaacttcct	tccagatata	ttcacagagc	tgagaaactt	gaccttcctg	gacctctctc	1680
agtgtcaact	ggagcagttg	tctccaacag	catttaactc	actctccagt	cttcaggtag	1740
taaatatgag	ccacaacaac	ttcttttcat	tggatacggt	tccttataag	tgtctgaact	1800
ccctccaggt	tcttgattac	agtctcaatc	acataatgac	ttccaaaaaa	caggaactac	1860
agcattttcc	aagtagtcta	gctttcttaa	atcttactca	gaatgacttt	gcttgtactt	1920
gtgaacacca	gagtttctctg	caatggatca	aggaccagag	gcagctcttg	gtggaagttg	1980
aacgaatgga	atgtgcaaca	ccttcagata	agcagggcat	gcctgtgctg	agtttgaata	2040
tcacctgtca	gatgaataag	accatcattg	gtgtgtcggg	cctcagtgtg	cttgtagtat	2100
ctgttgtagc	agttctggtc	tataagttct	attttcacct	gatgcttctt	gctggctgca	2160
taaagtatgg	tagaggtgaa	aacatctatg	atgcctttgt	tatctactca	agccaggatg	2220
aggactgggt	aaggaatgag	ctagtaaaga	atttagaaga	aggggtgcct	ccatttcagc	2280
tctgccttca	ctacagagac	tttattcccc	gtgtggccat	tgctgccaac	atcatccatg	2340
aaggtttcca	taaaagccga	aagggtgattg	ttgtgggtgc	ccagcacttc	atccagagcc	2400
gctgggtgat	ctttgaatat	gagattgctc	agacctggca	gtttctgagc	agtcgtgctg	2460
gtatcatott	cattgtcctg	cagaagggtg	agaagaccct	gctcaggcag	cagggtggagc	2520
tgtaccgcct	tctcagcagg	aacacttacc	tggagtggga	ggacagtgtc	ctggggcggc	2580
acatcttctg	gagacgactc	agaaaagccc	tgctggatgg	taaatcatgg	aatccagaag	2640
gaacagtggg	tacaggatgc	aattggcagg	aagcaacatc	tatctgaaga	ggaaaaataa	2700
aaacctcctg	aggcatttct	tgcccagctg	ggccaacac	ttgttcagtt	aataagtatt	2760
aaatgctgcc	acatgtcagg	ccttatgcta	agggtgagta	attccatggt	gcactagata	2820
tgcagggtctg	ctaattctcaa	ggagcttcca	gtgcagaggg	aataaatgct	agactaaaat	2880
acagagtctt	ccagggtggc	atttcaacca	actcagtcaa	ggaacccatg	acaagaaaag	2940
tcatttcaac	tcttacctca	tcaagttgaa	taaagacaga	gaaaacagaa	agagacattg	3000
ttcttttctc	gagtcttttg	aatggaaatt	gtattatgtt	atagccatca	taaaaccatt	3060
ttggtagttt	tgactgaact	gggtgttcac	tttttccttt	ttgattgaat	acaattttaa	3120
ttctacttga	tgactgcagt	cgtcaagggg	ctcctgatgc	aagatgcccc	ttccatttta	3180

```

agtctgtctc cttacagagg ttaaagtcta gtggctaatt cctaaggaaa cctgattaac 3240
acatgtcac aaccatcctg gtcattctcg agcatgttct attttttaac taatcacccc 3300
tgatatattt ttatttttat atatccagtt ttcatttttt tacgtcttgc ctataagcta 3360
atatcataaa taaggttggt taagacgtgc ttcaaatac catattaacc actatttttc 3420
aaggaagtat ggaaaagtag actctgtcac tttgtcactc gatgtcattc caaagttatt 3480
gcctactaag taatgactgt catgaaagca gcattgaaat aatttgttta aagggggcac 3540
tcttttaaac gggaagaaaa tttccgcttc ctgggtcttat catggacaat ttgggctaga 3600
ggcaggaagg aagtgggatg acctcaggag gtcacctttt cttgattcca gaaacatatg 3660
ggctgataaa cccggggtga cctcatgaaa tgagttgcag cagaagttaa tttttttcag 3720
aacaagtgat gtttgatgga cctctgaatc tctttaggga gacacagatg gctgggatcc 3780
ctccctgta cccttctcac tgccaggaga acta 3814

```

<210> 15

<211> 3934

<212> DNA

<213> Homo sapiens

<400> 15

```

cctctcaccc tttagcccag aactgctttg aatacaccaa ttgctgtggg gcggctcgag 60
gaagagaaga caccagtgcc tcagaaactg ctgggtcaga cggatgatagc gagccacgca 120
ttcacagggc cactgctgct cacagaagca gtgaggatga tgccaggatg atgtctgcct 180
cgcgcctggc tgggactctg atcccagcca tggccttcct ctctgcgtg agaccagaaa 240
gctgggagcc ctgcgtggag acttggccct aaaccacaca gaagagctgg catgaaaccc 300
agagctttca gactccggag cctcagccct tcacccgat tccattgctt cttgctaaat 360
gctgccgttt tatcacggag gtggttccta atattactta tcaatgcatg gagctgaatt 420
tctacaaaat ccccgacaac ctcccttct caaccaagaa cctggacctg agctttaatc 480
ccctgaggca tttaggcagc tatagcttct tcagtttccc agaactgcag gtgctggatt 540
tatccaggtg tgaaatccag acaattgaag atggggcata tcagagccta agccacctct 600
ctaccttaat attgacagga aaccccatcc agagttagc cctgggagcc ttttctggac 660
tatcaagttt acagaagctg gtggctgtgg agacaaatct agcatctcta gagaacttcc 720
ccattggaca tctcaaaact ttgaaagaac ttaatgtggc tcacaatctt atccaatctt 780
tcaaattacc tgagtatttt tctaactga ccaatctaga gcacttgac ctttccagca 840
acaagattca aagtatttat tgcacagact tgccgggttct acatcaaag cccctactca 900
atctctcttt agacctgtcc ctgaacccta tgaactttat ccaaccaggt gcatttaaag 960

```

aaattaggct tcataagctg actttaagaa ataattttga tagtttaa	1020
cttgatttca aggtctggct ggtttagaag tccatcgttt ggttctgga	1080
atgaaggaaa cttgaaaaag tttgacaaat ctgctctaga gggcctgtgc	1140
ttgaagaatt ccgattagca tacttagact actacctga tgatattatt	1200
attgtttgac aaatgtttct tcattttccc tggtgagtgt gactattgaa	1260
acttttctta taatttcgga tggcaacatt tagaattagt taactgtaaa	1320
ttccccacatt gaaactcaaa tctctcaaaa ggcttacttt cacttccaac	1380
atgctttttc agaagttgat ctaccaagcc ttgagtttct agatctcagt	1440
tgagtttcaa aggttgctgt tctcaaagtg attttgggac aaccagccta	1500
atctgagctt caatgggtgt attaccatga gttcaaactt cttgggctta	1560
aacatctgga tttccagcat tccaatttga acaaatgag tgagttttca	1620
cactcagaaa cctcatthac cttgacattt ctactactca caccagagtt	1680
gcatcttcaa tggcttgctc agtctcgaag tcttgaaaat ggctggcaat	1740
aaaacttcct tccagatata ttcacagagc tgagaaaact gaccttcctg	1800
agtgtcaact ggagcagttg tctccaacag catttaactc actctccagt	1860
taaatatgag ccacaacaac ttcttttcat tggatacgtt tccttataag	1920
ccctccaggt tcttgattac agtctcaatc acataatgac ttccaaaaaa	1980
agcattttcc aagtagtcta gctttcttaa atcttactca gaatgacttt	2040
gtgaacacca gagtttcctg caatggatca aggaccagag gcagctcttg	2100
aacgaatgga atgtgcaaca cttcagata agcagggcat gcctgtgctg	2160
tcacctgtca gatgaataag accatcattg gtgtgtcggc cctcagtggt	2220
ctgttgtagc agttctggtc tataagttct attttcacct gatgcttctt	2280
taaagtatgg tagaggtgaa aacatctatg atgcctttgt tatctactca	2340
aggactgggt aaggaatgag ctagtaaaga atttagaaga aggggtgcct	2400
tctgccttca ctacagagac tttattcccg gtgtggccat tgctgccaac	2460
aaggtttcca taaaagccga aaggtgattg ttgtggtgtc ccagcacttc	2520
gctggtgtat ctttgaatat gagattgtct agacctggca gtttctgagc	2580
gtatcatctt cattgtcctg cagaaggtgg agaagaccct gctcaggcag	2640
tgtaccgcct tctcagcagg aacacttacc tggagtggga ggacagtgtc	2700
acatcttctg gagacgactc agaaaagccc tgctggatgg taaatcatgg	2760
gaacagtggg tacaggatgc aattggcagg aagcaacatc tatctgaaga	2820
aaacctcctg aggcatttct tgcccagctg ggtccaacac ttgttcagtt	2880

```

aaatgctgcc acatgtcagg ccttatgcta agggtagta attccatggt gcactagata 2940
tgcagggctg ctaatctcaa ggagcttcca gtgcagaggg aataaatgct agactaaaat 3000
acagagtctt ccagggtggc atttcaacca actcagtcaa ggaacccatg acaaagaaag 3060
tcatttcaac tcttacctca tcaagttgaa taaagacaga gaaaacagaa agagacattg 3120
ttcttttctt gagtcttttg aatggaaatt gtattatggt atagccatca taaaaccatt 3180
ttggtagttt tgactgaact ggggtgtcac tttttccttt ttgattgaat acaatttaaa 3240
ttctacttga tgactgcagt cgtcaagggg ctctgatgc aagatgcccc ttccatttta 3300
agtctgtctc cttacagagg ttaaagtcta gtggctaatt cctaaggaaa cctgattaac 3360
acatgtcac aaccatcctg gtcattctcg agcatgttct attttttaac taatcacccc 3420
tgatatattt ttatttttat atatccagtt ttcatTTTTT tacgtcttgc ctataagcta 3480
atatcataaa taaggttggt taagacgtgc ttcaaatac catattaacc actatttttc 3540
aaggaagtat ggaaaagtac actctgtcac tttgtcactc gatgtcattc caaagttatt 3600
gcctactaag taatgactgt catgaaagca gcattgaaat aatttgttta aagggggcac 3660
tcttttaaac gggaagaaaa ttccgcttc ctggtcttat catggacaat ttgggctaga 3720
ggcaggaagg aagtgggatg acctcaggag gtcacctttt cttgattcca gaaacatatg 3780
ggctgataaa cccggggtga cctcatgaaa tgagttgcag cagaagttta ttttttcag 3840
aacaagtgat gtttgatgga cctctgaatc tctttaggga gacacagatg gctgggatcc 3900
ctccctgta cccttctcac tgccaggaga acta 3934

```

<210> 16
 <211> 839
 <212> PRT
 <213> Homo sapiens

<400> 16

```

Met Met Ser Ala Ser Arg Leu Ala Gly Thr Leu Ile Pro Ala Met Ala
1           5           10           15

Phe Leu Ser Cys Val Arg Pro Glu Ser Trp Glu Pro Cys Val Glu Val
20           25           30

Val Pro Asn Ile Thr Tyr Gln Cys Met Glu Leu Asn Phe Tyr Lys Ile
35           40           45

Pro Asp Asn Leu Pro Phe Ser Thr Lys Asn Leu Asp Leu Ser Phe Asn
50           55           60

Pro Leu Arg His Leu Gly Ser Tyr Ser Phe Phe Ser Phe Pro Glu Leu
65           70           75           80

Gln Val Leu Asp Leu Ser Arg Cys Glu Ile Gln Thr Ile Glu Asp Gly
85           90           95

```


Ala Tyr Gln Ser Leu Ser His Leu Ser Thr Leu Ile Leu Thr Gly Asn
 100 105 110
 Pro Ile Gln Ser Leu Ala Leu Gly Ala Phe Ser Gly Leu Ser Ser Leu
 115 120 125
 Gln Lys Leu Val Ala Val Glu Thr Asn Leu Ala Ser Leu Glu Asn Phe
 130 135 140
 Pro Ile Gly His Leu Lys Thr Leu Lys Glu Leu Asn Val Ala His Asn
 145 150 155 160
 Leu Ile Gln Ser Phe Lys Leu Pro Glu Tyr Phe Ser Asn Leu Thr Asn
 165 170 175
 Leu Glu His Leu Asp Leu Ser Ser Asn Lys Ile Gln Ser Ile Tyr Cys
 180 185 190
 Thr Asp Leu Arg Val Leu His Gln Met Pro Leu Leu Asn Leu Ser Leu
 195 200 205
 Asp Leu Ser Leu Asn Pro Met Asn Phe Ile Gln Pro Gly Ala Phe Lys
 210 215 220
 Glu Ile Arg Leu His Lys Leu Thr Leu Arg Asn Asn Phe Asp Ser Leu
 225 230 235 240
 Asn Val Met Lys Thr Cys Ile Gln Gly Leu Ala Gly Leu Glu Val His
 245 250 255
 Arg Leu Val Leu Gly Glu Phe Arg Asn Glu Gly Asn Leu Glu Lys Phe
 260 265 270
 Asp Lys Ser Ala Leu Glu Gly Leu Cys Asn Leu Thr Ile Glu Glu Phe
 275 280 285
 Arg Leu Ala Tyr Leu Asp Tyr Tyr Leu Asp Asp Ile Ile Asp Leu Phe
 290 295 300
 Asn Cys Leu Thr Asn Val Ser Ser Phe Ser Leu Val Ser Val Thr Ile
 305 310 315 320
 Glu Arg Val Lys Asp Phe Ser Tyr Asn Phe Gly Trp Gln His Leu Glu
 325 330 335
 Leu Val Asn Cys Lys Phe Gly Gln Phe Pro Thr Leu Lys Leu Lys Ser
 340 345 350
 Leu Lys Arg Leu Thr Phe Thr Ser Asn Lys Gly Gly Asn Ala Phe Ser
 355 360 365
 Glu Val Asp Leu Pro Ser Leu Glu Phe Leu Asp Leu Ser Arg Asn Gly
 370 375 380
 Leu Ser Phe Lys Gly Cys Cys Ser Gln Ser Asp Phe Gly Thr Thr Ser
 385 390 395 400
 Leu Lys Tyr Leu Asp Leu Ser Phe Asn Gly Val Ile Thr Met Ser Ser
 405 410 415
 Asn Phe Leu Gly Leu Glu Gln Leu Glu His Leu Asp Phe Gln His Ser

420 425 430
 Asn Leu Lys Gln Met Ser Glu Phe Ser Val Phe Leu Ser Leu Arg Asn
 435 440 445
 Leu Ile Tyr Leu Asp Ile Ser His Thr His Thr Arg Val Ala Phe Asn
 450 455 460
 Gly Ile Phe Asn Gly Leu Ser Ser Leu Glu Val Leu Lys Met Ala Gly
 465 470 475 480
 Asn Ser Phe Gln Glu Asn Phe Leu Pro Asp Ile Phe Thr Glu Leu Arg
 485 490 495
 Asn Leu Thr Phe Leu Asp Leu Ser Gln Cys Gln Leu Glu Gln Leu Ser
 500 505 510
 Pro Thr Ala Phe Asn Ser Leu Ser Ser Leu Gln Val Leu Asn Met Ser
 515 520 525
 His Asn Asn Phe Phe Ser Leu Asp Thr Phe Pro Tyr Lys Cys Leu Asn
 530 535 540
 Ser Leu Gln Val Leu Asp Tyr Ser Leu Asn His Ile Met Thr Ser Lys
 545 550 555 560
 Lys Gln Glu Leu Gln His Phe Pro Ser Ser Leu Ala Phe Leu Asn Leu
 565 570 575
 Thr Gln Asn Asp Phe Ala Cys Thr Cys Glu His Gln Ser Phe Leu Gln
 580 585 590
 Trp Ile Lys Asp Gln Arg Gln Leu Leu Val Glu Val Glu Arg Met Glu
 595 600 605
 Cys Ala Thr Pro Ser Asp Lys Gln Gly Met Pro Val Leu Ser Leu Asn
 610 615 620
 Ile Thr Cys Gln Met Asn Lys Thr Ile Ile Gly Val Ser Val Leu Ser
 625 630 635 640
 Val Leu Val Val Ser Val Val Ala Val Leu Val Tyr Lys Phe Tyr Phe
 645 650 655
 His Leu Met Leu Leu Ala Gly Cys Ile Lys Tyr Gly Arg Gly Glu Asn
 660 665 670
 Ile Tyr Asp Ala Phe Val Ile Tyr Ser Ser Gln Asp Glu Asp Trp Val
 675 680 685
 Arg Asn Glu Leu Val Lys Asn Leu Glu Glu Gly Val Pro Pro Phe Gln
 690 695 700
 Leu Cys Leu His Tyr Arg Asp Phe Ile Pro Gly Val Ala Ile Ala Ala
 705 710 715 720
 Asn Ile Ile His Glu Gly Phe His Lys Ser Arg Lys Val Ile Val Val
 725 730 735
 Val Ser Gln His Phe Ile Gln Ser Arg Trp Cys Ile Phe Glu Tyr Glu
 740 745 750
 Ile Ala Gln Thr Trp Gln Phe Leu Ser Ser Arg Ala Gly Ile Ile Phe

755 760 765
 Ile Val Leu Gln Lys Val Glu Lys Thr Leu Leu Arg Gln Gln Val Glu
 770 775 780
 Leu Tyr Arg Leu Leu Ser Arg Asn Thr Tyr Leu Glu Trp Glu Asp Ser
 785 790 795 800
 Val Leu Gly Arg His Ile Phe Trp Arg Arg Leu Arg Lys Ala Leu Leu
 805 810 815
 Asp Gly Lys Ser Trp Asn Pro Glu Gly Thr Val Gly Thr Gly Cys Asn
 820 825 830
 Trp Gln Glu Ala Thr Ser Ile
 835

<210> 17
 <211> 782
 <212> PRT
 <213> Homo sapiens

<400> 17

Met Lys Pro Arg Ala Phe Arg Leu Arg Ser Leu Ser Pro Ser Pro Arg
 1 5 10 15
 Phe His Cys Phe Leu Leu Asn Ala Ala Val Leu Ser Arg Arg Cys Glu
 20 25 30
 Ile Gln Thr Ile Glu Asp Gly Ala Tyr Gln Ser Leu Ser His Leu Ser
 35 40 45
 Thr Leu Ile Leu Thr Gly Asn Pro Ile Gln Ser Leu Ala Leu Gly Ala
 50 55 60
 Phe Ser Gly Leu Ser Ser Leu Gln Lys Leu Val Ala Val Glu Thr Asn
 65 70 75 80
 Leu Ala Ser Leu Glu Asn Phe Pro Ile Gly His Leu Lys Thr Leu Lys
 85 90 95
 Glu Leu Asn Val Ala His Asn Leu Ile Gln Ser Phe Lys Leu Pro Glu
 100 105 110
 Tyr Phe Ser Asn Leu Thr Asn Leu Glu His Leu Asp Leu Ser Ser Asn
 115 120 125
 Lys Ile Gln Ser Ile Tyr Cys Thr Asp Leu Arg Val Leu His Gln Met
 130 135 140
 Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn Phe
 145 150 155 160
 Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr Leu
 165 170 175
 Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln Gly
 180 185 190
 Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg Asn
 195 200 205

Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu Cys
 210 215 220
 Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr Leu
 225 230 235 240
 Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser Phe
 245 250 255
 Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr Asn
 260 265 270
 Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Lys Phe Gly Gln Phe
 275 280 285
 Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser Asn
 290 295 300
 Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu Phe
 305 310 315 320
 Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser Gln
 325 330 335
 Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe Asn
 340 345 350
 Gly Val Ile Thr Met Ser Ser Asn Phe Leu Gly Leu Glu Gln Leu Glu
 355 360 365
 His Leu Asp Phe Gln His Ser Asn Leu Lys Gln Met Ser Glu Phe Ser
 370 375 380
 Val Phe Leu Ser Leu Arg Asn Leu Ile Tyr Leu Asp Ile Ser His Thr
 385 390 395 400
 His Thr Arg Val Ala Phe Asn Gly Ile Phe Asn Gly Leu Ser Ser Leu
 405 410 415
 Glu Val Leu Lys Met Ala Gly Asn Ser Phe Gln Glu Asn Phe Leu Pro
 420 425 430
 Asp Ile Phe Thr Glu Leu Arg Asn Leu Thr Phe Leu Asp Leu Ser Gln
 435 440 445
 Cys Gln Leu Glu Gln Leu Ser Pro Thr Ala Phe Asn Ser Leu Ser Ser
 450 455 460
 Leu Gln Val Leu Asn Met Ser His Asn Asn Phe Phe Ser Leu Asp Thr
 465 470 475 480
 Phe Pro Tyr Lys Cys Leu Asn Ser Leu Gln Val Leu Asp Tyr Ser Leu
 485 490 495
 Asn His Ile Met Thr Ser Lys Lys Gln Glu Leu Gln His Phe Pro Ser
 500 505 510
 Ser Leu Ala Phe Leu Asn Leu Thr Gln Asn Asp Phe Ala Cys Thr Cys
 515 520 525
 Glu His Gln Ser Phe Leu Gln Trp Ile Lys Asp Gln Arg Gln Leu Leu

530 535 540
 Val Glu Val Glu Arg Met Glu Cys Ala Thr Pro Ser Asp Lys Gln Gly
 545 550 555 560
 Met Pro Val Leu Ser Leu Asn Ile Thr Cys Gln Met Asn Lys Thr Ile
 565 570 575
 Ile Gly Val Ser Val Leu Ser Val Leu Val Val Ser Val Val Ala Val
 580 585 590
 Leu Val Tyr Lys Phe Tyr Phe His Leu Met Leu Leu Ala Gly Cys Ile
 595 600 605
 Lys Tyr Gly Arg Gly Glu Asn Ile Tyr Asp Ala Phe Val Ile Tyr Ser
 610 615 620
 Ser Gln Asp Glu Asp Trp Val Arg Asn Glu Leu Val Lys Asn Leu Glu
 625 630 635 640
 Glu Gly Val Pro Pro Phe Gln Leu Cys Leu His Tyr Arg Asp Phe Ile
 645 650 655
 Pro Gly Val Ala Ile Ala Ala Asn Ile Ile His Glu Gly Phe His Lys
 660 665 670
 Ser Arg Lys Val Ile Val Val Val Ser Gln His Phe Ile Gln Ser Arg
 675 680 685
 Trp Cys Ile Phe Glu Tyr Glu Ile Ala Gln Thr Trp Gln Phe Leu Ser
 690 695 700
 Ser Arg Ala Gly Ile Ile Phe Ile Val Leu Gln Lys Val Glu Lys Thr
 705 710 715 720
 Leu Leu Arg Gln Gln Val Glu Leu Tyr Arg Leu Leu Ser Arg Asn Thr
 725 730 735
 Tyr Leu Glu Trp Glu Asp Ser Val Leu Gly Arg His Ile Phe Trp Arg
 740 745 750
 Arg Leu Arg Lys Ala Leu Leu Asp Gly Lys Ser Trp Asn Pro Glu Gly
 755 760 765
 Thr Val Gly Thr Gly Cys Asn Trp Gln Glu Ala Thr Ser Ile
 770 775 780

<210> 18
 <211> 799
 <212> PRT
 <213> Homo sapiens

<400> 18

Met Glu Leu Asn Phe Tyr Lys Ile Pro Asp Asn Leu Pro Phe Ser Thr
 1 5 10 15
 Lys Asn Leu Asp Leu Ser Phe Asn Pro Leu Arg His Leu Gly Ser Tyr
 20 25 30
 Ser Phe Phe Ser Phe Pro Glu Leu Gln Val Leu Asp Leu Ser Arg Cys
 35 40 45

Glu Ile Gln Thr Ile Glu Asp Gly Ala Tyr Gln Ser Leu Ser His Leu
 50 55 60
 Ser Thr Leu Ile Leu Thr Gly Asn Pro Ile Gln Ser Leu Ala Leu Gly
 65 70 75 80
 Ala Phe Ser Gly Leu Ser Ser Leu Gln Lys Leu Val Ala Val Glu Thr
 85 90 95
 Asn Leu Ala Ser Leu Glu Asn Phe Pro Ile Gly His Leu Lys Thr Leu
 100 105 110
 Lys Glu Leu Asn Val Ala His Asn Leu Ile Gln Ser Phe Lys Leu Pro
 115 120 125
 Glu Tyr Phe Ser Asn Leu Thr Asn Leu Glu His Leu Asp Leu Ser Ser
 130 135 140
 Asn Lys Ile Gln Ser Ile Tyr Cys Thr Asp Leu Arg Val Leu His Gln
 145 150 155 160
 Met Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn
 165 170 175
 Phe Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr
 180 185 190
 Leu Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln
 195 200 205
 Gly Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg
 210 215 220
 Asn Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu
 225 230 235 240
 Cys Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr
 245 250 255
 Leu Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser
 260 265 270
 Phe Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr
 275 280 285
 Asn Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Lys Phe Gly Gln
 290 295 300
 Phe Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser
 305 310 315 320
 Asn Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu
 325 330 335
 Phe Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser
 340 345 350
 Gln Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe
 355 360 365
 Asn Gly Val Ile Thr Met Ser Ser Asn Phe Leu Gly Leu Glu Gln Leu

370	375	380
Glu His Leu Asp Phe Gln His Ser Asn Leu Lys Gln Met Ser Glu Phe		
385	390	395 400
Ser Val Phe Leu Ser Leu Arg Asn Leu Ile Tyr Leu Asp Ile Ser His		
405	410	415
Thr His Thr Arg Val Ala Phe Asn Gly Ile Phe Asn Gly Leu Ser Ser		
420	425	430
Leu Glu Val Leu Lys Met Ala Gly Asn Ser Phe Gln Glu Asn Phe Leu		
435	440	445
Pro Asp Ile Phe Thr Glu Leu Arg Asn Leu Thr Phe Leu Asp Leu Ser		
450	455	460
Gln Cys Gln Leu Glu Gln Leu Ser Pro Thr Ala Phe Asn Ser Leu Ser		
465	470	475 480
Ser Leu Gln Val Leu Asn Met Ser His Asn Asn Phe Phe Ser Leu Asp		
485	490	495
Thr Phe Pro Tyr Lys Cys Leu Asn Ser Leu Gln Val Leu Asp Tyr Ser		
500	505	510
Leu Asn His Ile Met Thr Ser Lys Lys Gln Glu Leu Gln His Phe Pro		
515	520	525
Ser Ser Leu Ala Phe Leu Asn Leu Thr Gln Asn Asp Phe Ala Cys Thr		
530	535	540
Cys Glu His Gln Ser Phe Leu Gln Trp Ile Lys Asp Gln Arg Gln Leu		
545	550	555 560
Leu Val Glu Val Glu Arg Met Glu Cys Ala Thr Pro Ser Asp Lys Gln		
565	570	575
Gly Met Pro Val Leu Ser Leu Asn Ile Thr Cys Gln Met Asn Lys Thr		
580	585	590
Ile Ile Gly Val Ser Val Leu Ser Val Leu Val Val Ser Val Val Ala		
595	600	605
Val Leu Val Tyr Lys Phe Tyr Phe His Leu Met Leu Leu Ala Gly Cys		
610	615	620
Ile Lys Tyr Gly Arg Gly Glu Asn Ile Tyr Asp Ala Phe Val Ile Tyr		
625	630	635 640
Ser Ser Gln Asp Glu Asp Trp Val Arg Asn Glu Leu Val Lys Asn Leu		
645	650	655
Glu Glu Gly Val Pro Pro Phe Gln Leu Cys Leu His Tyr Arg Asp Phe		
660	665	670
Ile Pro Gly Val Ala Ile Ala Ala Asn Ile Ile His Glu Gly Phe His		
675	680	685
Lys Ser Arg Lys Val Ile Val Val Val Ser Gln His Phe Ile Gln Ser		
690	695	700
Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala Gln Thr Trp Gln Phe Leu		

705 710 715 720
 Ser Ser Arg Ala Gly Ile Ile Phe Ile Val Leu Gln Lys Val Glu Lys
 725 730 735

 Thr Leu Leu Arg Gln Gln Val Glu Leu Tyr Arg Leu Leu Ser Arg Asn
 740 745 750

 Thr Tyr Leu Glu Trp Glu Asp Ser Val Leu Gly Arg His Ile Phe Trp
 755 760 765

 Arg Arg Leu Arg Lys Ala Leu Leu Asp Gly Lys Ser Trp Asn Pro Glu
 770 775 780

 Gly Thr Val Gly Thr Gly Cys Asn Trp Gln Glu Ala Thr Ser Ile
 785 790 795

<210> 19
 <211> 639
 <212> PRT
 <213> Homo sapiens

<400> 19

Met Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn
 1 5 10 15

 Phe Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr
 20 25 30

 Leu Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln
 35 40 45

 Gly Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg
 50 55 60

 Asn Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu
 65 70 75 80

 Cys Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr
 85 90 95

 Leu Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser
 100 105 110

 Phe Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr
 115 120 125

 Asn Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Lys Phe Gly Gln
 130 135 140

 Phe Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser
 145 150 155 160

 Asn Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu
 165 170 175

 Phe Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser
 180 185 190

 Gln Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe
 195 200 205

Asn Gly Val Ile Thr Met Ser Ser Asn Phe Leu Gly Leu Glu Gln Leu
 210 215 220
 Glu His Leu Asp Phe Gln His Ser Asn Leu Lys Gln Met Ser Glu Phe
 225 230 235 240
 Ser Val Phe Leu Ser Leu Arg Asn Leu Ile Tyr Leu Asp Ile Ser His
 245 250 255
 Thr His Thr Arg Val Ala Phe Asn Gly Ile Phe Asn Gly Leu Ser Ser
 260 265 270
 Leu Glu Val Leu Lys Met Ala Gly Asn Ser Phe Gln Glu Asn Phe Leu
 275 280 285
 Pro Asp Ile Phe Thr Glu Leu Arg Asn Leu Thr Phe Leu Asp Leu Ser
 290 295 300
 Gln Cys Gln Leu Glu Gln Leu Ser Pro Thr Ala Phe Asn Ser Leu Ser
 305 310 315 320
 Ser Leu Gln Val Leu Asn Met Ser His Asn Asn Phe Phe Ser Leu Asp
 325 330 335
 Thr Phe Pro Tyr Lys Cys Leu Asn Ser Leu Gln Val Leu Asp Tyr Ser
 340 345 350
 Leu Asn His Ile Met Thr Ser Lys Lys Gln Glu Leu Gln His Phe Pro
 355 360 365
 Ser Ser Leu Ala Phe Leu Asn Leu Thr Gln Asn Asp Phe Ala Cys Thr
 370 375 380
 Cys Glu His Gln Ser Phe Leu Gln Trp Ile Lys Asp Gln Arg Gln Leu
 385 390 395 400
 Leu Val Glu Val Glu Arg Met Glu Cys Ala Thr Pro Ser Asp Lys Gln
 405 410 415
 Gly Met Pro Val Leu Ser Leu Asn Ile Thr Cys Gln Met Asn Lys Thr
 420 425 430
 Ile Ile Gly Val Ser Val Leu Ser Val Leu Val Val Ser Val Val Ala
 435 440 445
 Val Leu Val Tyr Lys Phe Tyr Phe His Leu Met Leu Leu Ala Gly Cys
 450 455 460
 Ile Lys Tyr Gly Arg Gly Glu Asn Ile Tyr Asp Ala Phe Val Ile Tyr
 465 470 475 480
 Ser Ser Gln Asp Glu Asp Trp Val Arg Asn Glu Leu Val Lys Asn Leu
 485 490 495
 Glu Glu Gly Val Pro Pro Phe Gln Leu Cys Leu His Tyr Arg Asp Phe
 500 505 510
 Ile Pro Gly Val Ala Ile Ala Ala Asn Ile Ile His Glu Gly Phe His
 515 520 525
 Lys Ser Arg Lys Val Ile Val Val Val Ser Gln His Phe Ile Gln Ser

530 535 540
 Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala Gln Thr Trp Gln Phe Leu
 545 550 555 560
 Ser Ser Arg Ala Gly Ile Ile Phe Ile Val Leu Gln Lys Val Glu Lys
 565 570 575
 Thr Leu Leu Arg Gln Gln Val Glu Leu Tyr Arg Leu Leu Ser Arg Asn
 580 585 590
 Thr Tyr Leu Glu Trp Glu Asp Ser Val Leu Gly Arg His Ile Phe Trp
 595 600 605
 Arg Arg Leu Arg Lys Ala Leu Leu Asp Gly Lys Ser Trp Asn Pro Glu
 610 615 620
 Gly Thr Val Gly Thr Gly Cys Asn Trp Gln Glu Ala Thr Ser Ile
 625 630 635

<210> 20
 <211> 3866
 <212> DNA
 <213> murine

<400> 20
 ctggttgacag aaaatgccag gatgatgcct ccctggctcc tggctaggac tctgatcatg 60
 gcactgttct tctcctgcct gacaccagga agcttgaatc cctgcataga ggtagttcct 120
 aatattacct accaatgcat ggatcagaaa ctcagcaaag tccctgatga cattccttct 180
 tcaaccaaga acatagatct gagcttcaac cccttgaaga tcttaaaaag ctatagcttc 240
 tccaattttt cagaacttca gtggctggat ttatccaggt gtgaaattga aacaattgaa 300
 gacaaggcat ggcattggctt acaccacctc tcaaacttga tactgacagg aaacctatc 360
 cagagttttt cccaggaag tttctctgga ctaacaagtt tagagaatct ggtggctgtg 420
 gagacaaaat tggcctctct agaaagcttc cctattggac agcttataac cttaaagaaa 480
 ctcaatgtgg ctcaaatctt tatacattcc tgtaagttac ctgcatattt ttccaatctg 540
 acgaacctag tacatgtgga tctttcttat aactatattc aaactattac tgtcaacgac 600
 ttacagtctt tacgtgaaaa tccacaagtc aatctctctt tagacatgtc tttgaaccca 660
 attgacttca ttcaagacca agcctttcag ggaattaagc tccatgaact gactctaaga 720
 ggtaatttta atagctcaaa tataatgaaa acttgccttc aaaacctggc tggtttacac 780
 gtccatcggt tgatcttggg agaatttaaa gatgaaagga atctggaaat ttttgaaccc 840
 tctatcatgg aaggactatg tgatgtgacc attgatgagt tcagggttaac atatacaaat 900
 gatttttcag atgatattgt taagttccat tgcttggcga atgtttctgc aatgtctctg 960
 gcagggtgat ctataaaata tctagaagat gttcctaaac atttcaaagt gcaatcctta 1020
 tcaatcatta gatgtcaact taagcagttt ccaactctgg atctaccctt tcttaaaagt 1080

ttgacttttaa ctatgaacaa agggctctatc agtttttaaaa aagtggccct accaagtctc	1140
agctatctag atcttagtag aaatgcactg agcttttagtg gttgctgttc ttattctgat	1200
ttgggaacaa acagcctgag acacttagac ctcagcttca atggtgccat cattatgagt	1260
gccaatttca tgggtctaga agagctgcag cacctggatt ttcagcactc tacttttaaaa	1320
agggtcacag aattctcagc gttcttatcc cttgaaaagc tactttacct tgacatctct	1380
tatactaaca ccaaaattga cttcgatggg atatttcttg gcttgaccag tctcaacaca	1440
ttaaaaatgg ctggcaattc ttccaagac aacacccttt caaatgtctt tgcaaacaca	1500
acaaacttga cattcctgga tctttctaaa tgtcaattgg aacaaatc ttggggggta	1560
tttgacacco tccatagact tcaattatta aatatgagtc acaacaatct attgtttttg	1620
gattcatccc attataacca gctgtattcc ctcagcactc ttgattgcag tttcaatcgc	1680
atagagacat ctaaaggaat actgcaacat tttccaaaga gtctagcctt cttcaatctt	1740
actaacaatt ctgttgcttg tataatgtgaa catcagaaat tctgcagtg ggtcaaggaa	1800
cagaagcagt tcttggtgaa tgttgaacaa atgacatgtg caacacctgt agagatgaat	1860
acctccttag tgttggtatt taataattct acctgttata tgtacaagac aatcatcagt	1920
gtgtcagtg ttagtgtgat tgtggtatcc actgtagcat ttctgatata ccacttctat	1980
tttcacctga tacttattgc tggctgtaaa aagtacagca gaggagaaag catctatgat	2040
gcatttgtga tctactcgag tcagaatgag gactgggtga gaaatgagct ggtaaagaat	2100
ttagaagaag gagtgtcccg ctttcacctc tgccttcact acagagactt tattcctggg	2160
gtagccattg ctgccaacat catccaggaa ggcttcacca agagccggaa ggttattgtg	2220
gtagtgtcta gacactttat tcagagccgt tgggtgatct ttgaatatga gattgctcaa	2280
acatggcagt ttctgagcag ccgctctggc atcatcttca ttgtccttga gaagggtgag	2340
aagtccctgc tgaggcagca ggtggaattg tatgccttc ttagcagaaa cacctacctg	2400
gaatgggagg acaatcctct ggggaggcac atcttctgga gaagacttaa aaatgcccta	2460
ttggatggaa aagcctcgaa tcttgagcaa acagcagagg aagaacaaga aacggcaact	2520
tggacctgag gagaacaaaa ctctggggcc taaaccagc ctgtttgcaa ttaataaatg	2580
ctacagctca cctggggctc tgctatggac cgagagccca tggaacacat ggctgctaag	2640
ctatagcatg gaccttaccg ggcagaagga agtagcactg acaccttcct ttccaggggt	2700
atgaattacc taactcggga aaagaaacat aatccagaat ctttaccttt aatctgaagg	2760
agaagaggct aaggcctagt gagaacagaa aggagaacca gtcttcactg ggccttttga	2820
atacaagcca tgtcatgttc tgtgtttcag ttgctttaga agagtattga tagtttcaac	2880
tgaactgaac ggtttcttac tttccctttt ttctactgaa tgcaatatta aatagctctt	2940
tttgagaggt cttcattcca atttcatctt ccattttatg tcattttctt ttcttttttg	3000

```

tttttatctg attctataag aaatatgatt gatacacgct cacagatagc ctggccaatc 3060
ctaagaatgc tatatatttatt aaatacaatt cctagtatac ttttactttt ataaattcag 3120
ttatcgtttt tcatgccttg actataaact aatatcataa ataagattgt tacaggatatg 3180
ctaagaaggc ccatatttga ctataatfff ttaagaaagt atataaaata tactttgtca 3240
tattgtcact gaatgtcatt cttaagttat tacctaagtt atggatgtca cagagtcagt 3300
gttaaaaata atttggttga tagaaatatt ttaatcagg agggaaaagt ggagaggggt 3360
gcaggaacag aaatcatgat ttcatcattt attottgatt tttccggaag ttcacatagc 3420
tgaatgacaa gactacatat gctgcaactg atgttccttc tcatcaagga tactctctga 3480
acttgagaac attttgggga ggaagaaagg tctaacatcc ttttccttca tcattctcat 3540
ttctggacat gccttgtag atggatcaat gttgggagta cacatttctg ctttcacctt 3600
atctcagtc gcatgaacac tgaatatata atgtcatttc acagtgtgtg tgtgttgtgt 3660
atgtacatat atgaacctgt acatgtgttt aagtttaaag agaaaatagt gtacagagca 3720
gggtgtatatt tgtgatagg ctttaaatag ttgagctaatt tcagaaaagt atggagggtt 3780
cttggtaaac caaaccaaaa gtagaatcat tacaagatct aacaataaaa attttgaaaa 3840
aaaaaaaaa aaaaaaaaaa aaaaaa 3866

```

<210> 21

<211> 2520

<212> DNA

<213> murine

<400> 21

```

atgatgcctc cctggctcct ggctaggact ctgatcatgg cactgttctt ctctgcctg 60
acaccaggaa gcttgaatcc ctgcatagag gtagttccta atattacctt ccaatgcatg 120
gatcagaaac tcagcaaagt cctgatgac attccttctt caaccaagaa catagatctg 180
agcttcaacc ccttgaagat cttaaaaagc tatagcttct ccaatttttc agaacttcag 240
tggtctggatt tatccagggtg tgaaattgaa acaattgaag acaaggcatg gcatggctta 300
caccacctct caaacttgat actgacagga aaccctatcc agagtttttc cccaggaagt 360
ttctctggac taacaagttt agagaatctg gtggctgtgg agacaaaatt ggctctctta 420
gaaagcttcc ctattggaca gcttataacc ttaaagaaac tcaatgtggc tcacaatttt 480
atacattcct gtaagttacc tgcatatfff tccaatctga cgaacctagt acatgtggat 540
ctttcttata actatattca aactattact gtcaacgact tacagtttct acgtgaaaat 600
ccacaagtca atctctcttt agacatatct ttgaacccaa ttgacttcat tcaagaccaa 660
gcctttcagg gaattaagct ccatgaactg actctaagag gtaattttta tagctcaaatt 720

```

ataatgaaaa	cttgccttca	aaacctggct	ggtttacaca	tccatcggtt	gatcttggga	780
gaattttaaag	atgaaaggaa	tctggaaatt	tttgaaccct	ctatcatgga	aggactatgt	840
gatgtgacca	ttgatgagtt	caggttaaca	tatacaaatg	atttttcaga	tgatattggt	900
aagttccatt	gcttggcgaa	tgtttctgca	atgtctctgg	cagggtgtatc	tataaaatat	960
ctagaagatg	ttcctaaaca	tttcaaatgg	caatccttat	caatcattag	atgtcaactt	1020
aagcagtttc	caactctgga	tctacccttt	cttaaaagtt	tgactttaac	tatgaacaaa	1080
gggtctatca	gttttaaaaa	agtggcccta	ccaagtctca	gctatctaga	tcttagtaga	1140
aatgcactga	gcttttagtg	ttgctgttct	tattctgatt	tggaacaaa	cagcctgaga	1200
cacttagacc	tcagcttcaa	tggtgccatc	attatgagtg	ccaatttcat	gggtctagaa	1260
gagctgcagc	acctggattt	tcagcactct	actttaaaaa	gggtcacaga	attctcagcg	1320
ttcttatccc	ttgaaaagct	actttacctt	gacatctctt	atactaacac	caaaattgac	1380
ttcgatggta	tatttcttgg	cttgaccagt	ctcaacacat	taaaaatggc	tggcaattct	1440
ttcaaagaca	acaccctttc	aaatgtcttt	gcaaacacaa	caaacttgac	attcctggat	1500
ctttctaaat	gtcaattgga	acaaatatct	tggggggtat	ttgacaccct	ccatagactt	1560
caattattaa	atatgagtca	caacaatcta	ttgttttttg	attcatocca	ttataaccag	1620
ctgtattccc	tcagcactct	tgattgcagt	ttcaatcgca	tagagacatc	taaaggaata	1680
ctgcaacatt	ttccaaagag	tctagccttc	ttcaatctta	ctaacaattc	tggtgcttgt	1740
atatgtgaac	atcagaaatt	cctgcagtgg	gtcaaggacc	agaagcagtt	cttggtgaat	1800
gttgaacaaa	tgacatgtgc	aacacctgta	gagatgaata	cctccttagt	gttggatttt	1860
aataattcta	cctgttatat	gtacaagaca	atcatcagtg	tgtcagtggt	cagtggtgatt	1920
gtggtatcca	ctgtagcatt	tctgatatac	cacttctatt	ttcacctgat	acttattgct	1980
ggctgtaaaa	agtacagcag	aggagaaagc	atctatgatg	catttgatgat	ctactcgagt	2040
cagaatgagg	actgggtgag	aaatgagctg	gtaaagaatt	tagaagaagg	agtccccgc	2100
tttcacctct	gccttcacta	cagagacttt	attcctggtg	tagccattgc	tgccaatatc	2160
atccaggaag	gcttccacaa	gagccggaag	gttattgtgg	tagtgtctag	acactttatt	2220
cagagccggt	ggtgtatctt	tgaatatgag	attgctcaaa	catggcagtt	tctgagcagc	2280
cactctggca	tcattctcat	tgctcctgag	aaggttgaga	agtccttgct	gaggcagcag	2340
gtggaattgt	atcgcttctt	tagcagaaac	acctacctgg	aatgggagga	caatcctctg	2400
gggaggcaca	tcttctggag	aagacttaaa	aatgccctat	tggatggaaa	agcctcgaat	2460
cctgagcaaa	cagcagagga	agaacaagaa	acggcaactt	ggacctgagg	agaaccgcgg	2520

<210> 22

<211> 3866

<212> DNA

<213> murine

<400> 22

```

ctggttgacag aaaatgccag gatgatgcct ccctggctcc tggctaggac tctgatcatg      60
gcactgttct tctcctgcct gacaccagga agcttgaatc cctgcataga ggtagttcct      120
aatattacct accaatgcat ggatcagaaa ctcagcaaag tccctgatga cattccttct      180
tcaaccaaga acatagatct gagcttcaac cccttgaaga tcttaaaaag ctatagcttc      240
tccaattttt cagaacttca gtggctggat ttatocaggt gtgaaattga aacaattgaa      300
gacaaggcat ggcattggctt acaccacctc tcaaacttga tactgacagg aaaccctatc      360
cagagttttt cccaggaag tttctctgga ctaacaagtt tagagaatct ggtggctgtg      420
gagacaaaat tggcctctct agaaagcttc cctattggac agcttataac cttaaagaaa      480
ctcaatgtgg ctcaaatctt tatacattcc tgtaagttac ctgcatattt ttccaatctg      540
acgaacctag tacatgtgga tctttcttat aactatattc aaactattac tgtcaacgac      600
ttacagtttc tacgtgaaaa tccacaagtc aatctctctt tagacatgtc tttgaacca      660
attgacttca ttcaagacca agcctttcag ggaattaagc tccatgaact gactctaaga      720
ggtaatttta atagctcaaa tataatgaaa acttgccctc aaaacctggc tggtttacac      780
gtccatcggg tgatcttggg agaatttaaa gatgaaagga atctggaaat ttttgaaccc      840
tctatcatgg aaggactatg tgatgtgacc attgatgagt tcagggttaac atatacaaat      900
gatttttcag atgatattgt taagtcccat tgcttggcga atgtttctgc aatgtctctg      960
gcagggtgat ctataaaata tctagaagat gttcctaaac atttcaaattg gcaatcctta     1020
tcaatcatta gatgtcaact taagcagttt ccaactctgg atctaccctt tcttaaaagt     1080
ttgactttta ctatgaacaa agggctctatc agttttaaaa aagtggccct accaagtctc     1140
agctatctag atcttagtag aaatgcactg agcttttagtg gttgctgttc ttattctgat     1200
ttgggaacaa acagcctgag acacttagac ctcagcttca atgggtgccat cattatgagt     1260
gccaatcca tgggtctaga agagctgcag cacctggatt ttcagcactc tactttaaaa     1320
agggtcacag aattctcagc gttcttatcc cttgaaaagc tactttacct tgacatctct     1380
tatactaaca ccaaaattga cttogatggg atatttcttg gcttgaccag tctcaacaca     1440
ttaaaaatgg ctggcaattc tttcaaagac aacacccttt caaatgtctt tgcaaacaca     1500
acaaacttga cattcctgga tctttctaaa tgtcaattgg aacaaatatc ttggggggta     1560
tttgacaccc tccatagact tcaattatta aatatgagtc acaacaatct attgtttttg     1620
gattcatccc attataacca gctgtattcc ctcagcactc ttgattgcag tttcaatcgc     1680
atagagacat ctaaaggaat actgcaacat tttccaaaga gtctagcctt cttcaatctt     1740

```

actaacaatt ctgttgcttg tataatgtgaa catcagaaat tcctgcagtg ggtcaaggaa	1800
cagaagcagt tcttggtgaa tgttgaacaa atgacatgtg caacacctgt agagatgaat	1860
acctccttag tgttggtatt taataattct acctgttata tgtacaagac aatcatcagt	1920
gtgtcagtggt tcagtgtgat tgtggtatcc actgtagcat ttctgatata ccacttctat	1980
tttcacctga tacttattgc tggtgtgaaa aagtacagca gaggagaaag catctatgat	2040
gcatttgtga tctactcgag tcagaatgag gacatggtga gacatgagct ggtaaagaat	2100
ttagaagaag gagtgtcccg ctttcacctc tgccttcact acagagactt tttcctggt	2160
gtagccattg ctgccaacat catccaggaa ggcttcaca agagccggaa ggttattgtg	2220
gtagtgtcta gacactttat tcagagccgt tgggtgtatct ttgaatatga gattgtcaa	2280
acatggcagt ttctgagcag ccgctctggc atcatcttca ttgtccttga gaaggttgag	2340
aagtccttgc tgaggcagca ggtggaattg tatcgcttc ttagcagaaa cacctacctg	2400
gaatgggagg acaatcctct ggggaggcac atcttctgga gaagacttaa aaatgcccta	2460
ttggatggaa aagcctcgaa tcctgagcaa acagcagagg aagaacaaga aacggcaact	2520
tggacctgag gagaacaaaa ctctggggcc taaaccaggt ctgtttgcaa ttaataaatg	2580
ctacagctca cctggggctc tgctatggac cgagagccca tggaacacat ggctgctaag	2640
ctatagcatg gaccttaccg ggcagaagga agtagcactg acaccttctt ttccaggggt	2700
atgaattacc taactcggga aaagaacat aatccagaat ctttaccttt aatctgaagg	2760
agaagagggt aaggcctagt gagaacagaa aggagaacca gtcttctactg ggccttttga	2820
atacaagcca tgtcatgttc tgtgtttcag ttgctttaga agagtattga tagtttcaac	2880
tgaactgaac ggtttcttac tttccctttt ttctactgaa tgcaatatta aatagctctt	2940
tttgagaggt cttcattcca atttcactct ccattttatg tcattttctt ttcttttttg	3000
tttttatcta attctataag aaatatgatt gatacacgct cacagatagc ctggccaatc	3060
ctaagaatgc tatatttatt aaatacaatt cctagtatac ttttactttt ataaattcag	3120
ttatcgtttt tcatgccttg actataaact aatatcataa ataagattgt tacaggatg	3180
ctaagaaggc ccatatttga ctataatttt ttaagaaagt atataaaaata tactttgtca	3240
tattgtcact gaatgtcatt cttaagttat tacctaagtt atggatgtca cagagtcagt	3300
gttaaaaata atttggttga tagaaatatt tttaatcagg agggaaaagt ggagaggggt	3360
gcaggaacag aaatcatgat ttcatcattt attcttgatt tttccggaag ttcacatagc	3420
tgaatgacaa gactacatat gctgcaactg atgttccttc tcatcaagga tactctctga	3480
acttgagaac attttgggga ggaagaaagg tctaaccatcc ttttccttca tcattctcat	3540
ttctggacat gccttgtgag atggatcaat gttgggagta cacatttctg ctttcacctt	3600
atctcagtca gcatgaacac tgaatatata atgtcatttc acagtgtgtg tgtgtgtgt	3660

atgtacatat atgaacctgt acatgtgttt aagtttaaag agaaaatagt gtacagagca 3720
 ggtgtatatatt tgtgataggg ctttaaataag ttgagctaatt tcagaaaagt atggaggttt 3780
 cttggtaaac caaaccaaaa gtagaatcat tacaagatct aacaataaaa attttgaaaa 3840
 aaaaaaaaaa aaaaaaaaaa aaaaaa 3866

<210> 23
 <211> 835
 <212> PRT
 <213> murine

<400> 23

Met Met Pro Pro Trp Leu Leu Ala Arg Thr Leu Ile Met Ala Leu Phe
 1 5 10 15

Phe Ser Cys Leu Thr Pro Gly Ser Leu Asn Pro Cys Ile Glu Val Val
 20 25 30

Pro Asn Ile Thr Tyr Gln Cys Met Asp Gln Lys Leu Ser Lys Val Pro
 35 40 45

Asp Asp Ile Pro Ser Ser Thr Lys Asn Ile Asp Leu Ser Phe Asn Pro
 50 55 60

Leu Lys Ile Leu Lys Ser Tyr Ser Phe Ser Asn Phe Ser Glu Leu Gln
 65 70 75 80

Trp Leu Asp Leu Ser Arg Cys Glu Ile Glu Thr Ile Glu Asp Lys Ala
 85 90 95

Trp His Gly Leu His His Leu Ser Asn Leu Ile Leu Thr Gly Asn Pro
 100 105 110

Ile Gln Ser Phe Ser Pro Gly Ser Phe Ser Gly Leu Thr Ser Leu Glu
 115 120 125

Asn Leu Val Ala Val Glu Thr Lys Leu Ala Ser Leu Glu Ser Phe Pro
 130 135 140

Ile Gly Gln Leu Ile Thr Leu Lys Lys Leu Asn Val Ala His Asn Phe
 145 150 155 160

Ile His Ser Cys Lys Leu Pro Ala Tyr Phe Ser Asn Leu Thr Asn Leu
 165 170 175

Val His Val Asp Leu Ser Tyr Asn Tyr Ile Gln Thr Ile Thr Val Asn
 180 185 190

Asp Leu Gln Phe Leu Arg Glu Asn Pro Gln Val Asn Leu Ser Leu Asp
 195 200 205

Met Ser Leu Asn Pro Ile Asp Phe Ile Gln Asp Gln Ala Phe Gln Gly
 210 215 220

Ile Lys Leu His Glu Leu Thr Leu Arg Gly Asn Phe Asn Ser Ser Asn
 225 230 235 240

Ile Met Lys Thr Cys Leu Gln Asn Leu Ala Gly Leu His Val His Arg
 245 250 255
 Leu Ile Leu Gly Glu Phe Lys Asp Glu Arg Asn Leu Glu Ile Phe Glu
 260 265 270
 Pro Ser Ile Met Glu Gly Leu Cys Asp Val Thr Ile Asp Glu Phe Arg
 275 280 285
 Leu Thr Tyr Thr Asn Asp Phe Ser Asp Asp Ile Val Lys Phe His Cys
 290 295 300
 Leu Ala Asn Val Ser Ala Met Ser Leu Ala Gly Val Ser Ile Lys Tyr
 305 310 315 320
 Leu Glu Asp Val Pro Lys His Phe Lys Trp Gln Ser Leu Ser Ile Ile
 325 330 335
 Arg Cys Gln Leu Lys Gln Phe Pro Thr Leu Asp Leu Pro Phe Leu Lys
 340 345 350
 Ser Leu Thr Leu Thr Met Asn Lys Gly Ser Ile Ser Phe Lys Lys Val
 355 360 365
 Ala Leu Pro Ser Leu Ser Tyr Leu Asp Leu Ser Arg Asn Ala Leu Ser
 370 375 380
 Phe Ser Gly Cys Cys Ser Tyr Ser Asp Leu Gly Thr Asn Ser Leu Arg
 385 390 395 400
 His Leu Asp Leu Ser Phe Asn Gly Ala Ile Ile Met Ser Ala Asn Phe
 405 410 415
 Met Gly Leu Glu Glu Leu Gln His Leu Asp Phe Gln His Ser Thr Leu
 420 425 430
 Lys Arg Val Thr Glu Phe Ser Ala Phe Leu Ser Leu Glu Lys Leu Leu
 435 440 445
 Tyr Leu Asp Ile Ser Tyr Thr Asn Thr Lys Ile Asp Phe Asp Gly Ile
 450 455 460
 Phe Leu Gly Leu Thr Ser Leu Asn Thr Leu Lys Met Ala Gly Asn Ser
 465 470 475 480
 Phe Lys Asp Asn Thr Leu Ser Asn Val Phe Ala Asn Thr Thr Asn Leu
 485 490 495
 Thr Phe Leu Asp Leu Ser Lys Cys Gln Leu Glu Gln Ile Ser Trp Gly
 500 505 510
 Val Phe Asp Thr Leu His Arg Leu Gln Leu Leu Asn Met Ser His Asn
 515 520 525
 Asn Leu Leu Phe Leu Asp Ser Ser His Tyr Asn Gln Leu Tyr Ser Leu
 530 535 540
 Ser Thr Leu Asp Cys Ser Phe Asn Arg Ile Glu Thr Ser Lys Gly Ile
 545 550 555 560
 Leu Gln His Phe Pro Lys Ser Leu Ala Phe Phe Asn Leu Thr Asn Asn

Ser Val Ala Cys Ile Cys Glu His Gln Lys Phe Leu Gln Trp Val Lys
 565 570 575
 580 585 590
 Glu Gln Lys Gln Phe Leu Val Asn Val Glu Gln Met Thr Cys Ala Thr
 595 600 605
 Pro Val Glu Met Asn Thr Ser Leu Val Leu Asp Phe Asn Asn Ser Thr
 610 615 620
 Cys Tyr Met Tyr Lys Thr Ile Ile Ser Val Ser Val Val Ser Val Ile
 625 630 635 640
 Val Val Ser Thr Val Ala Phe Leu Ile Tyr His Phe Tyr Phe His Leu
 645 650 655
 Ile Leu Ile Ala Gly Cys Lys Lys Tyr Ser Arg Gly Glu Ser Ile Tyr
 660 665 670
 Asp Ala Phe Val Ile Tyr Ser Ser Gln Asn Glu Asp Trp Val Arg Asn
 675 680 685
 Glu Leu Val Lys Asn Leu Glu Glu Gly Val Pro Arg Phe His Leu Cys
 690 695 700
 Leu His Tyr Arg Asp Phe Ile Pro Gly Val Ala Ile Ala Ala Asn Ile
 705 710 715 720
 Ile Gln Glu Gly Phe His Lys Ser Arg Lys Val Ile Val Val Val Ser
 725 730 735
 Arg His Phe Ile Gln Ser Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala
 740 745 750
 Gln Thr Trp Gln Phe Leu Ser Ser Arg Ser Gly Ile Ile Phe Ile Val
 755 760 765
 Leu Glu Lys Val Glu Lys Ser Leu Leu Arg Gln Gln Val Glu Leu Tyr
 770 775 780
 Arg Leu Leu Ser Arg Asn Thr Tyr Leu Glu Trp Glu Asp Asn Pro Leu
 785 790 795 800
 Gly Arg His Ile Phe Trp Arg Arg Leu Lys Asn Ala Leu Leu Asp Gly
 805 810 815
 Lys Ala Ser Asn Pro Glu Gln Thr Ala Glu Glu Glu Gln Glu Thr Ala
 820 825 830
 Thr Trp Thr
 835

<210> 24
 <211> 835
 <212> PRT
 <213> murine

<400> 24

Met Met Pro Pro Trp Leu Leu Ala Arg Thr Leu Ile Met Ala Leu Phe
 1 5 10 15

Phe Ser Cys Leu Thr Pro Gly Ser Leu Asn Pro Cys Ile Glu Val Val
 20 25 30
 Pro Asn Ile Thr Tyr Gln Cys Met Asp Gln Lys Leu Ser Lys Val Pro
 35 40 45
 Asp Asp Ile Pro Ser Ser Thr Lys Asn Ile Asp Leu Ser Phe Asn Pro
 50 55 60
 Leu Lys Ile Leu Lys Ser Tyr Ser Phe Ser Asn Phe Ser Glu Leu Gln
 65 70 75 80
 Trp Leu Asp Leu Ser Arg Cys Glu Ile Glu Thr Ile Glu Asp Lys Ala
 85 90 95
 Trp His Gly Leu His His Leu Ser Asn Leu Ile Leu Thr Gly Asn Pro
 100 105 110
 Ile Gln Ser Phe Ser Pro Gly Ser Phe Ser Gly Leu Thr Ser Leu Glu
 115 120 125
 Asn Leu Val Ala Val Glu Thr Lys Leu Ala Ser Leu Glu Ser Phe Pro
 130 135 140
 Ile Gly Gln Leu Ile Thr Leu Lys Lys Leu Asn Val Ala His Asn Phe
 145 150 155 160
 Ile His Ser Cys Lys Leu Pro Ala Tyr Phe Ser Asn Leu Thr Asn Leu
 165 170 175
 Val His Val Asp Leu Ser Tyr Asn Tyr Ile Gln Thr Ile Thr Val Asn
 180 185 190
 Asp Leu Gln Phe Leu Arg Glu Asn Pro Gln Val Asn Leu Ser Leu Asp
 195 200 205
 Ile Ser Leu Asn Pro Ile Asp Phe Ile Gln Asp Gln Ala Phe Gln Gly
 210 215 220
 Ile Lys Leu His Glu Leu Thr Leu Arg Gly Asn Phe Asn Ser Ser Asn
 225 230 235 240
 Ile Met Lys Thr Cys Leu Gln Asn Leu Ala Gly Leu His Ile His Arg
 245 250 255
 Leu Ile Leu Gly Glu Phe Lys Asp Glu Arg Asn Leu Glu Ile Phe Glu
 260 265 270
 Pro Ser Ile Met Glu Gly Leu Cys Asp Val Thr Ile Asp Glu Phe Arg
 275 280 285
 Leu Thr Tyr Thr Asn Asp Phe Ser Asp Asp Ile Val Lys Phe His Cys
 290 295 300
 Leu Ala Asn Val Ser Ala Met Ser Leu Ala Gly Val Ser Ile Lys Tyr
 305 310 315 320
 Leu Glu Asp Val Pro Lys His Phe Lys Trp Gln Ser Leu Ser Ile Ile
 325 330 335
 Arg Cys Gln Leu Lys Gln Phe Pro Thr Leu Asp Leu Pro Phe Leu Lys

[illegible]

675 680 685
 Glu Leu Val Lys Asn Leu Glu Glu Gly Val Pro Arg Phe His Leu Cys
 690 695 700

 Leu His Tyr Arg Asp Phe Ile Pro Gly Val Ala Ile Ala Ala Asn Ile
 705 710 715 720

 Ile Gln Glu Gly Phe His Lys Ser Arg Lys Val Ile Val Val Val Ser
 725 730 735

 Arg His Phe Ile Gln Ser Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala
 740 745 750

 Gln Thr Trp Gln Phe Leu Ser Ser His Ser Gly Ile Ile Phe Ile Val
 755 760 765

 Leu Glu Lys Val Glu Lys Ser Leu Leu Arg Gln Gln Val Glu Leu Tyr
 770 775 780

 Arg Leu Leu Ser Arg Asn Thr Tyr Leu Glu Trp Glu Asp Asn Pro Leu
 785 790 795 800

 Gly Arg His Ile Phe Trp Arg Arg Leu Lys Asn Ala Leu Leu Asp Gly
 805 810 815

 Lys Ala Ser Asn Pro Glu Gln Thr Ala Glu Glu Glu Gln Glu Thr Ala
 820 825 830

 Thr Trp Thr
 835

<210> 25
 <211> 3431
 <212> DNA
 <213> Homo sapiens

<400> 25
 ggcttatagg gctcgagcgg ccgcccgggc aggtatagaa ttcagcggcc gctgaattct 60

 agggtttttca ggagcccagag cgagggcgcc gcttttgcgt ccgggaggag ccaaccgtgg 120

 cgcaggcggc gcggggaggc gtcccagagt ctactctgc cgcccaggct ggactgcagt 180

 gacacaatct cggctgactg caaccactgc ctccagggtt caagcgattc tcttgctca 240

 gcctcccaag tagctgggat tacagattga tgttcattgt cctggcacta ctacaagatt 300

 catactcctg atgctactga caacgtggct tctccacagt caccaaacca gggatgctat 360

 actggacttc cctactctca tctgctccag cccctgacc ttatagttgc ccagctttcc 420

 tggcaattga ctttgcccat caatacacag gatttagcat ccagggaaga tgtcggagcc 480

 tcagatgtta attttctaata tgagaatgtt ggcgctgtcc gaacctggag acagaaaaac 540

 aaaaagtcct ttctcctgat tcacaaaaaa ataaaatact gactaccatc actgtgatga 600

 gattcctata gtctcaggaa ctgaagtctt taaacaacca gggaccctct gccctagaa 660

 taagaacata ctagaagtcc cttctgctag gacaacgagg atcatgggag accacctgga 720

cctttctecta	ggagtgggtgc	tcattggccgg	tcctgtgtttt	ggaattcctt	cctgtctcctt	780
tgatggccga	atagcctttt	atcgttttctg	caacctcacc	caggtccccc	aggtcctcaa	840
caccactgag	aggctcctgc	tgagcttcaa	ctatatcagg	acagtccactg	cttcatcctt	900
ccccctttctg	gaacagctgc	agctgctgga	gctcgggagc	cagtataccc	ccttgactat	960
tgacaaggag	gccttcagaa	acctgcccaa	ccttagaatc	ttggacctgg	gaagtagtaa	1020
gatatacttc	ttgcatccag	atgcttttca	gggactgttc	catctgtttg	aacttagact	1080
gtattttctgt	ggtctctctg	atgctgtatt	gaaagatgg	tatttcagaa	atttaaaggc	1140
tttaactcgc	ttggatctat	ccaaaaatca	gattcgtagc	ctttaccttc	atccttcatt	1200
tggaagttg	aattccttaa	agtccataga	tttttctctc	aaccaaatat	tccttgtatg	1260
tgaacatgag	ctcgagcccc	tacaaggga	aacgctctcc	tttttttagcc	tcgcagctaa	1320
tagcttgtat	agcagagtct	cagtggactg	gggaaaatgt	atgaaccocat	tcagaaacat	1380
ggtgctggag	atactagatg	tttctggaaa	tggtggaca	gtggacatca	caggaaactt	1440
tagcaatgcc	atcagcaaaa	gccaggcctt	ctctttgatt	cttgcccacc	acatcatggg	1500
tgccggggtt	ggcttcata	acatcaaaga	tcctgaccag	aacacatttg	ctggcctggc	1560
cagaagttca	gtgagacacc	tggtctttc	acatgggtt	gtcttctccc	tgaactcacg	1620
agtctttgag	acactcaagg	atttgaaggt	tctgaacctt	gcctacaaca	agataaataa	1680
gattgcagat	gaagcatttt	acggacttga	caacctccaa	gttctcaatt	tgtcatataa	1740
ccttctgggg	gaactttaca	gttcgaattt	ctatggacta	cctaaggtag	cctacattga	1800
tttgcaaaag	aatcacattg	caataattca	agaccaaaca	ttcaaattcc	tggaaaaatt	1860
acagaccttg	gatctccgag	acaatgctct	tacaaccatt	cattttattc	caagcatacc	1920
cgatatcttc	ttgagtggca	ataaactagt	gactttgcc	aagatcaacc	ttacagcgaa	1980
cctcatccac	ttatcagaaa	acaggctaga	aaatctagat	attctctact	ttcttctacg	2040
ggtacctcat	ctccagattc	tcatttttaa	tcaaaatcgc	ttctcctcct	gtagtggaga	2100
tcaaaccctt	tcagagaatc	ccagcttaga	acagcttttc	cttgagagaa	atatgttgca	2160
acttgcttg	gaaactgagc	tctgttggga	tgtttttgag	ggactttctc	atcttcaagt	2220
tctgtatttg	aatcataact	atcttaattc	ccttccacca	ggagtattta	gccatctgac	2280
tgcattaagg	ggactaagcc	tcaactccaa	caggctgaca	gttctttctc	acaatgattt	2340
acctgcta	ttagagatcc	tggaacatc	caggaaccag	ctcctagctc	ctaactctga	2400
tgtatttgta	tcacttagtg	tcttgatgat	aactcataac	aagttcattt	gtgaatgtga	2460
acttagcact	tttatcaatt	ggcttaatca	caccaatgtc	actatagctg	ggcctcctgc	2520
agacatatat	tgtgtgtacc	ctgactcgtt	ctctgggggt	tcctctctct	ctctttccac	2580
ggaagggtgt	gatgaagagg	aagtcttaaa	gtccctaaag	ttctcccttt	tcattgtatg	2640

cactgtcact ctgactctgt tcctcatgac catcctcaca gtcacaaagt tccggggcctt 2700
 ctgttttatc tgttataaga cagcccagag actgggtgttc aaggaccatc cccagggcac 2760
 agaacctgat atgtacaaat atgatgccta tttgtgcttc agcagcaaag acttcacatg 2820
 ggtgcagaat gctttgctca aacacctgga cactcaatac agtgaccaa acagattcaa 2880
 cctgtgcttt gaagaaagag actttgtccc aggagaaaac cgcattgcca atatccagga 2940
 tgccatctgg aacagtagaa agatcgtttg tcttgtgagc agacacttcc ttagagatgg 3000
 ctgggtgcctt gaagccttca gttatgccca gggcaggtgc ttatctgacc ttaacagtgc 3060
 tctcatcatg gtgggtggtg ggtccttgtc ccagtaccag ttgatgaaac atcaatccat 3120
 cagaggcttt gtacagaaac agcagtatct gaggtggcct gaggatctcc aggatgttgg 3180
 ctggtttctt cataaactct ctcaacagat actaaagaaa gaaaaagaaa agaagaaaga 3240
 caataacatt ccgttgcaaa ctgtagcaac catctcctaa tcaaaggagc aatttccaac 3300
 ttatctcaag ccacaaataa ctcttcactt tgtatttgca ccaagttatc attttgggggt 3360
 cctctctgga ggtttttttt ttctttttgc tactatgaaa acaacataaa tctctcaatt 3420
 ttcgtatcaa a 3431

<210> 26
 <211> 858
 <212> PRT
 <213> Homo sapiens

<400> 26

Met Gly Asp His Leu Asp Leu Leu Leu Gly Val Val Leu Met Ala Gly
 1 5 10 15
 Pro Val Phe Gly Ile Pro Ser Cys Ser Phe Asp Gly Arg Ile Ala Phe
 20 25 30
 Tyr Arg Phe Cys Asn Leu Thr Gln Val Pro Gln Val Leu Asn Thr Thr
 35 40 45
 Glu Arg Leu Leu Leu Ser Phe Asn Tyr Ile Arg Thr Val Thr Ala Ser
 50 55 60
 Ser Phe Pro Phe Leu Glu Gln Leu Gln Leu Leu Glu Leu Gly Ser Gln
 65 70 75 80
 Tyr Thr Pro Leu Thr Ile Asp Lys Glu Ala Phe Arg Asn Leu Pro Asn
 85 90 95
 Leu Arg Ile Leu Asp Leu Gly Ser Ser Lys Ile Tyr Phe Leu His Pro
 100 105 110
 Asp Ala Phe Gln Gly Leu Phe His Leu Phe Glu Leu Arg Leu Tyr Phe
 115 120 125
 Cys Gly Leu Ser Asp Ala Val Leu Lys Asp Gly Tyr Phe Arg Asn Leu

130 135 140
 Lys Ala Leu Thr Arg Leu Asp Leu Ser Lys Asn Gln Ile Arg Ser Leu
 145 150 155 160
 Tyr Leu His Pro Ser Phe Gly Lys Leu Asn Ser Leu Lys Ser Ile Asp
 165 170 175
 Phe Ser Ser Asn Gln Ile Phe Leu Val Cys Glu His Glu Leu Glu Pro
 180 185 190
 Leu Gln Gly Lys Thr Leu Ser Phe Phe Ser Leu Ala Ala Asn Ser Leu
 195 200 205
 Tyr Ser Arg Val Ser Val Asp Trp Gly Lys Cys Met Asn Pro Phe Arg
 210 215 220
 Asn Met Val Leu Glu Ile Leu Asp Val Ser Gly Asn Gly Trp Thr Val
 225 230 235 240
 Asp Ile Thr Gly Asn Phe Ser Asn Ala Ile Ser Lys Ser Gln Ala Phe
 245 250 255
 Ser Leu Ile Leu Ala His His Ile Met Gly Ala Gly Phe Gly Phe His
 260 265 270
 Asn Ile Lys Asp Pro Asp Gln Asn Thr Phe Ala Gly Leu Ala Arg Ser
 275 280 285
 Ser Val Arg His Leu Asp Leu Ser His Gly Phe Val Phe Ser Leu Asn
 290 295 300
 Ser Arg Val Phe Glu Thr Leu Lys Asp Leu Lys Val Leu Asn Leu Ala
 305 310 315 320
 Tyr Asn Lys Ile Asn Lys Ile Ala Asp Glu Ala Phe Tyr Gly Leu Asp
 325 330 335
 Asn Leu Gln Val Leu Asn Leu Ser Tyr Asn Leu Leu Gly Glu Leu Tyr
 340 345 350
 Ser Ser Asn Phe Tyr Gly Leu Pro Lys Val Ala Tyr Ile Asp Leu Gln
 355 360 365
 Lys Asn His Ile Ala Ile Ile Gln Asp Gln Thr Phe Lys Phe Leu Glu
 370 375 380
 Lys Leu Gln Thr Leu Asp Leu Arg Asp Asn Ala Leu Thr Thr Ile His
 385 390 395 400
 Phe Ile Pro Ser Ile Pro Asp Ile Phe Leu Ser Gly Asn Lys Leu Val
 405 410 415
 Thr Leu Pro Lys Ile Asn Leu Thr Ala Asn Leu Ile His Leu Ser Glu
 420 425 430
 Asn Arg Leu Glu Asn Leu Asp Ile Leu Tyr Phe Leu Leu Arg Val Pro
 435 440 445
 His Leu Gln Ile Leu Ile Leu Asn Gln Asn Arg Phe Ser Ser Cys Ser
 450 455 460
 Gly Asp Gln Thr Pro Ser Glu Asn Pro Ser Leu Glu Gln Leu Phe Leu

465 470 475 480
 Gly Glu Asn Met Leu Gln Leu Ala Trp Glu Thr Glu Leu Cys Trp Asp
 485 490 495

 Val Phe Glu Gly Leu Ser His Leu Gln Val Leu Tyr Leu Asn His Asn
 500 505 510

 Tyr Leu Asn Ser Leu Pro Pro Gly Val Phe Ser His Leu Thr Ala Leu
 515 520 525

 Arg Gly Leu Ser Leu Asn Ser Asn Arg Leu Thr Val Leu Ser His Asn
 530 535 540

 Asp Leu Pro Ala Asn Leu Glu Ile Leu Asp Ile Ser Arg Asn Gln Leu
 545 550 555 560

 Leu Ala Pro Asn Pro Asp Val Phe Val Ser Leu Ser Val Leu Asp Ile
 565 570 575

 Thr His Asn Lys Phe Ile Cys Glu Cys Glu Leu Ser Thr Phe Ile Asn
 580 585 590

 Trp Leu Asn His Thr Asn Val Thr Ile Ala Gly Pro Pro Ala Asp Ile
 595 600 605

 Tyr Cys Val Tyr Pro Asp Ser Phe Ser Gly Val Ser Leu Phe Ser Leu
 610 615 620

 Ser Thr Glu Gly Cys Asp Glu Glu Glu Val Leu Lys Ser Leu Lys Phe
 625 630 635 640

 Ser Leu Phe Ile Val Cys Thr Val Thr Leu Thr Leu Phe Leu Met Thr
 645 650 655

 Ile Leu Thr Val Thr Lys Phe Arg Gly Phe Cys Phe Ile Cys Tyr Lys
 660 665 670

 Thr Ala Gln Arg Leu Val Phe Lys Asp His Pro Gln Gly Thr Glu Pro
 675 680 685

 Asp Met Tyr Lys Tyr Asp Ala Tyr Leu Cys Phe Ser Ser Lys Asp Phe
 690 695 700

 Thr Trp Val Gln Asn Ala Leu Leu Lys His Leu Asp Thr Gln Tyr Ser
 705 710 715 720

 Asp Gln Asn Arg Phe Asn Leu Cys Phe Glu Glu Arg Asp Phe Val Pro
 725 730 735

 Gly Glu Asn Arg Ile Ala Asn Ile Gln Asp Ala Ile Trp Asn Ser Arg
 740 745 750

 Lys Ile Val Cys Leu Val Ser Arg His Phe Leu Arg Asp Gly Trp Cys
 755 760 765

 Leu Glu Ala Phe Ser Tyr Ala Gln Gly Arg Cys Leu Ser Asp Leu Asn
 770 775 780

 Ser Ala Leu Ile Met Val Val Val Gly Ser Leu Ser Gln Tyr Gln Leu
 785 790 795 800

 Met Lys His Gln Ser Ile Arg Gly Phe Val Gln Lys Gln Gln Tyr Leu

805 810 815
 Arg Trp Pro Glu Asp Leu Gln Asp Val Gly Trp Phe Leu His Lys Leu
 820 825 830
 Ser Gln Gln Ile Leu Lys Lys Glu Lys Glu Lys Lys Lys Asp Asn Asn
 835 840 845
 Ile Pro Leu Gln Thr Val Ala Thr Ile Ser
 850 855

<210> 27
 <211> 858
 <212> PRT
 <213> Homo sapiens

<400> 27

Met Gly Asp His Leu Asp Leu Leu Leu Gly Val Val Leu Met Ala Gly
 1 5 10 15
 Pro Val Phe Gly Ile Pro Ser Cys Ser Phe Asp Gly Arg Ile Ala Phe
 20 25 30
 Tyr Arg Phe Cys Asn Leu Thr Gln Val Pro Gln Val Leu Asn Thr Thr
 35 40 45
 Glu Arg Leu Leu Leu Ser Phe Asn Tyr Ile Arg Thr Val Thr Ala Ser
 50 55 60
 Ser Phe Pro Phe Leu Glu Gln Leu Gln Leu Leu Glu Leu Gly Ser Gln
 65 70 75 80
 Tyr Thr Pro Leu Thr Ile Asp Lys Glu Ala Phe Arg Asn Leu Pro Asn
 85 90 95
 Leu Arg Ile Leu Asp Leu Gly Ser Ser Lys Ile Tyr Phe Leu His Pro
 100 105 110
 Asp Ala Phe Gln Gly Leu Phe His Leu Phe Glu Leu Arg Leu Tyr Phe
 115 120 125
 Cys Gly Leu Ser Asp Ala Val Leu Lys Asp Gly Tyr Phe Arg Asn Leu
 130 135 140
 Lys Ala Leu Thr Arg Leu Asp Leu Ser Lys Asn Gln Ile Arg Ser Leu
 145 150 155 160
 Tyr Leu His Pro Ser Phe Gly Lys Leu Asn Ser Leu Lys Ser Ile Asp
 165 170 175
 Phe Ser Ser Asn Gln Ile Phe Leu Val Cys Glu His Glu Leu Glu Pro
 180 185 190
 Leu Gln Gly Lys Thr Leu Ser Phe Phe Ser Leu Ala Ala Asn Ser Leu
 195 200 205
 Tyr Ser Arg Val Ser Val Asp Trp Gly Lys Cys Met Asn Pro Phe Arg
 210 215 220
 Asn Met Val Leu Glu Ile Val Asp Val Ser Gly Asn Gly Trp Thr Val
 225 230 235 240

Asp Ile Thr Gly Asn Phe Ser Asn Ala Ile Ser Lys Ser Gln Ala Phe
 245 250 255
 Ser Leu Ile Leu Ala His His Ile Met Gly Ala Gly Phe Gly Phe His
 260 265 270
 Asn Ile Lys Asp Pro Asp Gln Asn Thr Phe Ala Gly Leu Ala Arg Ser
 275 280 285
 Ser Val Arg His Leu Asp Leu Ser His Gly Phe Val Phe Ser Leu Asn
 290 295 300
 Ser Arg Val Phe Glu Thr Leu Lys Asp Leu Lys Val Leu Asn Leu Ala
 305 310 315 320
 Tyr Asn Lys Ile Asn Lys Ile Ala Asp Glu Ala Phe Tyr Gly Leu Asp
 325 330 335
 Asn Leu Gln Val Leu Asn Leu Ser Tyr Asn Leu Leu Gly Glu Leu Cys
 340 345 350
 Ser Ser Asn Phe Tyr Gly Leu Pro Lys Val Ala Tyr Ile Asp Leu Gln
 355 360 365
 Lys Asn His Ile Ala Ile Ile Gln Asp Gln Thr Phe Lys Phe Leu Glu
 370 375 380
 Lys Leu Gln Thr Leu Asp Leu Arg Asp Asn Ala Leu Thr Thr Ile His
 385 390 395 400
 Phe Ile Pro Ser Ile Pro Asp Ile Phe Leu Ser Gly Asn Lys Leu Val
 405 410 415
 Thr Leu Pro Lys Ile Asn Leu Thr Ala Asn Leu Ile His Leu Ser Glu
 420 425 430
 Asn Arg Leu Glu Asn Leu Asp Ile Leu Tyr Phe Leu Leu Arg Val Pro
 435 440 445
 His Leu Gln Ile Leu Ile Leu Asn Gln Asn Arg Phe Ser Ser Cys Ser
 450 455 460
 Gly Asp Gln Thr Pro Ser Glu Asn Pro Ser Leu Glu Gln Leu Phe Leu
 465 470 475 480
 Gly Glu Asn Met Leu Gln Leu Ala Trp Glu Thr Glu Leu Cys Trp Asp
 485 490 495
 Val Phe Glu Gly Leu Ser His Leu Gln Val Leu Tyr Leu Asn His Asn
 500 505 510
 Tyr Leu Asn Ser Leu Pro Pro Gly Val Phe Ser His Leu Thr Ala Leu
 515 520 525
 Arg Gly Leu Ser Leu Asn Ser Asn Arg Leu Thr Val Leu Ser His Asn
 530 535 540
 Asp Leu Pro Ala Asn Leu Glu Ile Leu Asp Ile Ser Arg Asn Gln Leu
 545 550 555 560
 Leu Ala Pro Asn Pro Asp Val Phe Val Ser Leu Ser Val Leu Asp Ile

Thr	His	Asn	Lys	Phe	Ile	Cys	Glu	Cys	Glu	Leu	Ser	Thr	Phe	Ile	Asn
			580					585						590	
Trp	Leu	Asn	His	Thr	Asn	Val	Thr	Ile	Ala	Gly	Pro	Pro	Ala	Asp	Ile
		595					600					605			
Tyr	Cys	Val	Tyr	Pro	Asp	Ser	Phe	Ser	Gly	Val	Ser	Leu	Phe	Ser	Leu
	610					615					620				
Ser	Thr	Glu	Gly	Cys	Asp	Glu	Glu	Glu	Val	Leu	Lys	Ser	Leu	Lys	Phe
625					630					635					640
Ser	Leu	Phe	Ile	Val	Cys	Thr	Val	Thr	Leu	Thr	Leu	Phe	Leu	Met	Thr
				645					650					655	
Ile	Leu	Thr	Val	Thr	Lys	Phe	Arg	Gly	Phe	Cys	Phe	Ile	Cys	Tyr	Lys
			660					665					670		
Thr	Ala	Gln	Arg	Leu	Val	Phe	Lys	Asp	His	Pro	Gln	Gly	Thr	Glu	Pro
		675					680					685			
Asp	Met	Tyr	Lys	Tyr	Asp	Ala	Tyr	Leu	Cys	Phe	Ser	Ser	Lys	Asp	Phe
	690					695					700				
Thr	Trp	Val	Gln	Asn	Ala	Leu	Leu	Lys	His	Leu	Asp	Thr	Gln	Tyr	Ser
705					710					715					720
Asp	Gln	Asn	Arg	Phe	Asn	Leu	Cys	Phe	Glu	Glu	Arg	Asp	Phe	Val	Pro
			725						730					735	
Gly	Glu	Asn	Arg	Ile	Ala	Asn	Ile	Gln	Asp	Ala	Ile	Trp	Asn	Ser	Arg
		740						745					750		
Lys	Ile	Val	Cys	Leu	Val	Ser	Arg	His	Phe	Leu	Arg	Asp	Gly	Trp	Cys
		755					760					765			
Leu	Glu	Ala	Phe	Ser	Tyr	Ala	Gln	Gly	Arg	Cys	Leu	Ser	Asp	Leu	Asn
	770					775					780				
Ser	Ala	Leu	Ile	Met	Val	Val	Val	Gly	Ser	Leu	Ser	Gln	Tyr	Gln	Leu
785					790					795					800
Met	Lys	His	Gln	Ser	Ile	Arg	Gly	Phe	Val	Gln	Lys	Gln	Gln	Tyr	Leu
			805					810						815	
Arg	Trp	Pro	Glu	Asp	Leu	Gln	Asp	Val	Gly	Trp	Phe	Leu	His	Lys	Leu
		820						825					830		
Ser	Gln	Gln	Ile	Leu	Lys	Lys	Glu	Lys	Glu	Lys	Lys	Lys	Asp	Asn	Asn
		835					840						845		
Ile	Pro	Leu	Gln	Thr	Val	Ala	Thr	Ile	Ser						
	850					855									

<210> 28

<211> 365

<212> PRT

<213> Homo sapiens

<400> 28

Cys Trp Asp Val Phe Glu Gly Leu Ser His Leu Gln Val Leu Tyr Leu
 1 5 10 15
 Asn His Asn Tyr Leu Asn Ser Leu Pro Pro Gly Val Phe Ser His Leu
 20 25 30
 Thr Ala Leu Arg Gly Leu Ser Leu Asn Ser Asn Arg Leu Thr Val Leu
 35 40 45
 Ser His Asn Asp Leu Pro Ala Asn Leu Glu Ile Leu Asp Ile Ser Arg
 50 55 60
 Asn Gln Leu Leu Ala Pro Asn Pro Asp Val Phe Val Ser Leu Ser Val
 65 70 75 80
 Leu Asp Ile Thr His Asn Lys Phe Ile Cys Glu Cys Glu Leu Ser Thr
 85 90 95
 Phe Ile Asn Trp Leu Asn His Thr Asn Val Thr Ile Ala Gly Pro Pro
 100 105 110
 Ala Asp Ile Tyr Cys Val Tyr Pro Asp Ser Phe Ser Gly Val Ser Leu
 115 120 125
 Phe Ser Leu Ser Thr Glu Gly Cys Asp Glu Glu Glu Val Leu Lys Ser
 130 135 140
 Leu Lys Phe Ser Leu Phe Ile Val Cys Thr Val Thr Leu Thr Leu Phe
 145 150 155 160
 Leu Met Thr Ile Leu Thr Val Thr Lys Phe Arg Gly Phe Cys Phe Ile
 165 170 175
 Cys Tyr Lys Thr Ala Gln Arg Leu Val Phe Lys Asp His Pro Gln Gly
 180 185 190
 Thr Glu Pro Asp Met Tyr Lys Tyr Asp Ala Tyr Leu Cys Phe Ser Ser
 195 200 205
 Lys Asp Phe Thr Trp Val Gln Asn Ala Leu Leu Lys His Leu Asp Thr
 210 215 220
 Gln Tyr Ser Asp Gln Asn Arg Phe Asn Leu Cys Phe Glu Glu Arg Asp
 225 230 235 240
 Phe Val Pro Gly Glu Asn Arg Ile Ala Asn Ile Gln Asp Ala Ile Trp
 245 250 255
 Asn Ser Arg Lys Ile Val Cys Leu Val Ser Arg His Phe Leu Arg Asp
 260 265 270
 Gly Trp Cys Leu Glu Ala Phe Ser Tyr Ala Gln Gly Arg Cys Leu Ser
 275 280 285
 Asp Leu Asn Ser Ala Leu Ile Met Val Val Val Gly Ser Leu Ser Gln
 290 295 300
 Tyr Gln Leu Met Lys His Gln Ser Ile Arg Gly Phe Val Gln Lys Gln
 305 310 315 320
 Gln Tyr Leu Arg Trp Pro Glu Asp Leu Gln Asp Val Gly Trp Phe Leu

tagctcgctt agacctatct ggcaaccaga ttcacagcct cgcctccat tcttcattcc	1500
gggaactgaa ttccttaagc gacgtaaatt ttgctttcaa ccaaattatc actatatgtg	1560
aagatgaact cgagcctctg cagggcaaaa cactgtcttt ctttggcctc aaattaacta	1620
agctgttcag cagagtctct gtgggctggg agacatgcag gaacccttc agaggcgtga	1680
ggctagaaac tctagatctt tctgaaaatg gctggacggt ggacatcaca aggaacttca	1740
gcaacatcat ccaggggaagc cagatttctt ctttgattct taaacaccac atcatgggtc	1800
ctggcttttg cttccagaac atcagagatc ctgaccagag cacatttgcc agcctggcca	1860
gaagtccggt gctgcaactg gacctttcgc acggctttat cttctccttg aatcctcgac	1920
tgtttgggac actgaaggat ttgaagatgc tgaaccttgc cttcaacaag ataaacaaga	1980
ttggagagaa tgccttttat gggcttgaca gcctccaggt tctcaatcta tcctataatc	2040
ttttggggga actctataat tccaacttct atgggcttcc tagagtagcc tacgttgacc	2100
ttcaaaggaa ccacattggg atcattcaag accaaacatt cagattatta aaaacgttac	2160
aaaccttaga tctccgtgac aatgctctta aggccattgg ttttattcca agcatacaga	2220
tggtcctcct gggaggcaat aagctggtcc atttgccaca catccacttt actgccaaact	2280
tcctagagtt atctgaaaac aggctagaaa acctgtccga cctctacttc ctctgcgag	2340
tccccagct ccagtttctc atcttgaatc agaatcgct ttcgtcatgc aaggcagccc	2400
acactccctc ggagaacca agcttagaac agcttttctt tacagagaat atgctgcagc	2460
tggcctggga gaccggcctc tggtgggatg tttttcaagg ctttcccg ctcagattc	2520
tttacctgag taataactac cttaatttcc ttccacctgg gatatttaac gacctggttg	2580
cattacggat gcttagtctt agtgctaaca agctgaccgt gctctctccg ggcagtttac	2640
ctgctaattt agagattctc gacatatcta gaaatcagct tttgtgtcct gacctgctt	2700
tgttttcttc gcttcgtgtt ttggacataa ctcataacga gttcgtctgc aactgtgaac	2760
ttagcacttt tatctcctgg ctcaacaaaa ccaacgtcac cctgttcggc tctcctgcag	2820
acgtgtattg catgtaccct aactcactgc tagggggctc cctctacaac atatccaccg	2880
aagactgcga tgaagaggaa gccatgcggt ccctaaagt ttcccttttc atcctgtgca	2940
cggtcacttt gactctatc ctcgtcatca ccctttagt cataaagttc cggggaatct	3000
gtttcctgtg ctataagacc atccagaagc tggtgttcaa ggacaaggtc tggagtttgg	3060
aacctggtgc atatagatat gatgcctact tctgcttcag cagcaaagac tttgaatggg	3120
cacagaatgc tttgctcaaa cacctggatg ctactacag tccccgaaac aggtcaggc	3180
tatgctttga agaaagagac ttcatccgg gggaaaacca tatctccaac atccaggcgg	3240
ctgtctgggg cagcaggaag acggtgtgtc tagtgagcag acacttctg aaggatggtt	3300
ggtgcctgga ggccttcagg tatgccaga gccggagtct gtctgacctc aagagcattc	3360

```

tcacgtggt ggtggtggga tcgctgtccc agtatcagct gatgagacat gagaccatca 3420
gagggtttct gcaaaagcaa cagtacttga ggtggcctga agacctccag gatgttggct 3480
ggttttctga taaactctcc ggatgcattc taaaggaaga aaaaggaaag aaaagaagca 3540
gttccatcca gttgcgaacc atagcaacca tttcctagca ggagcgctc ctagcagaag 3600
tgcaagcatc gtagataact ctccacgctt tatccgcaca gccgctgggg gtccttcctt 3660
ggagtcattt ttctgacaat gaaaacaaca ccaatctctt gatttttcat gtcaacaggg 3720
agctttgtct tcaactgtttt ccaaaggaa agtaagaggt ccagaaagct gcctctaagg 3780
gtctcacct gccattgatg tcctttcagg cccaatgaca tggtttcctt ccctcctatt 3840
gcgtactgtc tgctaccag gtggcaagag caccttggga gaagttacag gcagcttcat 3900
gctttctgtg ctgttcagtt caaaagcagg tgcttgaga atcctgaatt caagcactct 3960
gtagaacatg gacagacaag atgggtcctt ctctggccat aggcagagg gccagttgct 4020
gaggactgct ctactacac ctaagtgcac aagtataag aagttggaca gatagacaga 4080
tagcagcagt cccattgctg tagccagaat gcacttattt cctgttctga ccctgcaggc 4140
ccagcttttg gggaccacag ccattgtctg cacgggacct ctcaacctgg cattcatgcc 4200
ctttcacgac ttagcaccgg cctgcccttc tttcttcccc acaactatac aagagctgtt 4260
gcaaccactg aaaaaaaaaa aaaaaa 4286

```

<210> 30
 <211> 859
 <212> PRT
 <213> murine

<400> 30

```

Met Ala Cys Gln Leu Asp Leu Leu Ile Gly Val Ile Phe Met Ala Ser
1             5             10             15
Pro Val Leu Val Ile Ser Pro Cys Ser Ser Asp Gly Arg Ile Ala Phe
20             25             30
Phe Arg Gly Cys Asn Leu Thr Gln Ile Pro Trp Ile Leu Asn Thr Thr
35             40             45
Thr Glu Arg Leu Leu Leu Ser Phe Asn Tyr Ile Ser Met Val Val Ala
50             55             60
Thr Ser Phe Pro Leu Leu Glu Arg Leu Gln Leu Leu Glu Leu Gly Thr
65             70             75             80
Gln Tyr Ala Asn Leu Thr Ile Gly Pro Gly Ala Phe Arg Asn Leu Pro
85             90             95
Asn Leu Arg Ile Leu Asp Leu Gly Gln Ser Gln Ile Glu Val Leu Asn
100            105            110

```


Arg Asp Ala Phe Gln Gly Leu Pro His Leu Leu Glu Leu Arg Leu Phe
 115 120 125
 Ser Cys Gly Leu Ser Ser Ala Val Leu Ser Asp Gly Tyr Phe Arg Asn
 130 135 140
 Leu Tyr Ser Leu Ala Arg Leu Asp Leu Ser Gly Asn Gln Ile His Ser
 145 150 155 160
 Leu Arg Leu His Ser Ser Phe Arg Glu Leu Asn Ser Leu Ser Asp Val
 165 170 175
 Asn Phe Ala Phe Asn Gln Ile Phe Thr Ile Cys Glu Asp Glu Leu Glu
 180 185 190
 Pro Leu Gln Gly Lys Thr Leu Ser Phe Phe Gly Leu Lys Leu Thr Lys
 195 200 205
 Leu Phe Ser Arg Val Ser Val Gly Trp Glu Thr Cys Arg Asn Pro Phe
 210 215 220
 Arg Gly Val Arg Leu Glu Thr Leu Asp Leu Ser Glu Asn Gly Trp Thr
 225 230 235 240
 Val Asp Ile Thr Arg Asn Phe Ser Asn Ile Ile Gln Gly Ser Gln Ile
 245 250 255
 Ser Ser Leu Ile Leu Lys His His Ile Met Gly Pro Gly Phe Gly Phe
 260 265 270
 Gln Asn Ile Arg Asp Pro Asp Gln Ser Thr Phe Ala Ser Leu Ala Arg
 275 280 285
 Ser Ser Val Leu Gln Leu Asp Leu Ser His Gly Phe Ile Phe Ser Leu
 290 295 300
 Asn Pro Arg Leu Phe Gly Thr Leu Lys Asp Leu Lys Met Leu Asn Leu
 305 310 315 320
 Ala Phe Asn Lys Ile Asn Lys Ile Gly Glu Asn Ala Phe Tyr Gly Leu
 325 330 335
 Asp Ser Leu Gln Val Leu Asn Leu Ser Tyr Asn Leu Leu Gly Glu Leu
 340 345 350
 Tyr Asn Ser Asn Phe Tyr Gly Leu Pro Arg Val Ala Tyr Val Asp Leu
 355 360 365
 Gln Arg Asn His Ile Gly Ile Ile Gln Asp Gln Thr Phe Arg Leu Leu
 370 375 380
 Lys Thr Leu Gln Thr Leu Asp Leu Arg Asp Asn Ala Leu Lys Ala Ile
 385 390 395 400
 Gly Phe Ile Pro Ser Ile Gln Met Val Leu Leu Gly Gly Asn Lys Leu
 405 410 415
 Val His Leu Pro His Ile His Phe Thr Ala Asn Phe Leu Glu Leu Ser
 420 425 430
 Glu Asn Arg Leu Glu Asn Leu Ser Asp Leu Tyr Phe Leu Leu Arg Val

435 440 445
 Pro Gln Leu Gln Phe Leu Ile Leu Asn Gln Asn Arg Leu Ser Ser Cys
 450 455 460
 Lys Ala Ala His Thr Pro Ser Glu Asn Pro Ser Leu Glu Gln Leu Phe
 465 470 475 480
 Leu Thr Glu Asn Met Leu Gln Leu Ala Trp Glu Thr Gly Leu Cys Trp
 485 490 495
 Asp Val Phe Gln Gly Leu Ser Arg Leu Gln Ile Leu Tyr Leu Ser Asn
 500 505 510
 Asn Tyr Leu Asn Phe Leu Pro Pro Gly Ile Phe Asn Asp Leu Val Ala
 515 520 525
 Leu Arg Met Leu Ser Leu Ser Ala Asn Lys Leu Thr Val Leu Ser Pro
 530 535 540
 Gly Ser Leu Pro Ala Asn Leu Glu Ile Leu Asp Ile Ser Arg Asn Gln
 545 550 555 560
 Leu Leu Cys Pro Asp Pro Ala Leu Phe Ser Ser Leu Arg Val Leu Asp
 565 570 575
 Ile Thr His Asn Glu Phe Val Cys Asn Cys Glu Leu Ser Thr Phe Ile
 580 585 590
 Ser Trp Leu Asn Gln Thr Asn Val Thr Leu Phe Gly Ser Pro Ala Asp
 595 600 605
 Val Tyr Cys Met Tyr Pro Asn Ser Leu Leu Gly Gly Ser Leu Tyr Asn
 610 615 620
 Ile Ser Thr Glu Asp Cys Asp Glu Glu Glu Ala Met Arg Ser Leu Lys
 625 630 635 640
 Phe Ser Leu Phe Ile Leu Cys Thr Val Thr Leu Thr Leu Phe Leu Val
 645 650 655
 Ile Thr Leu Val Val Ile Lys Phe Arg Gly Ile Cys Phe Leu Cys Tyr
 660 665 670
 Lys Thr Ile Gln Lys Leu Val Phe Lys Asp Lys Val Trp Ser Leu Glu
 675 680 685
 Pro Gly Ala Tyr Arg Tyr Asp Ala Tyr Phe Cys Phe Ser Ser Lys Asp
 690 695 700
 Phe Glu Trp Ala Gln Asn Ala Leu Leu Lys His Leu Asp Ala His Tyr
 705 710 715 720
 Ser Ser Arg Asn Arg Leu Arg Leu Cys Phe Glu Glu Arg Asp Phe Ile
 725 730 735
 Pro Gly Glu Asn His Ile Ser Asn Ile Gln Ala Ala Val Trp Gly Ser
 740 745 750
 Arg Lys Thr Val Cys Leu Val Ser Arg His Phe Leu Lys Asp Gly Trp
 755 760 765
 Cys Leu Glu Ala Phe Arg Tyr Ala Gln Ser Arg Ser Leu Ser Asp Leu

770	775	780
Lys Ser Ile Leu Ile Val Val Val Gly Ser Leu Ser Gln Tyr Gln		
785	790	795 800
Leu Met Arg His Glu Thr Ile Arg Gly Phe Leu Gln Lys Gln Gln Tyr		
	805	810 815
Leu Arg Trp Pro Glu Asp Leu Gln Asp Val Gly Trp Phe Leu Asp Lys		
	820	825 830
Leu Ser Gly Cys Ile Leu Lys Glu Glu Lys Gly Lys Lys Arg Ser Ser		
	835	840 845
Ser Ile Gln Leu Arg Thr Ile Ala Thr Ile Ser		
	850	855

<210> 31
 <211> 3373
 <212> DNA
 <213> Homo sapiens

<400> 31
 agctggctag cggttaaacy ggcctctag actcgagcgg ccgcaattc actagtgatt 60
 cacctctcat gctctgctct cttcaaccag acctctacat tccatttttg aagaagacta 120
 aaaatggtgt ttccaatgtg gacactgaag agacaaattc ttatcctttt taacataatc 180
 ctaatttcca aactccttgg ggctagatgg tttcctaaaa ctctgccttg tgatgtcact 240
 ctggatgttc caaagaacca tgtgatcgtg gactgcacag acaagcattt gacagaaatt 300
 cctggaggta ttcccacgaa caccacgaac ctcacctca ccattaacca cataccagac 360
 atctccccag cgtcctttca cagactggac catctggtag agatcgattt cagatgcaac 420
 tgtgtaccta ttccactggg gtcaaaaaac aacatgtgca tcaagaggct gcagattaaa 480
 cccagaagct ttagtggact cacttattta aaatcccttt acctggatgg aaaccagcta 540
 ctagagatac cgcagggcct cccgcctagc ttacagcttc tcagccttga ggccaacaac 600
 atcttttcca tcagaaaaga gaatctaaca gaactggcca acatagaaat actctacctg 660
 ggccaaaact gttattatcg aaatccttgt tatgtttcat attcaataga gaaagatgcc 720
 ttcctaaact tgacaaagtt aaaagtgtc tccctgaaag ataacaatgt cacagccgtc 780
 cctactgttt tgccatctac tttaacagaa ctatatctct acaacaacat gattgcaaaa 840
 atccaagaag atgattttta taacctcaac caattacaaa ttcttgacct aagtggaaat 900
 tgccctcggt gttataatgc ccatttctct tgtgcgccgt gtaaaaataa ttctccccta 960
 cagatccctg taaatgcttt tgatgcgctg acagaattaa aagttttacg tctacacagt 1020
 aactctcttc agcatgtgcc cccaagatgg tttaagaaca tcaacaaact ccaggaactg 1080
 gatctgtccc aaaacttctt ggccaaagaa attggggatg ctaaatttct gcattttctc 1140
 cccagcctca tccaattgga tctgtcttct aattttgaac ttcaggtcta tcgtgcatct 1200

atgaatctat cacaagcatt ttcttcactg aaaagcctga aaattctgcg gatcagagga 1260
tatgtcttta aagagttgaa aagctttaac ctctcgccat tacataatct tcaaatctt 1320
gaagttcttg atcttggcac taactttata aaaattgcta acctcagcat gtttaaacia 1380
tttaaaagac tgaaagtcac agatctttca gtgaataaaa taccaccttc aggagattca 1440
agtgaagttg gcttctgctc aaatgccaga acttctgtag aaagttatga accccaggtc 1500
ctggaacaat tacattatct cagatatgat aagtatgcaa ggagttgcag attcaaaaac 1560
aaagaggctt ctttcatgct tgttaatgaa agctgctaca agtatgggca gaccttggat 1620
ctaagtaaaa atagtatatt ttttgtcaag tcctctgatt ttcagcatct ttctttcttc 1680
aaatgcctga atctgtcagg aaatctcatt agccaaactc ttaatggcag tgaattccaa 1740
cctttagcag agctgagata tttggacttc tccaacaacc ggcttgattt actccattca 1800
acagcatttg aagagcttca caaactggaa gttctggata taagcagtaa tagccattat 1860
tttcaatcag aaggaattac tcatatgcta aactttacca agaacctaaa ggttctgcag 1920
aaactgatga tgaacgacaa tgacatctct tcctccacca gcaggaccat ggagagtgcg 1980
tctcttagaa ctctggaatt cagaggaaat cacttagatg ttttatggag agaaggtgat 2040
aacagatact tacaattatt caagaatctg ctaaaattag aggaattaga catctctaaa 2100
aattccctaa gtttcttgcc ttctggagtt tttgatggta tgcctccaaa tctaaagaat 2160
ctctcttttg ccaaaaatgg gctcaaactc ttcagttgga agaaactcca gtgtctaaag 2220
aacctggaaa ctttggacct cagccacaac caactgacca ctgtccctga gagattatcc 2280
aactgttcca gaagcctcaa gaatctgatt cttaagaata atcaaactag gagtctgacg 2340
aagtattttc tacaagatgc cttccagttg cgatatctgg atctcagctc aaataaaatc 2400
cagatgatcc aaaagaccag cttcccagaa aatgtcctca acaatctgaa gatgttgctt 2460
ttgcatcata atcggtttct gtgcacctgt gatgctgtgt ggtttgtctg gtgggttaac 2520
catacggagg tgactattcc ttacctggcc acagatgtga cttgtgtggg gccaggagca 2580
cacaagggcc aaagtgtgat ctccctggat ctgtacacct gtgagttaga tctgactaac 2640
ctgattctgt tctcactttc catatctgta tctctctttc tcatgggtgat gatgacagca 2700
agtcacctct atttctggga tgtgtgggat atttaccatt tctgtaaggc caagataaag 2760
gggtatcagc gtctaataatc accagactgt tgctatgatg cttttattgt gtatgacact 2820
aaagaccag ctgtgaccga gtgggttttg gctgagctgg tggccaaact ggaagacca 2880
agagagaaac attttaattt atgtctcgag gaaagggact ggttaccagg gcagccagtt 2940
ctggaaaacc tttcccagag catacagctt agcaaaaaga cagtgtttgt gatgacagac 3000
aagtatgcaa agactgaaaa ttttaagata gcattttact tgtcccatca gaggctcatg 3060

gatgaaaaag ttgatgtgat tatcttgata tttcttgaga agccttttca gaagtccaag 3120
 ttcctccagc tccggaaaag gctctgtggg agttctgtcc ttgagtggcc aacaaacccg 3180
 caagctcacc catacttctg gcagtgtcta aagaacgccc tggccacaga caatcatgtg 3240
 gcctatagtc aggtgttcaa ggaaacggtc tagaatcgaa ttcccgcggc cgccactgtg 3300
 ctggatatct gcagaattcc accacactgg actagtggat ccgagctcgg taccaagctt 3360
 aagtttaaac cgc 3373

<210> 32

<211> 3416

<212> DNA

<213> Homo sapiens

<400> 32

tccagatata ggatcactcc atgccatcaa gaaagttgat gctattgggc ccatctcaag 60
 ctgatcttgg cacctctcat gctctgtctt cttcaaccag acctctacat tccatttttg 120
 aagaagacta aaaatgggtgt ttccaatgtg gacactgaag agacaaattc ttatcctttt 180
 taacataatc ctaatttcca aactccttgg ggctagatgg tttcctaaaa ctctgccctg 240
 tgatgtcact ctggatgttc caaagaacca tgtgatcgtg gactgcacag acaagcattt 300
 gacagaaatt cctggaggta ttcccacgaa caccacgaac ctcaccctca ccattaacca 360
 cataccagac atctccccag cgtcctttca cagactggac catctggtag agatcgattt 420
 cagatgcaac tgtgtaccta ttccactggg gtcaaaaaac aacatgtgca tcaagaggct 480
 gcagattaaa ccagaagct ttagtggact cacttattta aaatcccttt acctggatgg 540
 aaaccagcta ctagagatac cgcaggcct cccgcctagc ttacagcttc tcagccttga 600
 ggccaacaac atctttttcca tcagaaaaga gaactaaca gaactggcca acatagaaat 660
 actctacctg ggccaaaact gttattatcg aaatccttgt tatgtttcat attcaataga 720
 gaaagatgcc ttcctaaact tgacaaagtt aaaagtgtc tccctgaaag ataacaatgt 780
 cacagccgtc cctactgttt tgccatctac tttaacagaa ctatatctct acaacaacat 840
 gattgcaaaa atccaagaag atgattttaa taacctcaac caattacaaa ttcttgacct 900
 aagtggaaat tgcctcgtt gttataatgc cccatttcct tgtgcgccgt gtaaaaataa 960
 ttctccccta cagatccctg taaatgcttt tgatgcgtg acagaattaa aagttttaag 1020
 tctacacagt aactctcttc agcatgtgcc cccaagatgg tttaagaaca tcaacaaact 1080
 ccaggaactg gatctgtccc aaaacttctt ggccaaagaa attggggatg ctaaatttct 1140
 gcattttctc ccagcctca tccaattgga tctgtctttc aattttgaac ttcaggtcta 1200
 tcgtgcatct atgaatctat cacaagcatt ttcttctactg aaaagcctga aaattctgcg 1260

gatcagagga	tatgtcttta	aagagttgaa	aagctttaac	ctctcgccat	tacataatct	1320
tcaaaatctt	gaagttcttg	atcttggcac	taactttata	aaaattgcta	acctcagcat	1380
gtttaaacia	tttaaaagac	tgaagtcac	agatctttca	gtgaataaaa	tatcaccttc	1440
aggagattca	agtgaagttg	gcttctgctc	aaatgccaga	acttctgtag	aaagttatga	1500
accccaggtc	ctggaacaat	tacattatct	cagatatgat	aagtatgcaa	ggagttgcag	1560
attcaaaaac	aaagaggctt	ctttcatgtc	tgtaaatgaa	agctgctaca	agtatgggca	1620
gaccttggat	ctaagtaaaa	atagtatat	ttttgtcaag	tcctctgatt	ttcagcatct	1680
ttctttcttc	aaatgcctga	atctgtcagg	aaatctcatt	agccaaactc	ttaatggcag	1740
tgaattccaa	ccttttagcag	agttgagata	tttggacttc	tccaacaacc	ggcttgattt	1800
actccattca	acagcatttg	aagagcttca	caaactggaa	gttctggata	taagcagtaa	1860
tagccattat	tttcaatcag	aaggaattac	tcatatgcta	aactttacca	agaacctaaa	1920
ggttctgcag	aaactgatga	tgaacgacaa	tgacatctct	tcctccacca	gcaggaccat	1980
ggagagttag	tctcttagaa	ctctggaatt	cagaggaaat	cacttagatg	tttatggag	2040
agaaggtgat	aacagatact	tacaattatt	caagaatctg	ctaaaattag	aggaattaga	2100
catctctaaa	aattccctaa	gtttcttgcc	ttctggagtt	ttgatggta	tgctccaaa	2160
tctaagaat	ctctcttttg	ccaaaaatgg	gctcaaactc	ttcagttgga	agaaactcca	2220
gtgtctaaag	aacctggaaa	ctttggacct	cagccacaac	caactgacca	ctgtccctga	2280
gagattatcc	aactgttcca	gaagccacaa	gaatctgatt	cttaagaata	atcaaactcag	2340
gagtcgcagc	aagtattttc	tacaagatgc	cttccagttg	cgatatctgg	atctcagctc	2400
aaataaaatc	cagatgatcc	aaaagaccag	cttcccagaa	aatgtcctca	acaatctgaa	2460
gatgttgctt	ttgcatcata	atcggtttct	gtgcacctgt	gatgctgtgt	ggtttgtctg	2520
gtgggttaac	catacggagg	tgactattcc	ttacctggcc	acagatgtga	cttgtgtggg	2580
gccaggagca	cacaagggcc	aaagtgtgat	ctccctggat	ctgtacacct	gtgagttaga	2640
tctgactaac	ctgattctgt	tctcactttc	catatctgta	tctctctttc	tcatgggtgat	2700
gatgacagca	agtcacctct	atctctggga	tgtgtgggtat	atttaccatt	tctgtaaggc	2760
caagataaag	gggtatcagc	gtctaataatc	accagactgt	tgctatgatg	cttttattgt	2820
gtatgacact	aaagaccagc	ctgtgaccga	gtgggttttg	gctgagctgg	tgcccaaaact	2880
ggaagacca	agagagaaac	attttaattt	atgtctcgag	gaaagggact	ggttaccagg	2940
gcagccagtt	ctggaaaacc	tttcccagag	catacagctt	agcaaaaaga	cagtgtttgt	3000
gatgacagac	aagtatgcaa	agactgaaaa	ttttaagata	gcattttact	tgtcccatca	3060
gaggtcatg	gatgaaaaag	ttgatgtgat	tatcttgata	tttcttgaga	agccctttca	3120
gaagtccaag	ttctccagc	tccgaaaag	gctctgtggg	agttctgtcc	ttgagtggcc	3180

aacaaacccg caagctcacc catacttctg gcagtgtcta aagaacgccc tggccacaga	3240
caatcatgtg gcctatagtc aggtgttcaa ggaaacggtc tagcccttct ttgcaaaaca	3300
caactgccta gtttaccaag gagaggcctg gctgttttaa ttgttttcat atatatcaca	3360
ccaaaagcgt gttttgaaat tcttcaagaa atgagattgc ccatatttca ggggag	3416

<210> 33

<211> 3418

<212> DNA

<213> Homo sapiens

<400> 33

actccagata taggatcact ccatgccatc aagaaagttg atgctattgg gcccatctca	60
agctgatctt ggcacctctc atgctctgct ctcttcaacc agacctctac attccatttt	120
ggaagaagac taaaaatggg gtttccaatg tggacactga agagacaaat tcttatcctt	180
tttaacataa tcctaatttc caaactcctt ggggctagat ggtttcctaa aactctgccc	240
tgtgatgtca ctctggatgt tccaaagaac catgtgatcg tggactgcac agacaagcat	300
ttgacagaaa ttcttgaggg tattcccacg aacaccacga acctcacct caccattaac	360
cacataccag acatctcccc agcgtccttt cacagactgg accatctggg agagatcgat	420
ttcagatgca actgtgtacc tattccactg gggtcacaaa acaacatgtg catcaagagg	480
ctgcagatta aaccagaag ctttagtgga ctacttatt taaaatccct ttacctggat	540
ggaaaccagc tactagagat accgcagggc ctccgccta gcttacagct tctcagcctt	600
gaggccaaca acatcttttc catcagaaaa gagaatctaa cagaactggc caacatagaa	660
atactctacc tgggcaaaaa ctgttattat cgaaatcctt gttatgtttc atattcaata	720
gagaaagatg ctttcctaaa cttgacaaag ttaaaagtgc tctccctgaa agataacaat	780
gtcacagccg tccctactgt ttgcatctt actttaacag aactatatct ctacaacaac	840
atgattgcaa aaatccaaga agatgatttt aataacctca accaattaca aattcttgac	900
ctaagtggaa attgcctctg ttgttataat gccccatttc cttgtgcgcc gtgtaaaaat	960
aattctcccc tacagatccc tgtaaatgct tttgatgcgc tgacagaatt aaaagtttta	1020
cgtctacaca gtaactctct tcagcatgtg cccccaagat ggtttaagaa catcaacaaa	1080
ctccaggaac tggatctgtc caaaaacttc ttggccaaag aaattgggga tgctaaattt	1140
ctgcattttc tccccagcct catccaattg gatctgtctt tcaattttga acttcaggtc	1200
tatcgtgcat ctatgaatct atcacaagca ttttcttcac tgaaaagcct gaaaattctg	1260
cggatcagag gatatgtctt taaagagttg aaaagcttta acctctcgcc attacataat	1320
cttcaaaatc ttgaagttct tgatcttggc actaacttta taaaaattgc taacctcagc	1380

atgttttaaac	aattttaaag	actgaaagtc	atagatcttt	cagtgaataa	aatatcacct	1440
tcaggagatt	caagtgaagt	tggcttctgc	tcaaagcca	gaacttctgt	agaaagttat	1500
gaacccagg	tcctggaaca	attacattat	ttcagatatg	ataagtatgc	aaggagttgc	1560
agattcaaaa	acaaagaggc	ttctttcatg	tctgttaatg	aaagctgcta	caagtatggg	1620
cagacottgg	atctaagtaa	aaatagtata	ttttttgtca	agtcctctga	ttttcagcat	1680
ctttctttcc	tcaaagcct	gaatctgtca	ggaaatctca	ttagccaaac	tcttaatggc	1740
agtgaattcc	aacctttagc	agagctgaga	tatttggact	tctccaacaa	ccggcttgat	1800
ttactccatt	caacagcatt	tgaagagctt	cacaaactgg	aagttctgga	tataagcagt	1860
aatagccatt	attttcaatc	agaaggaatt	actcatatgc	taaactttac	caagaacctc	1920
aaggttctgc	agaaactgat	gatgaacgac	aatgacatct	cttcctccac	cagcaggacc	1980
atggagagtg	agtctcttag	aactctggaa	ttcagaggaa	atcacttaga	tgttttatgg	2040
agagaaggtg	ataacagata	cttacaatta	ttcaagaatc	tgctaaaatt	agaggaatta	2100
gacatctcta	aaaattccct	aagtttcttg	ccttctggag	tttttgatgg	tatgcctcca	2160
aatctaaaga	atctctcttt	ggccaaaaat	gggtcaaact	ctttcagttg	gaagaaactc	2220
cagtgtctaa	agaacctgga	aactttggac	ctcagccaca	accaactgac	cactgtccct	2280
gagagattat	ccaactgttc	cagaagcctc	aagaatctga	ttcttaagaa	taatcaaactc	2340
aggagtctga	cgaagtattt	tctacaagat	gccttccagt	tgcgatatct	ggatctcagc	2400
tcaaataaaa	tccagatgat	ccaaaagacc	agcttcccag	aaaatgtcct	caacaatctg	2460
aagatgttgc	ttttgcatca	taatcggttt	ctgtgcacct	gtgatgctgt	gtggtttgtc	2520
tggtgggtta	accatacgga	ggtgactatt	ccttacctgg	ccacagatgt	gacttgtgtg	2580
gggccaggag	cacacaaggg	caaagtggtg	atctccctgg	atctgtacac	ctgtgagtta	2640
gatctgacta	acctgattct	gttctcactt	tccatatctg	tatctctctt	tctcatgggtg	2700
atgatgacag	caagtcacct	ctatttctgg	gatgtgtggt	atatttacca	tttctgtaag	2760
gccaagataa	aggggtatca	gcgtctaata	tcaccagact	gttgctatga	tgcttttatt	2820
gtgtatgaca	ctaaagaccc	agctgtgacc	gagtgggttt	tggctgagct	ggtggccaaa	2880
ctggaagacc	caagagagaa	acattttaat	ttatgtctcg	aggaaagga	ctggttacca	2940
gggcagccag	ttctggaaaa	cctttcccag	agcatacagc	ttagcaaaaa	gacagtgttt	3000
gtgatgacag	acaagtatgc	aaagactgaa	aattttaaga	tagcatttta	cttgtcccat	3060
cagaggctca	tggatgaaaa	agttgatgtg	attatcttga	tatttcttga	gaagcccttt	3120
cagaagtcca	agttcctcca	gctccggaaa	aggctctgtg	ggagtctctgt	ccttgagtgg	3180
ccaacaaacc	cgcaagctca	cccatacttc	tggcagtgtc	taaagaacgc	cctggccaca	3240
gacaatcatg	tggcctatag	tcaggtgttc	aaggaaacgg	tctagccctt	ctttgcaaaa	3300

cacaactgcc tagtttacca aggagaggcc tggctgttta aattgttttc atatatatca 3360

caccaaaagc gtgttttgaa attcttcaag aaatgagatt gcccatattt caggggag 3418

<210> 34

<211> 1049

<212> PRT

<213> Homo sapiens

<400> 34

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe
1 5 10 15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys
20 25 30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile
35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro
50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile
65 70 75 80

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe
85 90 95

Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys
100 105 110

Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr
115 120 125

Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
130 135 140

Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile
145 150 155 160

Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile
165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser
180 185 190

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val
195 200 205

Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro
210 215 220

Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile
225 230 235 240

Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu
245 250 255

Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro

260 265 270
 Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala
 275 280 285
 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu
 340 345 350
 Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser
 355 360 365
 Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met
 405 410 415
 Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala
 435 440 445
 Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln
 485 490 495
 Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp
 500 505 510
 Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu
 515 520 525
 Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu
 530 535 540
 Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr
 545 550 555 560
 Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn
 565 570 575
 Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr
 580 585 590
 Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile

595 600 605
 Ser Ser Ser Thr Ser Arg Thr Met Glu Ser Glu Ser Leu Arg Thr Leu
 610 615 620
 Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Glu Gly Asp Asn
 625 630 635 640
 Arg Tyr Leu Gln Leu Phe Lys Asn Leu Leu Lys Leu Glu Glu Leu Asp
 645 650 655
 Ile Ser Lys Asn Ser Leu Ser Phe Leu Pro Ser Gly Val Phe Asp Gly
 660 665 670
 Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu Lys
 675 680 685
 Ser Phe Ser Trp Lys Lys Leu Gln Cys Leu Lys Asn Leu Glu Thr Leu
 690 695 700
 Asp Leu Ser His Asn Gln Leu Thr Thr Val Pro Glu Arg Leu Ser Asn
 705 710 715 720
 Cys Ser Arg Ser Leu Lys Asn Leu Ile Leu Lys Asn Asn Gln Ile Arg
 725 730 735
 Ser Leu Thr Lys Tyr Phe Leu Gln Asp Ala Phe Gln Leu Arg Tyr Leu
 740 745 750
 Asp Leu Ser Ser Asn Lys Ile Gln Met Ile Gln Lys Thr Ser Phe Pro
 755 760 765
 Glu Asn Val Leu Asn Asn Leu Lys Met Leu Leu Leu His His Asn Arg
 770 775 780
 Phe Leu Cys Thr Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His
 785 790 795 800
 Thr Glu Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val Gly
 805 810 815
 Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr
 820 825 830
 Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Leu Ser Ile Ser
 835 840 845
 Val Ser Leu Phe Leu Met Val Met Met Thr Ala Ser His Leu Tyr Phe
 850 855 860
 Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly
 865 870 875 880
 Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val
 885 890 895
 Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu
 900 905 910
 Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu
 915 920 925
 Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser

930 935 940
 Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys
 945 950 955 960
 Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln
 965 970 975
 Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu
 980 985 990
 Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys
 995 1000 1005
 Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro
 1010 1015 1020
 Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His
 1025 1030 1035
 Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val
 1040 1045

<210> 35
 <211> 1049
 <212> PRT
 <213> Homo sapiens

<400> 35

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe
 1 5 10 15
 Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys
 20 25 30
 Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile
 35 40 45
 Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro
 50 55 60
 Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile
 65 70 75 80
 Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe
 85 90 95
 Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys
 100 105 110
 Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr
 115 120 125
 Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140
 Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160
 Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile
 165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser
 180 185 190
 Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro
 210 215 220
 Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile
 225 230 235 240
 Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu
 245 250 255
 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro
 260 265 270
 Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala
 275 280 285
 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu
 340 345 350
 Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser
 355 360 365
 Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met
 405 410 415
 Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala
 435 440 445
 Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln
 485 490 495
 Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp

Phe	Gln	His	500	Leu	Ser	Phe	Leu	Lys	505	Cys	Leu	Asn	Leu	Ser	Gly	510	Asn	Leu
		515						520							525			
Ile	Ser	Gln	Thr	Leu	Asn	Gly	Ser	Glu	Phe	Gln	Pro	Leu	Ala	Glu	Leu			
		530				535					540							
Arg	Tyr	Leu	Asp	Phe	Ser	Asn	Asn	Arg	Leu	Asp	Leu	Leu	His	Ser	Thr			
545					550					555					560			
Ala	Phe	Glu	Glu	Leu	His	Lys	Leu	Glu	Val	Leu	Asp	Ile	Ser	Ser	Asn			
				565					570						575			
Ser	His	Tyr	Phe	Gln	Ser	Glu	Gly	Ile	Thr	His	Met	Leu	Asn	Phe	Thr			
			580					585						590				
Lys	Asn	Leu	Lys	Val	Leu	Gln	Lys	Leu	Met	Met	Asn	Asp	Asn	Asp	Ile			
		595					600						605					
Ser	Ser	Ser	Thr	Ser	Arg	Thr	Met	Glu	Ser	Glu	Ser	Leu	Arg	Thr	Leu			
		610				615						620						
Glu	Phe	Arg	Gly	Asn	His	Leu	Asp	Val	Leu	Trp	Arg	Glu	Gly	Asp	Asn			
625					630					635					640			
Arg	Tyr	Leu	Gln	Leu	Phe	Lys	Asn	Leu	Leu	Lys	Leu	Glu	Glu	Leu	Asp			
			645						650						655			
Ile	Ser	Lys	Asn	Ser	Leu	Ser	Phe	Leu	Pro	Ser	Gly	Val	Phe	Asp	Gly			
			660					665						670				
Met	Pro	Pro	Asn	Leu	Lys	Asn	Leu	Ser	Leu	Ala	Lys	Asn	Gly	Leu	Lys			
		675					680						685					
Ser	Phe	Ser	Trp	Lys	Lys	Leu	Gln	Cys	Leu	Lys	Asn	Leu	Glu	Thr	Leu			
		690				695						700						
Asp	Leu	Ser	His	Asn	Gln	Leu	Thr	Thr	Val	Pro	Glu	Arg	Leu	Ser	Asn			
705					710					715					720			
Cys	Ser	Arg	Ser	His	Lys	Asn	Leu	Ile	Leu	Lys	Asn	Asn	Gln	Ile	Arg			
				725					730						735			
Ser	Pro	Thr	Lys	Tyr	Phe	Leu	Gln	Asp	Ala	Phe	Gln	Leu	Arg	Tyr	Leu			
			740					745						750				
Asp	Leu	Ser	Ser	Asn	Lys	Ile	Gln	Met	Ile	Gln	Lys	Thr	Ser	Phe	Pro			
		755					760						765					
Glu	Asn	Val	Leu	Asn	Asn	Leu	Lys	Met	Leu	Leu	Leu	His	His	Asn	Arg			
		770				775									780			
Phe	Leu	Cys	Thr	Cys	Asp	Ala	Val	Trp	Phe	Val	Trp	Trp	Val	Asn	His			
785					790					795					800			
Thr	Glu	Val	Thr	Ile	Pro	Tyr	Leu	Ala	Thr	Asp	Val	Thr	Cys	Val	Gly			
				805					810						815			
Pro	Gly	Ala	His	Lys	Gly	Gln	Ser	Val	Ile	Ser	Leu	Asp	Leu	Tyr	Thr			
			820					825						830				
Cys	Glu	Leu	Asp	Leu	Thr	Asn	Leu	Ile	Leu	Phe	Ser	Leu	Ser	Ile	Ser			

835 840 845
 Val Ser Leu Phe Leu Met Val Met Met Thr Ala Ser His Leu Tyr Phe
 850 855 860
 Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly
 865 870 875 880
 Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val
 885 890 895
 Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu
 900 905 910
 Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu
 915 920 925
 Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser
 930 935 940
 Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys
 945 950 955 960
 Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln
 965 970 975
 Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu
 980 985 990
 Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys
 995 1000 1005
 Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro
 1010 1015 1020
 Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His
 1025 1030 1035
 Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val
 1040 1045

<210> 36
 <211> 1049
 <212> PRT
 <213> Homo sapiens

<400> 36

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe
 1 5 10 15
 Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys
 20 25 30
 Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile
 35 40 45
 Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro
 50 55 60
 Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile
 65 70 75 80

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe
 85 90 95
 Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys
 100 105 110
 Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr
 115 120 125
 Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140
 Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160
 Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile
 165 170 175
 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser
 180 185 190
 Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro
 210 215 220
 Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile
 225 230 235 240
 Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu
 245 250 255
 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro
 260 265 270
 Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala
 275 280 285
 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu
 340 345 350
 Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser
 355 360 365
 Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met

405 410 415
 Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala
 435 440 445
 Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln
 485 490 495
 Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp
 500 505 510
 Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu
 515 520 525
 Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu
 530 535 540
 Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr
 545 550 555 560
 Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn
 565 570 575
 Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr
 580 585 590
 Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile
 595 600 605
 Ser Ser Ser Thr Ser Arg Thr Met Glu Ser Glu Ser Leu Arg Thr Leu
 610 615 620
 Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Glu Gly Asp Asn
 625 630 635 640
 Arg Tyr Leu Gln Leu Phe Lys Asn Leu Leu Lys Leu Glu Glu Leu Asp
 645 650 655
 Ile Ser Lys Asn Ser Leu Ser Phe Leu Pro Ser Gly Val Phe Asp Gly
 660 665 670
 Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu Lys
 675 680 685
 Ser Phe Ser Trp Lys Lys Leu Gln Cys Leu Lys Asn Leu Glu Thr Leu
 690 695 700
 Asp Leu Ser His Asn Gln Leu Thr Thr Val Pro Glu Arg Leu Ser Asn
 705 710 715 720
 Cys Ser Arg Ser Leu Lys Asn Leu Ile Leu Lys Asn Asn Gln Ile Arg
 725 730 735
 Ser Leu Thr Lys Tyr Phe Leu Gln Asp Ala Phe Gln Leu Arg Tyr Leu

```

      740      745      750
Asp Leu Ser Ser Asn Lys Ile Gln Met Ile Gln Lys Thr Ser Phe Pro
      755      760      765

Glu Asn Val Leu Asn Asn Leu Lys Met Leu Leu Leu His His Asn Arg
      770      775      780

Phe Leu Cys Thr Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His
      785      790      795      800

Thr Glu Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val Gly
      805      810      815

Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr
      820      825      830

Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Leu Ser Ile Ser
      835      840      845

Val Ser Leu Phe Leu Met Val Met Met Thr Ala Ser His Leu Tyr Phe
      850      855      860

Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly
      865      870      875      880

Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val
      885      890      895

Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu
      900      905      910

Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu
      915      920      925

Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser
      930      935      940

Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys
      945      950      955      960

Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln
      965      970      975

Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu
      980      985      990

Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys
      995      1000      1005

Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro
      1010      1015      1020

Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His
      1025      1030      1035

Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val
      1040      1045

```

<210> 37

<211> 1049

<212> PRT

<213> Homo sapiens
<400> 37

```

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe
1          5          10          15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys
          20          25          30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile
          35          40          45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro
          50          55          60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile
65          70          75          80

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe
          85          90          95

Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys
          100          105          110

Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr
          115          120          125

Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
          130          135          140

Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile
145          150          155          160

Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile
          165          170          175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser
          180          185          190

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val
          195          200          205

Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro
          210          215          220

Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile
225          230          235          240

Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu
          245          250          255

Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro
          260          265          270

Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala
          275          280          285

Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
          290          295          300

Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp
305          310          315          320

```

Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu
 340 345 350
 Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser
 355 360 365
 Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met
 405 410 415
 Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala
 435 440 445
 Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln
 485 490 495
 Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp
 500 505 510
 Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu
 515 520 525
 Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu
 530 535 540
 Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr
 545 550 555 560
 Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn
 565 570 575
 Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr
 580 585 590
 Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile
 595 600 605
 Ser Ser Ser Thr Ser Arg Thr Met Glu Ser Glu Ser Leu Arg Thr Leu
 610 615 620
 Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Glu Gly Asp Asn
 625 630 635 640
 Arg Tyr Leu Gln Leu Phe Lys Asn Leu Leu Lys Leu Glu Glu Leu Asp

Ile	Ser	Lys	Asn	Ser	Leu	Ser	Phe	Leu	Pro	Ser	Gly	Val	Phe	Asp	Gly
			645						650					655	
			660					665					670		
Met	Pro	Pro	Asn	Leu	Lys	Asn	Leu	Ser	Leu	Ala	Lys	Asn	Gly	Leu	Lys
			675				680					685			
Ser	Phe	Ser	Trp	Lys	Lys	Leu	Gln	Cys	Leu	Lys	Asn	Leu	Glu	Thr	Leu
	690					695					700				
Asp	Leu	Ser	His	Asn	Gln	Leu	Thr	Thr	Val	Pro	Glu	Arg	Leu	Ser	Asn
705					710					715					720
Cys	Ser	Arg	Ser	Leu	Lys	Asn	Leu	Ile	Leu	Lys	Asn	Asn	Gln	Ile	Arg
				725				730						735	
Ser	Leu	Thr	Lys	Tyr	Phe	Leu	Gln	Asp	Ala	Phe	Gln	Leu	Arg	Tyr	Leu
			740					745					750		
Asp	Leu	Ser	Ser	Asn	Lys	Ile	Gln	Met	Ile	Gln	Lys	Thr	Ser	Phe	Pro
		755					760					765			
Glu	Asn	Val	Leu	Asn	Asn	Leu	Lys	Met	Leu	Leu	Leu	His	His	Asn	Arg
	770					775						780			
Phe	Leu	Cys	Thr	Cys	Asp	Ala	Val	Trp	Phe	Val	Trp	Trp	Val	Asn	His
785					790					795					800
Thr	Glu	Val	Thr	Ile	Pro	Tyr	Leu	Ala	Thr	Asp	Val	Thr	Cys	Val	Gly
				805					810					815	
Pro	Gly	Ala	His	Lys	Gly	Gln	Ser	Val	Ile	Ser	Leu	Asp	Leu	Tyr	Thr
			820				825						830		
Cys	Glu	Leu	Asp	Leu	Thr	Asn	Leu	Ile	Leu	Phe	Ser	Leu	Ser	Ile	Ser
		835					840					845			
Val	Ser	Leu	Phe	Leu	Met	Val	Met	Met	Thr	Ala	Ser	His	Leu	Tyr	Phe
		850				855					860				
Trp	Asp	Val	Trp	Tyr	Ile	Tyr	His	Phe	Cys	Lys	Ala	Lys	Ile	Lys	Gly
865					870					875					880
Tyr	Gln	Arg	Leu	Ile	Ser	Pro	Asp	Cys	Cys	Tyr	Asp	Ala	Phe	Ile	Val
				885					890					895	
Tyr	Asp	Thr	Lys	Asp	Pro	Ala	Val	Thr	Glu	Trp	Val	Leu	Ala	Glu	Leu
			900					905					910		
Val	Ala	Lys	Leu	Glu	Asp	Pro	Arg	Glu	Lys	His	Phe	Asn	Leu	Cys	Leu
		915					920					925			
Glu	Glu	Arg	Asp	Trp	Leu	Pro	Gly	Gln	Pro	Val	Leu	Glu	Asn	Leu	Ser
	930					935					940				
Gln	Ser	Ile	Gln	Leu	Ser	Lys	Lys	Thr	Val	Phe	Val	Met	Thr	Asp	Lys
945					950					955					960
Tyr	Ala	Lys	Thr	Glu	Asn	Phe	Lys	Ile	Ala	Phe	Tyr	Leu	Ser	His	Gln
				965					970					975	
Arg	Leu	Met	Asp	Glu	Lys	Val	Asp	Val	Ile	Ile	Leu	Ile	Phe	Leu	Glu

980 985 990
 Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys
 995 1000 1005
 Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro
 1010 1015 1020
 Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His
 1025 1030 1035
 Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val
 1040 1045

<210> 38
 <211> 3243
 <212> DNA
 <213> murine

<400> 38
 attctcctcc accagacctc ttgattccat ttgaaagaa aactgaaaat ggtgttttcg 60
 atgtggacac ggaagagaca aattttgatc tttttaata tgctcttagt ttctagagtc 120
 tttgggtttc gatggtttcc taaaactcta ccttgtgaag ttaaagtaaa tatcccagag 180
 gcccatgtga tcgtggactg cacagacaag catttgacag aaatccctga gggcattccc 240
 actaacacca ccaatcttac ccttaccatc aaccacatac caagcatctc tccagattcc 300
 ttccgtaggc tgaaccatct ggaagaaatc gatttaagat gcaattgtgt acctgttcta 360
 ctgggggtcca aagccaatgt gtgtaccaag aggctgcaga ttagacctgg aagctttagt 420
 ggactctctg acttaaaagc cctttacctg gatggaaacc aacttctgga gataccacag 480
 gatctgccat ccagcttaca tcttctgagc cttgaggcta acaacatctt ctccatcacg 540
 aaggagaatc taacagaact ggtcaacatt gaaacactct acctgggtca aaactgttat 600
 tatcgaaatc cttgcaatgt ttctattct attgaaaaag atgctttcct agttatgaga 660
 aatttgaagg ttctctcact aaaagataac aatgtcacag ctgtcccccac cactttgcca 720
 cctaatttac tagagctcta tctttataac aatatcatta agaaaatcca agaaaatgat 780
 tttaataacc tcaatgagtt gcaagttctt gacctaatg gaaattgccc tcgatgttat 840
 aatgtcccat atcogtgtac accgtgtgaa aataattccc ccttacagat ccatgacaat 900
 gctttcaatt cattgacaga attaaaagtt ttacgtttac acagtaattc tcttcagcat 960
 gtgcccccaa catggtttaa aaacatgaga aacctccagg aactagacct ctcccaaac 1020
 tacttggcca gagaaattga ggaggccaaa tttttgcatt ttcttcccaa ccttggtgag 1080
 ttggattttt ctttcaatta tgagctgcag gtctaccatg catctataac tttaccacat 1140
 tcactctctt cattggaaaa cttgaaaatt ctgcgtgtca aggggtatgt ctttaaagag 1200
 ctgaaaaact ccagtctttc tgtattgcac aagcttccca ggctggaagt tcttgacctt 1260

ggcactaact tcataaaaat tgctgacctc aacatattca aacattttga aaacctcaaa	1320
ctcatagacc tttcagtgaa taagatatct ccttcagaag agtcaagaga agttggcttt	1380
tgctctaattg ctcaaacttc tgtagaccgt catgggcccc aggtccttga ggccttacac	1440
tattttccgat acgatgaata tgcacggagc tgcaggttca aaaacaaaga gccaccttct	1500
ttcttgctt tgaatgcaga ctgccacata tatgggcaga ccttagactt aagtagaaat	1560
aacatatttt ttattaaacc ttctgatttt cagcatcttt cattcctcaa atgcctcaac	1620
ttatcaggaa acaccattgg ccaaactctt aatggcagtg aactctggcc gttgagagag	1680
ttgcgggtact tagactttct caacaaccgg cttgatttac tctactcaac agcctttgaa	1740
gagctccaga gtcttgaagt tctggatcta agtagtaaca gccactattt tcaagcagaa	1800
ggaattactc acatgctaaa ctttaccaag aaattacggc ttctggacaa actcatgatg	1860
aatgataatg acatctctac ttcgccagc aggaccatgg aaagtgactc tcttcgaatt	1920
ctggagttca gaggcaacca tttagatgtt ctatggagag ccggtgataa cagatacttg	1980
gactttctca agaatttggt caatttagag gtattagata tctccagaaa ttccctgaat	2040
tccttgctc ctgagggttt tgagggtatg ccgccaatc taaagaatct ctcttggcc	2100
aaaaatgggc tcaaatcttt cttttgggac agactccagt tactgaagca tttggaaatt	2160
ttggacctca gccataacca gctgacaaaa gtacctgaga gattggccaa ctgttccaaa	2220
agtctcacia cactgattct taagcataat caaatcaggc aattgacaaa atattttcta	2280
gaagatgctt tgcaattgag ctatctagac atcagttcaa ataaaatcca ggtcattcag	2340
aagactagct tcccagaaaa tgcctcaac aatctggaga tggttggttt acatcacaat	2400
cgctttcttt gcaactgtga tgctgtgtgg tttgtctggt gggttaacca tacagatgtt	2460
actattccat acctggccac tgatgtgact tgtgtaggtc caggagcaca caaaggtaa	2520
agtgatcatat cccttgatct gtatacgtgt gagttagatc tcacaaacct gattctgttc	2580
tcagtttoca tatcatcagt cctctttctt atggtagtta tgacaacaag tcacctcttt	2640
ttctgggata tgggttacat ttattatttt tggaaagcaa agataaagggt gtatcagcat	2700
ctgcaatcca tggagtcttg ttatgatgct tttattgtgt atgacactaa aaactcagct	2760
gtgacagaat gggttttgca ggagctggtg gcaaaattgg aagatccaag agaaaaacac	2820
ttcaatttgt gtctagaaga aagagactgg ctaccaggac agccagttct agaaaacctt	2880
tcccagagca tacagctcag caaaaagaca gtgtttgtga tgacacagaa atatgctaag	2940
actgagagtt ttaagatggc attttatttg tctcatcaga ggctcctgga tgaaaaagt	3000
gatgtgatta tcttgatatt cttggaaaag cctcttcaga agtctaagtt tcttcagctc	3060
aggaagagac tctgcaggag ctctgtcctt gagtggcctg caaatccaca ggctcaccca	3120
tacttctggc agtgcctgaa aaatgccctg accacagaca atcatgtggc ttatagtcaa	3180

atgttcaagg aaacagtcta gctctctgaa gaatgtcacc acctaggaca tgccttgaat 3240
cga 3243

<210> 39
<211> 3747
<212> DNA
<213> murine

<400> 39
gagctcaaag gctctgcgag tctcggtttt ctgttgcctt ctctctgtct cagaggactc 60
catctataga accactctat gccttcaaga aagatgtcct tggctccctt ctcaggatga 120
tcctggccta tctctgactc tcttctctc caccagacct cttgattcca ttttgaaaga 180
aaactgaaaa tgggtgtttt gatgtggaca cggaagagac aaattttgat ctttttaaata 240
atgtcttag tttctagagt ctttgggttt cgatgggttt ctaaaactct accttgtgaa 300
gttaaagtaa atatcccaga ggcccatgtg atcgtggact gcacagacaa gcatttgaca 360
gaaatccctg agggcattcc cactaacacc accaatctta cccttaccat caaccacata 420
ccaagcatct ctccagattc cttccgtagg ctgaaccatc tggagaagaat cgatttaaga 480
tgcaattgtg tacctgttct actgggggtcc aaagccaatg tgtgtacca gaggetgcag 540
attagacctg gaagcttttag tggactctct gacttaaaag ccctttacct ggatggaaac 600
caacttctgg agataccaca ggatctgcca tccagcttac atcttctgag ccttgaggct 660
aacaacatct tctccatcac gaaggagaat ctaacagaac tgggtcaacat tgaacactc 720
tacctgggtc aaaactgtta ttatcgaaat ccttgcaatg tttctattc tattgaaaaa 780
gatgctttcc tagttatgag aaatttgaag gttctctcac taaaagataa caatgtcaca 840
gctgtcccca ccactttgcc acctaattta ctagagctct atctttataa caatatcatt 900
aagaaaatcc aagaaaatga ttttaataac ctcaatgagt tgcaagttct tgacctagt 960
ggaaattgcc ctogatgtta taatgtccca tatccgtgta caccgtgtga aaataattcc 1020
cccttacaga tccatgacaa tgctttcaat tcattgacag aattaaaagt tttacgttta 1080
cacagtaatt ctcttcagca tgtgccccca acatgggtta aaaacatgag aaacctccag 1140
gaactagacc tctcccaaaa ctacttgccc agagaaattg aggaggccaa atttttgcat 1200
tttcttccca accttgttga gttggatttt tctttcaatt atgagctgca ggtctaccat 1260
gcatctataa ctttaccaca ttcactctct tcattggaaa acttgaaaat tctgcgtgtc 1320
aaggggtatg tctttaaaga gctgaaaaac tccagtcttt ctgtattgca caagcttccc 1380
aggctggaag ttcttgacct tggcactaac ttcataaaaa ttgctgacct caacatattc 1440
aaacattttg aaaacctcaa actcatagac ctttcagtga ataagatatc tccttcagaa 1500

gagtcaagag aagttggctt ttgtccta	gctcaaactt ctgtagaccg tcatgggccc	1560
caggtccttg aggccttaca ctatttccga	tacgatgaat atgcacggag ctgcaggttc	1620
aaaaacaaag agccaccttc tttcttgcct	ttgaatgcag actgccacat atatgggcag	1680
accttagact taagtagaaa taacatattt	tttattaaac cttctgattt tcagcatctt	1740
tcattcctca aatgcctcaa cttatcagga	aacaccattg gccaaactct taatggcagt	1800
gaactctggc cgttgagaga gttgcggtac	ttagacttct ccaacaaccg gcttgattta	1860
ctctactcaa cagcctttga agagctccag	agtcttgaag ttctggatct aagtagtaac	1920
agccactatt ttcaagcaga aggaattact	cacatgctaa actttacca gaaattacgg	1980
cttctggaca aactcatgat gaatgataat	gacatctcta cttcggccag caggaccatg	2040
gaaagtgact ctcttcgaat tctggagttc	agaggcaacc atttagatgt tctatggaga	2100
gccggtgata acagatactt ggacttcttc	aagaatttgt tcaatttaga ggtattagat	2160
atctccagaa attccctgaa ttccttgcct	cctgaggttt ttgagggtat gccgccaaat	2220
ctaaagaatc tctccttggc caaaaatggg	ctcaaactct tcttttggga cagactccag	2280
ttactgaagc atttggaaat tttggacctc	agccataacc agctgacaaa agtacctgag	2340
agattggcca actgttccaa aagtctcaca	acactgattc ttaagcataa tcaaatcagg	2400
caattgacaa aatattttct agaagatgct	ttgcaattgc gctatctaga catcagttca	2460
aataaaatcc aggtcattca gaagactagc	ttcccagaaa atgtcctcaa caatctggag	2520
atgttggttt tacatcacia tcgctttctt	tgcaactgtg atgctgtgtg gtttgtctgg	2580
tgggttaacc atacagatgt tactattcca	tacctggcca ctgatgtgac ttgtgtaggt	2640
ccaggagcac acaaaggcca aagtgtcata	tcccttgatc tgtatacgtg tgagttagat	2700
ctcaciaaacc tgattctgtt ctgagtttcc	atatcatcag tcctctttct tatggtagtt	2760
atgacaacaa gtcacctctt tttctgggat	atgtggtaca tttattattt ttggaaagca	2820
aagataaagg ggtatcagca tctgcaatcc	atggagtctt gttatgatgc ttttattgtg	2880
tatgacacta aaaactcagc tgtgacagaa	tgggttttgc aggagctggg ggcaaaattg	2940
gaagatccaa gagaaaaaca cttcaatttg	tgtctagaag aaagagactg gctaccagga	3000
cagccagttc tagaaaacct ttcccagagc	atacagctca gcaaaaagac agtgtttgtg	3060
atgacacaga aatatgctaa gactgagagt	tttaagatgg cattttattt gtctcatcag	3120
aggctcctgg atgaaaaagt ggatgtgatt	atcttgatat tcttggaaaa gcctcttcag	3180
aagtctaagt ttcttcagct caggaagaga	ctctgcagga gctctgtcct tgagtggcct	3240
gcaaatccac aggctcacc atacttctgg	cagtgcctga aaaatgccct gaccacagac	3300
aatcatgtgg cttatagtca aatgttcaag	gaaacagtct agctctctga agaatgtcac	3360
cacctaggac atgccttggg acctgaagtt	ttcataaagg tttccataaa tgaaggtctg	3420

aatttttcct aacagttgtc atggctcaga ttggtgggaa atcatcaata tatggctaag 3480
 aaattaagaa ggggagactg atagaagata atttctttct tcatgtgcc a tgctcagtta 3540
 aatattttccc ctagctcaaa tctgaaaaac tgtgcctagg agacaacaca aggcctttgat 3600
 ttatctgcat acaattgata agagccacac atctgccctg aagaagtact agtagtttta 3660
 gtagtagggg aaaaattaca caagctttct ctctctctga tactgaactg taccagagtt 3720
 caatgaaata aaagcccaga gaacttc 3747

<210> 40

<211> 3449

<212> DNA

<213> murine

<400> 40

gcgagtctcg gttttctggt gccttctctc tgtctcagag gactccatct atagaaccac 60
 tctatgcctt caagaaagat gtcttggct cccttctcag gatgatcctg gcctatctct 120
 gactctcttc tctccacca gacctcttga ttccattttg aaagaaaact gaaaatggtg 180
 ttttcgatgt ggacacggaa gagacaaatt ttgatctttt taaatatgct cttagtttct 240
 agagtctttg ggtttcgatg gtttctctaaa actctacctt gtgaagttaa agtaaatatc 300
 ccagaggccc atgtgatcgt ggactgcaca gacaagcatt tgacagaaat cctgagggc 360
 attcccacta acaccaccaa tcttaccctt accatcaacc acataccaag catctctcca 420
 gattccttcc gtaggctgaa ccatctggaa gaaatcgatt taagatgcaa ttgtgtacct 480
 gttctactgg ggtccaaagc caatgtgtgt accaagaggc tgcagattag acctggaagc 540
 tttagtggac tctctgactt aaaagccctt tacctggatg gaaaccaact tctggagata 600
 ccacaggatc tgccatccag cttacatctt ctgagccttg aggctaaca catcttctcc 660
 atcacgaagg agaactaac agaactggc aacattgaaa cactctacct gggcctcaaac 720
 tgttattatc gaaatccttg caatgtttcc tattctattg aaaaagatgc tttcctagtt 780
 atgagaaatt tgaaggttct ctactaaaa gataacaatg tcacagctgt cccaccact 840
 ttgccaccta atttactaga gctctatctt tataacaata tcattaagaa aatccaagaa 900
 aatgatttta ataacctcaa tgagttgcaa gttcttgacc taagtggaaa ttgccctcga 960
 tgttataatg tcccatatcc gtgtacaccg tgtgaaaata attccccctt acagatccat 1020
 gacaatgctt tcaattcatt gacagaatta aaagttttac gtttacacag taattctctt 1080
 cagcatgtgc cccaacatg gtttaaaaa atgagaaacc tccaggaact agacctctcc 1140
 caaaactact tggccagaga aattgaggag gccaaatctt tgcattttct tcccaacctt 1200
 gttgagttgg atttttcttt caattatgag ctgcaggctt accatgcac tataacttta 1260

ccacattcac	tctcttcatt	ggaaaacttg	aaaattctgc	gtgtcaagg	gtatgtcttt	1320
aaagagctga	aaaactccag	tctttctgta	ttgcacaagc	ttcccaggct	ggaagttctt	1380
gaccttggca	ctaacttcat	aaaaattgct	gacctcaaca	tattcaaaca	ttttgaaaac	1440
ctcaaactca	tagacctttc	agtgaataag	atatctcctt	cagaagagtc	aagagaagtt	1500
ggcttttgtc	ctaagtctca	aacttctgta	gaccgtcatg	ggccccagg	ccttgaggcc	1560
ttacactatt	tccgatacga	tgaatatgca	cggagctgca	ggttcaaaaa	caaagagcca	1620
ccttctttct	tgcctttgaa	tgcaactgca	cacatatatg	ggcagacctt	agacttaagt	1680
agaaataaca	tattttttat	taaaccttct	gattttcagc	atctttcatt	cctcaaagtc	1740
ctcaacttat	caggaaacac	cattggccaa	actcttaatg	gcagtgaact	ctggccgttg	1800
agagagttgc	ggtacttaga	cttctccaac	aaccggcttg	atttactcta	ctcaacagcc	1860
tttgaagagc	tccagagtct	tgaagtcttg	gatctaagta	gtaacagcca	ctattttcaa	1920
gcagaaggaa	ttactcacat	gctaaaactt	accaagaaat	tacggcttct	ggacaaactc	1980
atgatgaatg	ataatgacat	ctctacttcg	gccagcagga	ccatggaaag	tgactctctt	2040
cgaattcttg	agttcagagg	caaccattta	gatgttctat	ggagagccgg	tgataacaga	2100
tacttggact	tcttcaagaa	tttgttcaat	ttagagggtat	tagatatctc	cagaaattcc	2160
ctgaattcct	tgcctcctga	ggtttttgag	ggtatgccgc	caaactctaa	gaatctctcc	2220
ttggccaaaa	atgggctcaa	atctttcttt	tgggacagac	tccagttact	gaagcatttg	2280
gaaatttttg	acctcagcca	taaccagctg	acaaaagtac	ctgagagatt	ggccaactgt	2340
tccaaaagtc	tcacaacact	gattcttaag	cataatcaaa	tcaggcaatt	gacaaaatat	2400
tttctagaag	atgctttgca	attgcgctat	ctagacatca	gttcaaataa	aatccaggtc	2460
attcagaaga	ctagcttccc	agaaaatgtc	ctcaacaatc	tggagatggt	ggttttacat	2520
cacaatcgct	ttctttgcaa	ctgtgatgct	gtgtggtttg	tctgggtggg	taaccataca	2580
gatgttacta	ttccatacct	ggccactgat	gtgacttggt	taggtccagg	agcacacaaa	2640
ggtcaaagtg	tcatatccct	tgatctgtat	acgtgtgagt	tagatctcac	aaacctgatt	2700
ctgttctcag	tttccatata	atcagtcctc	tttcttatgg	tagttatgac	aacaagtcac	2760
ctctttttct	gggatatgtg	gtacatttat	tatttttgga	aagcaaagat	aaaggggtat	2820
cagcatctgc	aatccatgga	gtcttgttat	gatgctttta	ttgtgtatga	cactaaaaac	2880
tcagctgtga	cagaatgggt	tttgcaggag	ctggtggcaa	aattggaaga	tccaagagaa	2940
aaacacttca	atttgtgtct	agaagaaaga	gactggctac	caggacagcc	agttctagaa	3000
aacctttccc	agagcataca	gctcagcaaa	aagacagtgt	ttgtgatgac	acagaaatat	3060
gctaagactg	agagttttta	gatggcattt	tatttgcctc	atcagaggct	cctggatgaa	3120
aaagtggatg	tgattatctt	gatattcttg	gaaaagcctc	ttcagaagtc	taagtttctt	3180

cagctcagga agagactctg caggagctct gtccttgagt ggcttgcaaa tccacaggct 3240
 caccatact tctggcagtg cctgaaaaat gccctgacca cagacaatca tgtggcttat 3300
 agtcaaagt tcaaggaaac agtctagctc tctgaagaat gtcaccacct aggacatgcc 3360
 ttggtacctg aagttttcat aaaggtttcc ataaatgaag gtctgaattt ttcctaacag 3420
 ttgtcatggc tcagattggg gggaaatca 3449

<210> 41
 <211> 1050
 <212> PRT
 <213> murine

<400> 41

Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu
 1 5 10 15
 Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys
 20 25 30
 Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile
 35 40 45
 Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro
 50 55 60
 Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile
 65 70 75 80
 Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu
 85 90 95
 Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys
 100 105 110
 Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp
 115 120 125
 Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140
 Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160
 Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu-Val-Asn Ile Glu Thr
 165 170 175
 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser
 180 185 190
 Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro
 210 215 220
 Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile

225						230					235					240
Gln	Glu	Asn	Asp	Phe	Asn	Asn	Leu	Asn	Glu	Leu	Gln	Val	Leu	Asp	Leu	
				245					250					255		
Ser	Gly	Asn	Cys	Pro	Arg	Cys	Tyr	Asn	Val	Pro	Tyr	Pro	Cys	Thr	Pro	
			260					265					270			
Cys	Glu	Asn	Asn	Ser	Pro	Leu	Gln	Ile	His	Asp	Asn	Ala	Phe	Asn	Ser	
		275					280					285				
Leu	Thr	Glu	Leu	Lys	Val	Leu	Arg	Leu	His	Ser	Asn	Ser	Leu	Gln	His	
	290					295					300					
Val	Pro	Pro	Thr	Trp	Phe	Lys	Asn	Met	Arg	Asn	Leu	Gln	Glu	Leu	Asp	
305					310					315					320	
Leu	Ser	Gln	Asn	Tyr	Leu	Ala	Arg	Glu	Ile	Glu	Glu	Ala	Lys	Phe	Leu	
				325					330					335		
His	Phe	Leu	Pro	Asn	Leu	Val	Glu	Leu	Asp	Phe	Ser	Phe	Asn	Tyr	Glu	
			340					345					350			
Leu	Gln	Val	Tyr	His	Ala	Ser	Ile	Thr	Leu	Pro	His	Ser	Leu	Ser	Ser	
		355					360					365				
Leu	Glu	Asn	Leu	Lys	Ile	Leu	Arg	Val	Lys	Gly	Tyr	Val	Phe	Lys	Glu	
	370				375						380					
Leu	Lys	Asn	Ser	Ser	Leu	Ser	Val	Leu	His	Lys	Leu	Pro	Arg	Leu	Glu	
385					390					395					400	
Val	Leu	Asp	Leu	Gly	Thr	Asn	Phe	Ile	Lys	Ile	Ala	Asp	Leu	Asn	Ile	
				405					410					415		
Phe	Lys	His	Phe	Glu	Asn	Leu	Lys	Leu	Ile	Asp	Leu	Ser	Val	Asn	Lys	
			420					425					430			
Ile	Ser	Pro	Ser	Glu	Glu	Ser	Arg	Glu	Val	Gly	Phe	Cys	Pro	Asn	Ala	
		435					440					445				
Gln	Thr	Ser	Val	Asp	Arg	His	Gly	Pro	Gln	Val	Leu	Glu	Ala	Leu	His	
	450					455					460					
Tyr	Phe	Arg	Tyr	Asp	Glu	Tyr	Ala	Arg	Ser	Cys	Arg	Phe	Lys	Asn	Lys	
465				470						475					480	
Glu	Pro	Pro	Ser	Phe	Leu	Pro	Leu	Asn	Ala	Asp	Cys	His	Ile	Tyr	Gly	
				485					490					495		
Gln	Thr	Leu	Asp	Leu	Ser	Arg	Asn	Asn	Ile	Phe	Phe	Ile	Lys	Pro	Ser	
			500					505					510			
Asp	Phe	Gln	His	Leu	Ser	Phe	Leu	Lys	Cys	Leu	Asn	Leu	Ser	Gly	Asn	
		515						520				525				
Thr	Ile	Gly	Gln	Thr	Leu	Asn	Gly	Ser	Glu	Leu	Trp	Pro	Leu	Arg	Glu	
	530					535					540					
Leu	Arg	Tyr	Leu	Asp	Phe	Ser	Asn	Asn	Arg	Leu	Asp	Leu	Leu	Tyr	Ser	
545					550					555					560	
Thr	Ala	Phe	Glu	Glu	Leu	Gln	Ser	Leu	Glu	Val	Leu	Asp	Leu	Ser	Ser	

Asn	Ser	His	Tyr	565	Phe	Gln	Ala	Glu	Gly	570	Ile	Thr	His	Met	Leu	Asn	Phe	575
			580						585						590			
Thr	Lys	Lys	Leu	Arg	Leu	Leu	Asp	Lys	Leu	Met	Met	Asn	Asp	Asn	Asp			
		595					600						605					
Ile	Ser	Thr	Ser	Ala	Ser	Arg	Thr	Met	Glu	Ser	Asp	Ser	Leu	Arg	Ile			
	610					615					620							
Leu	Glu	Phe	Arg	Gly	Asn	His	Leu	Asp	Val	Leu	Trp	Arg	Ala	Gly	Asp			
625					630					635					640			
Asn	Arg	Tyr	Leu	Asp	Phe	Phe	Lys	Asn	Leu	Phe	Asn	Leu	Glu	Val	Leu			
				645					650						655			
Asp	Ile	Ser	Arg	Asn	Ser	Leu	Asn	Ser	Leu	Pro	Pro	Glu	Val	Phe	Glu			
			660					665						670				
Gly	Met	Pro	Pro	Asn	Leu	Lys	Asn	Leu	Ser	Leu	Ala	Lys	Asn	Gly	Leu			
		675					680							685				
Lys	Ser	Phe	Phe	Trp	Asp	Arg	Leu	Gln	Leu	Leu	Lys	His	Leu	Glu	Ile			
	690					695						700						
Leu	Asp	Leu	Ser	His	Asn	Gln	Leu	Thr	Lys	Val	Pro	Glu	Arg	Leu	Ala			
705					710					715					720			
Asn	Cys	Ser	Lys	Ser	Leu	Thr	Thr	Leu	Ile	Leu	Lys	His	Asn	Gln	Ile			
				725					730						735			
Arg	Gln	Leu	Thr	Lys	Tyr	Phe	Leu	Glu	Asp	Ala	Leu	Gln	Leu	Arg	Tyr			
			740					745						750				
Leu	Asp	Ile	Ser	Ser	Asn	Lys	Ile	Gln	Val	Ile	Gln	Lys	Thr	Ser	Phe			
	755						760						765					
Pro	Glu	Asn	Val	Leu	Asn	Asn	Leu	Glu	Met	Leu	Val	Leu	His	His	Asn			
	770					775						780						
Arg	Phe	Leu	Cys	Asn	Cys	Asp	Ala	Val	Trp	Phe	Val	Trp	Trp	Val	Asn			
785					790					795					800			
His	Thr	Asp	Val	Thr	Ile	Pro	Tyr	Leu	Ala	Thr	Asp	Val	Thr	Cys	Val			
				805					810						815			
Gly	Pro	Gly	Ala	His	Lys	Gly	Gln	Ser	Val	Ile	Ser	Leu	Asp	Leu	Tyr			
		820						825						830				
Thr	Cys	Glu	Leu	Asp	Leu	Thr	Asn	Leu	Ile	Leu	Phe	Ser	Val	Ser	Ile			
		835					840							845				
Ser	Ser	Val	Leu	Phe	Leu	Met	Val	Val	Met	Thr	Thr	Ser	His	Leu	Phe			
		850				855						860						
Phe	Trp	Asp	Met	Trp	Tyr	Ile	Tyr	Tyr	Phe	Trp	Lys	Ala	Lys	Ile	Lys			
865					870					875					880			
Gly	Tyr	Gln	His	Leu	Gln	Ser	Met	Glu	Ser	Cys	Tyr	Asp	Ala	Phe	Ile			
				885					890						895			
Val	Tyr	Asp	Thr	Lys	Asn	Ser	Ala	Val	Thr	Glu	Trp	Val	Leu	Gln	Glu			

900 905 910
 Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys
 915 920 925
 Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu
 930 935 940
 Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln
 945 950 955 960
 Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His
 965 970 975
 Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu
 980 985 990
 Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu
 995 1000 1005
 Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His
 1010 1015 1020
 Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn
 1025 1030 1035
 His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val
 1040 1045 1050

 <210> 42
 <211> 1050
 <212> PRT
 <213> murine

 <400> 42
 Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu
 1 5 10 15
 Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys
 20 25 30
 Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile
 35 40 45
 Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro
 50 55 60
 Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile
 65 70 75 80
 Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu
 85 90 95
 Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys
 100 105 110
 Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp
 115 120 125
 Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140

Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160
 Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr
 165 170 175
 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser
 180 185 190
 Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro
 210 215 220
 Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile
 225 230 235 240
 Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu
 245 250 255
 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro
 260 265 270
 Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser
 275 280 285
 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu
 340 345 350
 Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser
 355 360 365
 Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile
 405 410 415
 Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala
 435 440 445
 Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys

465					470					475					480
Glu	Pro	Pro	Ser	Phe	Leu	Pro	Leu	Asn	Ala	Asp	Cys	His	Ile	Tyr	Gly
				485					490					495	
Gln	Thr	Leu	Asp	Leu	Ser	Arg	Asn	Asn	Ile	Phe	Phe	Ile	Lys	Pro	Ser
			500					505					510		
Asp	Phe	Gln	His	Leu	Ser	Phe	Leu	Lys	Cys	Leu	Asn	Leu	Ser	Gly	Asn
		515					520					525			
Thr	Ile	Gly	Gln	Thr	Leu	Asn	Gly	Ser	Glu	Leu	Trp	Pro	Leu	Arg	Glu
	530					535					540				
Leu	Arg	Tyr	Leu	Asp	Phe	Ser	Asn	Asn	Arg	Leu	Asp	Leu	Leu	Tyr	Ser
545					550					555					560
Thr	Ala	Phe	Glu	Glu	Leu	Gln	Ser	Leu	Glu	Val	Leu	Asp	Leu	Ser	Ser
				565					570					575	
Asn	Ser	His	Tyr	Phe	Gln	Ala	Glu	Gly	Ile	Thr	His	Met	Leu	Asn	Phe
			580					585					590		
Thr	Lys	Lys	Leu	Arg	Leu	Leu	Asp	Lys	Leu	Met	Met	Asn	Asp	Asn	Asp
		595					600					605			
Ile	Ser	Thr	Ser	Ala	Ser	Arg	Thr	Met	Glu	Ser	Asp	Ser	Leu	Arg	Ile
	610					615					620				
Leu	Glu	Phe	Arg	Gly	Asn	His	Leu	Asp	Val	Leu	Trp	Arg	Ala	Gly	Asp
625					630					635					640
Asn	Arg	Tyr	Leu	Asp	Phe	Phe	Lys	Asn	Leu	Phe	Asn	Leu	Glu	Val	Leu
				645					650					655	
Asp	Ile	Ser	Arg	Asn	Ser	Leu	Asn	Ser	Leu	Pro	Pro	Glu	Val	Phe	Glu
			660					665					670		
Gly	Met	Pro	Pro	Asn	Leu	Lys	Asn	Leu	Ser	Leu	Ala	Lys	Asn	Gly	Leu
		675					680					685			
Lys	Ser	Phe	Phe	Trp	Asp	Arg	Leu	Gln	Leu	Leu	Lys	His	Leu	Glu	Ile
	690					695					700				
Leu	Asp	Leu	Ser	His	Asn	Gln	Leu	Thr	Lys	Val	Pro	Glu	Arg	Leu	Ala
705					710					715					720
Asn	Cys	Ser	Lys	Ser	Leu	Thr	Thr	Leu	Ile	Leu	Lys	His	Asn	Gln	Ile
				725					730					735	
Arg	Gln	Leu	Thr	Lys	Tyr	Phe	Leu	Glu	Asp	Ala	Leu	Gln	Leu	Arg	Tyr
			740					745					750		
Leu	Asp	Ile	Ser	Ser	Asn	Lys	Ile	Gln	Val	Ile	Gln	Lys	Thr	Ser	Phe
		755					760					765			
Pro	Glu	Asn	Val	Leu	Asn	Asn	Leu	Glu	Met	Leu	Val	Leu	His	His	Asn
						775					780				
Arg	Phe	Leu	Cys	Asn	Cys	Asp	Ala	Val	Trp	Phe	Val	Trp	Trp	Val	Asn
785					790					795					800
His	Thr	Asp	Val	Thr	Ile	Pro	Tyr	Leu	Ala	Thr	Asp	Val	Thr	Cys	Val

Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr
 805 810 815
 820 825 830
 Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile
 835 840 845
 Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe
 850 855 860
 Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys
 865 870 875 880
 Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile
 885 890 895
 Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu
 900 905 910
 Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys
 915 920 925
 Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu
 930 935 940
 Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln
 945 950 955 960
 Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His
 965 970 975
 Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu
 980 985 990
 Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu
 995 1000 1005
 Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His
 1010 1015 1020
 Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn
 1025 1030 1035
 His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val
 1040 1045 1050

<210> 43
 <211> 1050
 <212> PRT
 <213> murine

<400> 43

Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu
 1 5 10 15
 Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys
 20 25 30
 Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile
 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro
 50 55 60
 Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile
 65 70 75 80
 Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu
 85 90 95
 Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys
 100 105 110
 Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp
 115 120 125
 Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140
 Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160
 Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr
 165 170 175
 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser
 180 185 190
 Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro
 210 215 220
 Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile
 225 230 235 240
 Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu
 245 250 255
 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro
 260 265 270
 Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser
 275 280 285
 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu
 340 345 350
 Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser
 355 360 365
 Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu

370 375 380
 Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile
 405 410 415
 Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala
 435 440 445
 Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Pro Pro Ser Phe Leu Pro Leu Asn Ala Asp Cys His Ile Tyr Gly
 485 490 495
 Gln Thr Leu Asp Leu Ser Arg Asn Asn Ile Phe Phe Ile Lys Pro Ser
 500 505 510
 Asp Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn
 515 520 525
 Thr Ile Gly Gln Thr Leu Asn Gly Ser Glu Leu Trp Pro Leu Arg Glu
 530 535 540
 Leu Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu Tyr Ser
 545 550 555 560
 Thr Ala Phe Glu Glu Leu Gln Ser Leu Glu Val Leu Asp Leu Ser Ser
 565 570 575
 Asn Ser His Tyr Phe Gln Ala Glu Gly Ile Thr His Met Leu Asn Phe
 580 585 590
 Thr Lys Lys Leu Arg Leu Leu Asp Lys Leu Met Met Asn Asp Asn Asp
 595 600 605
 Ile Ser Thr Ser Ala Ser Arg Thr Met Glu Ser Asp Ser Leu Arg Ile
 610 615 620
 Leu Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Ala Gly Asp
 625 630 635 640
 Asn Arg Tyr Leu Asp Phe Phe Lys Asn Leu Phe Asn Leu Glu Val Leu
 645 650 655
 Asp Ile Ser Arg Asn Ser Leu Asn Ser Leu Pro Pro Glu Val Phe Glu
 660 665 670
 Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu
 675 680 685
 Lys Ser Phe Phe Trp Asp Arg Leu Gln Leu Leu Lys His Leu Glu Ile
 690 695 700
 Leu Asp Leu Ser His Asn Gln Leu Thr Lys Val Pro Glu Arg Leu Ala

705 710 715 720
 Asn Cys Ser Lys Ser Leu Thr Thr Leu Ile Leu Lys His Asn Gln Ile
 725 730 735

 Arg Gln Leu Thr Lys Tyr Phe Leu Glu Asp Ala Leu Gln Leu Arg Tyr
 740 745 750

 Leu Asp Ile Ser Ser Asn Lys Ile Gln Val Ile Gln Lys Thr Ser Phe
 755 760 765

 Pro Glu Asn Val Leu Asn Asn Leu Glu Met Leu Val Leu His His Asn
 770 775 780

 Arg Phe Leu Cys Asn Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn
 785 790 795 800

 His Thr Asp Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val
 805 810 815

 Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr
 820 825 830

 Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile
 835 840 845

 Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe
 850 855 860

 Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys
 865 870 875 880

 Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile
 885 890 895

 Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu
 900 905 910

 Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys
 915 920 925

 Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu
 930 935 940

 Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln
 945 950 955 960

 Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His
 965 970 975

 Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu
 980 985 990

 Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu
 995 1000 1005

 Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His
 1010 1015 1020

 Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn
 1025 1030 1035

 His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val

1040 1045 1050
 <210> 44
 <211> 1050
 <212> PRT
 <213> murine

 <400> 44

 Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu
 1 5 10 15
 Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys
 20 25 30
 Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile
 35 40 45
 Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro
 50 55 60
 Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile
 65 70 75 80
 Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu
 85 90 95
 Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys
 100 105 110
 Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp
 115 120 125
 Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140
 Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160
 Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr
 165 170 175
 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser
 180 185 190
 Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro
 210 215 220
 Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile
 225 230 235 240
 Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu
 245 250 255
 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro
 260 265 270
 Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser
 275 280 285

Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu
 340 345 350
 Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser
 355 360 365
 Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile
 405 410 415
 Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala
 435 440 445
 Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Pro Pro Ser Phe Leu Pro Leu Asn Ala Asp Cys His Ile Tyr Gly
 485 490 495
 Gln Thr Leu Asp Leu Ser Arg Asn Asn Ile Phe Phe Ile Lys Pro Ser
 500 505 510
 Asp Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn
 515 520 525
 Thr Ile Gly Gln Thr Leu Asn Gly Ser Glu Leu Trp Pro Leu Arg Glu
 530 535 540
 Leu Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu Tyr Ser
 545 550 555 560
 Thr Ala Phe Glu Glu Leu Gln Ser Leu Glu Val Leu Asp Leu Ser Ser
 565 570 575
 Asn Ser His Tyr Phe Gln Ala Glu Gly Ile Thr His Met Leu Asn Phe
 580 585 590
 Thr Lys Lys Leu Arg Leu Leu Asp Lys Leu Met Met Asn Asp Asn Asp
 595 600 605
 Ile Ser Thr Ser Ala Ser Arg Thr Met Glu Ser Asp Ser Leu Arg Ile

610 615 620
 Leu Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Ala Gly Asp
 625 630 635 640
 Asn Arg Tyr Leu Asp Phe Phe Lys Asn Leu Phe Asn Leu Glu Val Leu
 645 650 655
 Asp Ile Ser Arg Asn Ser Leu Asn Ser Leu Pro Pro Glu Val Phe Glu
 660 665 670
 Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu
 675 680 685
 Lys Ser Phe Phe Trp Asp Arg Leu Gln Leu Leu Lys His Leu Glu Ile
 690 695 700
 Leu Asp Leu Ser His Asn Gln Leu Thr Lys Val Pro Glu Arg Leu Ala
 705 710 715 720
 Asn Cys Ser Lys Ser Leu Thr Thr Leu Ile Leu Lys His Asn Gln Ile
 725 730 735
 Arg Gln Leu Thr Lys Tyr Phe Leu Glu Asp Ala Leu Gln Leu Arg Tyr
 740 745 750
 Leu Asp Ile Ser Ser Asn Lys Ile Gln Val Ile Gln Lys Thr Ser Phe
 755 760 765
 Pro Glu Asn Val Leu Asn Asn Leu Glu Met Leu Val Leu His His Asn
 770 775 780
 Arg Phe Leu Cys Asn Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn
 785 790 795 800
 His Thr Asp Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val
 805 810 815
 Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr
 820 825 830
 Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile
 835 840 845
 Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe
 850 855 860
 Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys
 865 870 875 880
 Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile
 885 890 895
 Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu
 900 905 910
 Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys
 915 920 925
 Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu
 930 935 940
 Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln

945 950 955 960
 Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His
 965 970 975

 Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu
 980 985 990

 Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu
 995 1000 1005

 Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His
 1010 1015 1020

 Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn
 1025 1030 1035

 His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val
 1040 1045 1050

 <210> 45
 <211> 1050
 <212> PRT
 <213> murine

 <400> 45

 Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu
 1 5 10 15

 Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys
 20 25 30

 Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile
 35 40 45

 Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro
 50 55 60

 Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile
 65 70 75 80

 Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu
 85 90 95

 Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys
 100 105 110

 Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp
 115 120 125

 Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140

 Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160

 Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr
 165 170 175

 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser
 180 185 190

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro
 210 215 220
 Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile
 225 230 235 240
 Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu
 245 250 255
 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro
 260 265 270
 Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser
 275 280 285
 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu
 340 345 350
 Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser
 355 360 365
 Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile
 405 410 415
 Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala
 435 440 445
 Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Pro Pro Ser Phe Leu Pro Leu Asn Ala Asp Cys His Ile Tyr Gly
 485 490 495
 Gln Thr Leu Asp Leu Ser Arg Asn Asn Ile Phe Phe Ile Lys Pro Ser
 500 505 510
 Asp Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn

515 520 525
 Thr Ile Gly Gln Thr Leu Asn Gly Ser Glu Leu Trp Pro Leu Arg Glu
 530 535 540
 Leu Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu Tyr Ser
 545 550 555 560
 Thr Ala Phe Glu Glu Leu Gln Ser Leu Glu Val Leu Asp Leu Ser Ser
 565 570 575
 Asn Ser His Tyr Phe Gln Ala Glu Gly Ile Thr His Met Leu Asn Phe
 580 585 590
 Thr Lys Lys Leu Arg Leu Leu Asp Lys Leu Met Met Asn Asp Asn Asp
 595 600 605
 Ile Ser Thr Ser Ala Ser Arg Thr Met Glu Ser Asp Ser Leu Arg Ile
 610 615 620
 Leu Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Ala Gly Asp
 625 630 635 640
 Asn Arg Tyr Leu Asp Phe Phe Lys Asn Leu Phe Asn Leu Glu Val Leu
 645 650 655
 Asp Ile Ser Arg Asn Ser Leu Asn Ser Leu Pro Pro Glu Val Phe Glu
 660 665 670
 Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu
 675 680 685
 Lys Ser Phe Phe Trp Asp Arg Leu Gln Leu Leu Lys His Leu Glu Ile
 690 695 700
 Leu Asp Leu Ser His Asn Gln Leu Thr Lys Val Pro Glu Arg Leu Ala
 705 710 715 720
 Asn Cys Ser Lys Ser Leu Thr Thr Leu Ile Leu Lys His Asn Gln Ile
 725 730 735
 Arg Gln Leu Thr Lys Tyr Phe Leu Glu Asp Ala Leu Gln Leu Arg Tyr
 740 745 750
 Leu Asp Ile Ser Ser Asn Lys Ile Gln Val Ile Gln Lys Thr Ser Phe
 755 760 765
 Pro Glu Asn Val Leu Asn Asn Leu Glu Met Leu Val Leu His His Asn
 770 775 780
 Arg Phe Leu Cys Asn Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn
 785 790 795 800
 His Thr Asp Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val
 805 810 815
 Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr
 820 825 830
 Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile
 835 840 845
 Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe

850 855 860
 Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys
 865 870 875 880
 Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile
 885 890 895
 Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu
 900 905 910
 Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys
 915 920 925
 Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu
 930 935 940
 Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln
 945 950 955 960
 Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His
 965 970 975
 Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu
 980 985 990
 Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu
 995 1000 1005
 Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His
 1010 1015 1020
 Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn
 1025 1030 1035
 His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val
 1040 1045 1050

<210> 46
 <211> 3311
 <212> DNA
 <213> Homo sapiens

<400> 46
 ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca acagaaacat ggaaaacatg 60
 ttccttcagt cgtcaatgct gacctgcatt ttctgctaa tatctgggtc ctgtgagtta 120
 tgcgccgaag aaaatttttc tagaagctat ccttgatgat agaaaaagca aaatgactca 180
 gttattgcag agtgcagcaa tcgtcgacta caggaagttc cccaaacggt gggcaaatat 240
 gtgacagaac tagacctgtc tgataatttc atcacacaca taacgaatga atcatttcaa 300
 gggctgcaaa atctcactaa aataaatcta aaccacaacc ccaatgtaca gcaccagaac 360
 ggaaatcccg gtatacaatc aaatggcttg aatatcacag acggggcatt cctcaaccta 420
 aaaaacctaa gggagttact gcttgaagac aaccagttac cccaaatacc ctctggtttg 480
 ccagagtctt tgacagaact tagtctaatt caaaacaata tataacaacat aactaaagag 540

ggcatttcaa gacttataaa cttgaaaaat ctctatttgg cctggaactg ctatttttaac	600
aaagtttgcg agaaaactaa catagaagat ggagtatttg aaacgctgac aaatttggag	660
ttgctatcac tatctttcaa ttctctttca cacgtgccac ccaaactgcc aagctcccta	720
cgcaaacttt ttctgagcaa caccagatc aaatacatta gtgaagaaga tttcaaggga	780
ttgataaatt taacattact agatttaagc gggaaactgtc cgaggtgctt caatgcccc	840
tttccatgcg tgccttgtga tgggtggtgct tcaattaata tagatcgttt tgcttttcaa	900
aacttgaccc aacttcgata cctaaacctc tctagcactt ccctcaggaa gattaatgct	960
gcctgggttta aaaatatgcc tcatctgaag gtgctggatc ttgaattcaa ctatttagtg	1020
ggagaaatag cctctggggc atttttaacg atgctgcccc gcttagaaat acttgacttg	1080
tcttttaact atataaaggg gagttatcca cagcatatta atatttccag aaacttctct	1140
aaacttttgt ctctacgggc attgcattta agaggttatg tgttccagga actcagagaa	1200
gatgatttcc agccctgat gcagcttcca aacttatcga ctatcaactt gggattaat	1260
tttattaagc aaatcgattt caaacttttc caaaatttct ccaatctgga aattatttac	1320
ttgtcagaaa acagaatatc accgttggtg aaagataccc ggcagagtta tgcaaatagt	1380
tcctcttttc aacgtcatat ccggaaacga cgctcaacag attttgagtt tgaccacat	1440
tcgaactttt atcatttcac ccgtccttta ataaagccac aatgtgctgc ttatggaaaa	1500
gccttagatt taagcctcaa cagtattttc ttcattgggc caaaccaatt tgaaaaatt	1560
cctgacattg cctgtttaaa tctgtctgca aatagcaatg ctcaagtgtt aagtggaact	1620
gaattttcag ccattcctca tgtcaaatat ttggatttga caaacaatag actagacttt	1680
gataatgcta gtgctcttac tgaattgtcc gacttggaag ttctagatct cagctataat	1740
tcacactatt tcagaatagc aggcgtaaca catcatctag aatttattca aaatttcaca	1800
aatctaaaag ttttaaaact gagccacaac aacatttata ctttaacaga taagtataac	1860
ctggaaagca agtccctggt agaattagtt ttcagtggca atcgccctga cattttgtgg	1920
aatgatgatg acaacaggta tatctccatt ttcaaaggtc tcaagaatct gacacgtctg	1980
gatttatccc ttaataggct gaagcacatc ccaaataag cattccttaa tttgccagcg	2040
agtctcactg aactacatat aaatgataat atgttaaagt tttttaactg gacattactc	2100
cagcagttcc ctctctcga gttgcttgac ttacgtggaa acaaactact ctttttaact	2160
gatagcctat ctgactttac atcttccctt cggaactgac tgctgagtca taacaggatt	2220
tcccacctac cctctggctt tctttctgaa gtcagtagtc tgaagcacct cgatttaagt	2280
tccaatctgc taaaaacaat caacaaatcc gcacttgaaa ctaagaccac caccaaatta	2340
tctatgttgg aactacacgg aaaccctttt gaatgcacct gtgacattgg agatttccga	2400
agatggatgg atgaacatct gaatgtcaaa attcccagac tggtagatgt catttgtgcc	2460

agtcctgggg atcaaagagg gaagagtatt gtgagtctgg agctgacaac ttgtgtttca 2520
 gatgtcactg cagtgatatt atttttcttc acgttcttta tcaccacat ggttatgttg 2580
 gctgccctgg ctcaccattt gttttactgg gatgtttggg ttatatataa tgtgtgttta 2640
 gctaaggtaa aaggctacag gtctctttcc acatcccaa ctttctatga tgcttacatt 2700
 tcttatgaca ccaaagatgc ctctgttact gactgggtga taaatgagct gcgctaccac 2760
 cttgaagaga gccgagacaa aaacgttctc ctttgtctag aggagagga ttgggacccg 2820
 ggattggcca tcatcgacaa cctcatgcag agcatcaacc aaagcaagaa aacagtattt 2880
 gttttaacca aaaaatatgc aaaaagctgg aactttaaaa cagcttttta cttggctttg 2940
 cagaggctaa tggatgagaa catggatgtg attatattta tcctgctgga gccagtgtta 3000
 cagcattctc agtatttgag gctacggcag cggatctgta agagctccat cctccagtgg 3060
 cctgacaacc cgaaggcaga aggcttgttt tggcaaactc tgagaaatgt ggtcttgact 3120
 gaaaatgatt cacggtataa caatatgtat gtcgattcca ttaagcaata ctaactgacg 3180
 ttaagtcatg atttcgcgcc ataataaaga tgcaaaggaa tgacatttct gtattagtta 3240
 tctattgcta tgtaacaaat tatcccaaaa cttagtgggt taaaacaaca catttgctgg 3300
 cccacagttt t 3311

<210> 47

<211> 3367

<212> DNA

<213> Homo sapiens

<400> 47

ctctgcata gagggtacca ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca 60
 acagaaacgt ggttctcttg acacttcagt gttagggaac atcagcaaga cccatcccag 120
 gagaccttga aggaagcctt tgaaaggag aatgaaggag tcatctttgc aaaatagctc 180
 ctgcagcctg ggaaaggaga ctaaaaagga aaacatgttc cttcagtcgt caatgctgac 240
 ctgcattttc ctgctaatat ctggttcctg tgagttatgc gccgaagaaa atttttctag 300
 aagctatcct tgtgatgaga aaaagcaaaa tgactcagtt attgcagagt gcagcaatcg 360
 tcgactacag gaagttcccc aaacggtggg caaatatgtg acagaactag acctgtctga 420
 taatttcac acacacataa cgaatgaatc atttcaaggg ctgcaaaatc tactaaaaat 480
 aaatctaaac cacaaccca atgtacagca ccagaacgga aatcccggta tacaatcaaa 540
 tggcttgaat atcacagacg gggcattcct caacctaaaa aacctaggg agttactgct 600
 tgaagacaac cagttacccc aaataccctc tggtttgcca gagtctttga cagaacttag 660
 tctaattcaa aacaatatat acaacataac taaagagggc atttcaagac ttataaactt 720

gaaaaatctc tatttggcct ggaactgcta ttttaacaaa gtttgcgaga aaactaacat	780
agaagatgga gtatttgaaa cgctgacaaa tttggagttg ctatcactat ctttcaattc	840
tctttcacac gtgtcaccac aactgccaaag ctccctacgc aaactttttc tgagcaacac	900
ccagatcaaa tacattagtg aagaagattt caagggattg ataaatttaa cattactaga	960
tttaagcggg aactgtccga ggtgcttcaa tgccccattt ccatgcgtgc cttgtgatgg	1020
tggtgcttca attaatatag atcgttttgc ttttcaaaac ttgacccaac ttcgatacct	1080
aaacctctct agcacttccc tcaggaagat taatgctgcc tggtttaaaa atatgcctca	1140
tctgaagggtg ctggatcttg aattcaacta tttagtggga gaaatagcct ctggggcatt	1200
tttaacgatg ctgccccgct tagaaatact tgacttgtct tttactata taaaggggag	1260
ttatccacag catattaata tttccagaaa cttctctaaa ctttgtctc tacgggcatt	1320
gcatttaaga ggttatgtgt tccaggaact cagagaagat gatttccagc ccctgatgca	1380
gcttccaaac ttatcgacta tcaacttggg tattaatttt attaaagcaa tcgatttcaa	1440
actttttcaa aattttctca atctggaaat tatttacttg tcagaaaaca gaatatcacc	1500
gttggtaaaa gataccggc agagttatgc aaatagttcc tcttttcaac gtcatatccg	1560
gaaacgacgc tcaacagatt ttgagtttga cccacattcg aacttttata atttcacccg	1620
tcctttaata aagccacaat gtgctgctta tggaaaagcc ttagatttaa gcctcaacag	1680
tattttcttc attgggcca accaatttga aaatcttctt gacattgcct gtttaaattc	1740
gtctgcaaat agcaatgctc aagtgttaag tggaactgaa ttttcagcca ttctcatgt	1800
caaataattg gatttgacaa acaatagact agactttgat aatgctagtg ctcttactga	1860
attgtccgac ttggaagtcc tagatctcag ctataattca cactatttca gaatagcagg	1920
cgtaacacat catctagaat ttattcaaaa tttcacaaat ctaaaagttt taaacttgag	1980
ccacaacaac atttatactt taacagataa gtataacctg gaaagcaagt ccctggtaga	2040
attagttttc agtggcaatc gccttgacat tttgtggaat gatgatgaca acaggatat	2100
ctccattttc aaaggtctca agaactgac acgtctggat ttatccctta ataggctgaa	2160
gcacatccca aatgaagcat tccttaattt gccagcgagt ctactgaac tacatataaa	2220
tgataatatg ttaaagtttt ttaactggac attactccag cagtttctc gtctcgagtt	2280
gcttgactta cgtggaaaca aactactctt tttactgat agcctatctg actttacatc	2340
ttcccttcgg acactgctgc tgagtcataa caggatttcc cacctaccct ctggctttct	2400
ttctgaagtc agtagtctga agcacctcga ttttaagttcc aatctgctaa aaacaatcaa	2460
caaatccgca cttgaaacta agaccaccac caaattatct atgttggaac tacacggaaa	2520
cccctttgaa tgcacctgtg acattggaga tttccgaaga tggatggatg aacatctgaa	2580
tgtcaaaatt cccagactgg tagatgtcat ttgtgccagt cctggggatc aaagagggaa	2640

gagtattgtg agtctggagc taacaacttg tgtttcagat gtcactgcag tgatattatt 2700
 tttcttcacg ttctttatca ccaccatggg tatgttggct gccctggctc accatttggt 2760
 ttactgggat gtttggttta tatataatgt gtgtttagct aagataaaag gctacaggctc 2820
 tctttccaca tcccaaactt tctatgatgc ttacatttct tatgacacca aagatgcctc 2880
 tgttactgac tgggtgat'aa atgagctgcg ctaccacctt gaagagagcc gagacaaaaa 2940
 cgttctcctt tgtctagagg agagggattg ggacccggga ttggccatca tcgacaacct 3000
 catgcagagc atcaacaaaa gcaagaaaac agtatttggt ttaacaaaaa aatatgcaaa 3060
 aagctggaac tttaaaacag ctttttactt ggctttgcag aggctaattg atgagaacat 3120
 ggatgtgatt atatttatcc tgctggagcc agtgttacag cattctcagt atttgaggct 3180
 acggcagcgg atctgtaaga gctccatcct ccagtggcct gacaaccga aggcagaagg 3240
 cttgttttgg caaactctga gaaatgtggt cttgactgaa aatgattcac ggtataacaa 3300
 tatgtatgtc gattccatta agcaatacta actgacgtta agtcatgatt tcgcgccata 3360
 ataaaga 3367

<210> 48

<211> 4211

<212> DNA

<213> Homo sapiens

<400> 48

ctctgcata gagggtagca ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca 60
 acagaaacat ggaaaacatg ttccttcagt cgtcaatgct gacctgcatt ttcctgctaa 120
 tatctgggtc ctgtgagtta tgcgccgaag aaaatttttc tagaagctat ccttgtgatg 180
 agaaaaagca aaatgactca gttattgcag agtgcagcaa tcgtogacta caggaagttc 240
 cccaaacggg gggcaaatat gtgacagaac tagacctgtc tgataatttc atcacacaca 300
 taacgaatga atcattttcaa gggctgcaaa atctcactaa aataaatcta aaccacaacc 360
 ccaatgtaca gcaccagaac ggaaatcccg gtatacaatc aaatggcttg aatatcacag 420
 acggggcatt cctcaacctc aaaaacctaa gggagttact gcttgaagac aaccagttac 480
 cccaaatacc ctctggtttg ccagagtctt tgacagaact tagtctaatt caaaacaata 540
 tatacaacat aactaaagag ggcattttcaa gacttataaa cttgaaaaat ctctatttgg 600
 cctggaactg ctatttttaac aaagtttgcg agaaaactaa catagaagat ggagtatttg 660
 aaacgctgac aaatttggag ttgctatcac tatctttcaa ttctctttca cacgtgccac 720
 ccaaactgcc aagctcccta cgcaaacttt ttctgagcaa caccagatc aaatacatta 780
 gtgaagaaga tttcaaggga ttgataaatt taacattact agatttaagc gggaactgtc 840

cgaggtgctt caatgcccc tttccatgcg tgccttgtga tgggtggtgct tcaattaata	900
tagatcgttt tgcttttcaa aacttgaccc aacttcgata cctaaacctc tctagcactt	960
ccctcaggaa gattaatgct gcctggttta aaaatatgcc tcactctgaag gtgctggatc	1020
ttgaattcaa ctatttagtg ggagaaatag cctctggggc atttttaacg atgctgcccc	1080
gcttagaaat acttgacttg tcttttaact atataaaggg gagttatcca cagcatatta	1140
atatttccag aaacttctct aaacttttgt ctctacgggc attgcattta agaggttatg	1200
tgttccagga actcagagaa gatgatttcc agcccctgat gcagcttcca aacttatcga	1260
ctatcaactt ggggtattaat tttattaagc aaatcgattt caaacttttc caaaatttct	1320
ccaatctgga aattatttac ttgtcagaaa acagaatatc accgttggtta aaagataccc	1380
ggcagagtta tgcaaatagt tcctcttttc aacgtcatat ccggaacga cgctcaacag	1440
attttgagtt tgaccacat tcgaactttt atcatttcac cgtccttta ataaagccac	1500
aatgtgctgc ttatggaaaa gccttagatt taagcctcaa cagtattttc ttcattgggc	1560
caaaccaatt tgaaaatctt cctgacattg cctgtttaaa tctgtctgca aatagcaatg	1620
ctcaagtgtt aagtggaact gaattttcag ccattcctca tgtcaaatat ttggatttga	1680
caaacaatag actagacttt gataatgcta gtgctcttac tgaattgtcc gacttggaag	1740
ttctagatct cagctataat tcacactatt tcagaatagc aggcgtaaca catcatctag	1800
aatttattca aaatttcaca aatctaaaag ttttaaactt gagccacaac aacatttata	1860
ctttaacaga taagtataac ctggaaagca agtccttggc agaattagtt ttcagtggca	1920
atgccttga ctttttgtgg aatgatgatg acaacaggta tatctccatt ttcaaaggtc	1980
tcaagaatct gacacgtctg gatttatccc ttaataggct gaagcacatc ccaaataag	2040
cattccttaa tttgccagcg agtctcactg aactacatat aaatgataat atgttaaagt	2100
tttttaactg gacattactc cagcagtttc ctgctctcga gttgcttgac ttacgtggaa	2160
acaaactact ctttttaact gatagcctat ctgactttac atcttccctt cggacactgc	2220
tgctgagtca taacaggatt tcccacctac cctctggcct tctttctgaa gtcagtagtc	2280
tgaagcacct cgatttaagt tccaatctgc taaaaacaat caacaaatcc gcacttgaaa	2340
ctaagaccac caccaaatta tctatgttgg aactacacgg aaaccctttt gaatgcacct	2400
gtgacattgg agatttccga agatggatgg atgaacatct gaatgtcaaa attcccagac	2460
tggtagatgt cttttgtgcc agtcctgggg atcaaagagg gaagagtatt gtgagtctgg	2520
agctaacaac ttgtgtttca gatgtcactg cagtgatatt atttttcttc acgttcttta	2580
tcaccaccat ggttatgttg gctgccctgg ctccaccattt gttttactgg gatgtttggc	2640
ttatatataa tgtgtgttta gctaaggtaa aaggctacag gtctctttcc acatcccaaa	2700
ctttctatga tgcttacatt tcttatgaca ccaaagatgc ctctgttact gactgggtga	2760

```

taaatgagct gcgctaccac cttgaagaga gccgagacaa aaacgttctc ctttgtctag 2820
aggagagggga ttgggatccg ggattggcca tcatcgacaa cctcatgcag agcatcaacc 2880
aaagcaagaa aacagtatctt gttttaacca aaaaatatgc aaaaagctgg aactttaaaa 2940
cagcttttta cttggctttg cagaggctaa tggatgagaa catggatgtg attatattta 3000
tcctgctgga gccagtgtta cagcattctc agtatctgag gctacggcag cggatctgta 3060
agagctccat cctccagtgg cctgacaacc cgaaggcaga aggcttggtt tggcaaactc 3120
tgagaaatgt ggtcttgact gaaaatgatt cacggtataa caatatgtat gtcgattcca 3180
ttaagcaata ctaactgacg ttaagtcatt atttcgcgcc ataataaaga tgcaaaggaa 3240
tgacatttct gtattagtta tctattgcta tgtaacaaat tatcccaaaa cttagtgggt 3300
taaaacaaca catttgctgg ccacagttt ttgaggggtca ggagtccagg cccagcataa 3360
ctgggtctct tgctcagggt gtctcagagg ctgcaatgta ggtgttcacc agagacatag 3420
gcatcactgg ggtcacactc atgtgggtgt tttctggatt caattcctcc tgggctattg 3480
gccaaaggct atactcatgt aagccatgcg agcctctccc acaaggcagc ttgcttcac 3540
agagctagca aaaaagagag gttgctagca agatgaagtc acaatctttt gtaatcgaat 3600
caaaaaagtg atatctcatc actttggcca tattctatct gttagaagta aaccacaggt 3660
cccaccagct ccatgggagt gaccacctca gtccaggga aacagctgaa gaccaagatg 3720
gtgagctctg attgcttcag ttggatcatc actattttcc cttgactgct gtcctgggat 3780
ggcctgctat cttgatgata gattgtgaat atcaggaggc agggatcact gtggaccatc 3840
ttagcagttg acctaacaca tcttcttttc aatatctaag aacttttgcc actgtgacta 3900
atggtcctaa tattaagctg ttgtttatat ttatcatata tctatggcta catgggtata 3960
ttatgctgtg gttgcgttcg gttttattta cagttgcttt taaaaatatt tgctgtaaca 4020
tttgacttct aagggtttaga tgccatttaa gaactgagat ggatagcttt taaagcatct 4080
tttacttctt accatttttt aaaagtatgc agctaaattc gaagcttttg gtctatattg 4140
ttaattgcc a ttgctgtaaa tcttaaaatg aatgaataaa aatgtttcat tttacaaaaa 4200
aaaaaaaaa a 4211

```

<210> 49

<211> 3468

<212> DNA

<213> Homo sapiens

<400> 49

```

ctcctgcata gagggtagca ttctgcgtg ctgcaagtta cggaatgaaa aattagaaca 60
acagaaacat gggtctcttg acacttcagt gttagggaac atcagcaaga cccatcccag 120

```

gagaccttga aggaagcctt tgaaagggag aatgaaggag tcatctttgc aaaatagctc 180
ctgcagcctg ggaaaggaga ctaaaaggga aaacatgttc cttcagtcgt caatgctgac 240

ctgcattttc ctgctaatat ctggttcctg tgagttatgc gccgaagaaa atttttctag 300

aagctatcct tgtgatgaga aaaagcaaaa tgactcagtt attgcagagt gcagcaatcg 360

tcgactacag gaagttcccc aaacggtggg caaatatgtg acagaactag acctgtctga 420

taatttcatac acacacataa cgaatgaatc atttcaaggg ctgcaaaatc tcactaaaat 480

aatctaaac cacaacccca atgtacagca ccagaacgga aatcccggta tacaatcaaa 540

tggcttgaat atcacagacg gggcatttcct caacctaaaa aacctagggt agttactgct 600

tgaagacaac cagttacccc aaataccctc tggtttgcca gagtctttga cagaacttag 660

tctaattcaa aacaatatat acaacataac taaagagggt atttcaagac ttataaactt 720

gaaaaatctc tatttggcct ggaactgcta ttttaacaaa gtttgcgaga aaactaacat 780

agaagatgga gtatttgaaa cgctgacaaa tttggagttg ctatcactat ctttcaattc 840

tctttcacac gtgccacca aactgccaaag ctccctacgc aaactttttc tgagcaacac 900

ccagatcaaa tacattagtg aagaagattt caagggttg ataaatttaa cattactaga 960

tttaagcggg aactgtccga ggtgcttcaa tgccccattt ccatgcgtgc cttgtgatgg 1020

tgggtgcttca attaatatag atcgttttgc ttttcaaaac ttgaccaac ttcgatacct 1080

aaacctctct agcacttccc tcaggaagat taatgctgcc tggtttaaaa atatgcctca 1140

tctgaagggt ctggatcttg aattcaacta tttagtggga gaaatagcct ctggggcatt 1200

tttaacgatg ctgccccgt tagaaatact tgacttgtct tttactata taaaggggag 1260

ttatccacag catattaata tttccagaaa cttctctaaa cttttgtctc tacgggcatt 1320

gcatttaaga ggttatgtgt tccaggaact cagagaagat gatttccagc ccctgatgca 1380

gcttccaaac ttatcgacta tcaacttggg tattaatttt attaaagcaa tcgatttcaa 1440

acttttccaa aattttctca atctggaaat tatttacttg tcagaaaaca gaatatcacc 1500

gttggtaaaa gatacccggt agagttatgc aaatagttcc tcttttcaac gtcatatccg 1560

gaaacgacgc tcaacagatt ttgagtttga cccacattcg aacttttatc atttcaccog 1620

tcctttaata aagccacaat gtgctgctta tggaaaagcc ttagatttaa gcctcaacag 1680

tattttcttc attgggcca accaatttga aaatcttcct gacattgcct gtttaaatct 1740

gtctgcaa at agcaatgctc aagtgttaag tggaactgaa ttttcagcca ttctcatgt 1800

caaatatttg gatttgacaa acaatagact agactttgat aatgctagt ctcttactga 1860

attgtccgac ttggaagttc tagatctcag ctataattca cactatttca gaatagcagg 1920

cgtaacacat catctagaat ttattcaaaa tttcacaat ctaaaagttt taaacttgag 1980

ccacaacaac atttatactt taacagataa gtataacctg gaaagcaagt ccctggtaga 2040

```

attagttttc agtggcaatc gccttgacat tttgtggaat gatgatgaca acaggtatat 2100
ctccattttc aaaggtctca agaactcgac acgtctggat ttatccctta ataggctgaa 2160
gcacatccca aatgaagcat tccttaattt gccagcgagt ctactgaac tacatataaa 2220
tgataatatg ttaaagtttt ttaactggac attactccag cagtttcctc gtctcgagtt 2280
gcttgactta cgtggaaaca aactactctt tttaactgat agcctatctg actttacatc 2340
ttcccttcgg aactgctgc tgagtcataa caggatttcc cacctaccct ctggctttct 2400
ttctgaagtc agtagtctga agcacctoga tttaagttcc aatctgctaa aaacaatcaa 2460
caaatccgca cttgaaacta agaccaccac caaattatct atgttggaac tacacggaaa 2520
cccctttgaa tgcacctgtg acattggaga tttccgaaga tggatggatg aacatctgaa 2580
tgtcaaaatt ccagactgg tagatgtcat ttgtgccagt cctggggatc aaagagggaa 2640
gagtattgtg agtctggagc taacaacttg tgtttcagat gtactgcag tgatattatt 2700
ttcttccagc ttctttatca ccaccatggt tatgttggtt gccctggctc accatttggt 2760
ttactgggat gtttggttta tatataatgt gtgttttagct aaggtaaaag gctacaggtc 2820
tctttccaca tcccaaactt tctatgatgc ttacatttct tatgacacca aagatgcctc 2880
tgttactgac tgggtgataa atgagctgcg ctaccacctt gaagagagcc gagacaaaaa 2940
cgttctcctt tgtctagagg agagggattg ggatccggga ttggccatca tcgacaacct 3000
catgcagagc atcaacaaaa gcaagaaaac agtatttggt ttaacaaaaa aatatgcaaa 3060
aagctggaac tttaaaacag ctttttactt ggctttgcag aggctaattg atgagaacat 3120
ggatgtgatt atatttatcc tgctggagcc agtgttacag cattctcagt atttgaggct 3180
acggcagcgg atctgtaaga gctccatcct ccagtggcct gacaaccoga aggcagaagg 3240
cttgttttgg caaactctga gaaatgtggt cttgactgaa aatgattcac ggtataaaca 3300
tatgtatgtc gattccatta agcaatacta actgacgtta agtcatgatt tcgcgccata 3360
ataaagatgc aaaggaatga catttctgta ttagttatct attgctatgt aacaaattat 3420
cccaaaactt agtgggttaa aacaacacat ttgctggccc acagtttt 3468

```

<210> 50

<211> 1041

<212> PRT

<213> Homo sapiens

<400> 50

```

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu
1           5           10           15

```

```

Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg
20           25           30

```

Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile Ala Glu
 35 40 45
 Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly Lys Tyr
 50 55 60
 Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile Thr Asn
 65 70 75 80
 Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu Asn His
 85 90 95
 Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln Ser Asn
 100 105 110
 Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn Leu Arg
 115 120 125
 Glu Leu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser Gly Leu
 130 135 140
 Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile Tyr Asn
 145 150 155 160
 Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn Leu Tyr
 165 170 175
 Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr Asn Ile
 180 185 190
 Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu Ser Leu
 195 200 205
 Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser Ser Leu
 210 215 220
 Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser Glu Glu
 225 230 235 240
 Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn
 245 250 255
 Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys Asp Gly
 260 265 270
 Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu Thr Gln
 275 280 285
 Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile Asn Ala
 290 295 300
 Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu Glu Phe
 305 310 315 320
 Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr Met Leu
 325 330 335
 Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys Gly Ser
 340 345 350
 Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Leu Leu Ser

355	360	365
Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu Arg Glu		
370	375	380
Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr Ile Asn		
385	390	395
400		
Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn		
405	410	415
Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro		
420	425	430
Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln		
435	440	445
Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His		
450	455	460
Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala		
465	470	475
480		
Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile		
485	490	495
Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu Asn Leu		
500	505	510
Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe Ser Ala		
515	520	525
Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu Asp Phe		
530	535	540
Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val Leu Asp		
545	550	555
560		
Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr His His		
565	570	575
Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn Leu Ser		
580	585	590
His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu Ser Lys		
595	600	605
Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile Leu Trp		
610	615	620
Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu Lys Asn		
625	630	635
640		
Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn		
645	650	655
Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His Ile Asn		
660	665	670
Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln Phe Pro		
675	680	685
Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe Leu Thr		

690 695 700
 Asp Ser Leu Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu Leu Ser
 705 710 715 720

 His Asn Arg Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu Val Ser
 725 730 735

 Ser Leu Lys His Leu Asp Leu Ser Ser Asn Leu Leu Lys Thr Ile Asn
 740 745 750

 Lys Ser Ala Leu Glu Thr Lys Thr Thr Thr Lys Leu Ser Met Leu Glu
 755 760 765

 Leu His Gly Asn Pro Phe Glu Cys Thr Cys Asp Ile Gly Asp Phe Arg
 770 775 780

 Arg Trp Met Asp Glu His Leu Asn Val Lys Ile Pro Arg Leu Val Asp
 785 790 795 800

 Val Ile Cys Ala Ser Pro Gly Asp Gln Arg Gly Lys Ser Ile Val Ser
 805 810 815

 Leu Glu Leu Thr Thr Cys Val Ser Asp Val Thr Ala Val Ile Leu Phe
 820 825 830

 Phe Phe Thr Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala Leu Ala
 835 840 845

 His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val Cys Leu
 850 855 860

 Ala Lys Val Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr Phe Tyr
 865 870 875 880

 Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr Asp Trp
 885 890 895

 Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp Lys Asn
 900 905 910

 Val Leu Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu Ala Ile
 915 920 925

 Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr Val Phe
 930 935 940

 Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr Ala Phe
 945 950 955 960

 Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val Ile Ile
 965 970 975

 Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu Arg Leu
 980 985 990

 Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro Asp Asn Pro
 995 1000 1005

 Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn Val Val Leu
 1010 1015 1020

 Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val Asp Ser Ile

1025
Lys Gln Tyr
1040

1030

1035

<210> 51
<211> 1059
<212> PRT
<213> Homo sapiens

<400> 51

Met Lys Glu Ser Ser Leu Gln Asn Ser Ser Cys Ser Leu Gly Lys Glu
1 5 10 15

Thr Lys Lys Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile
20 25 30

Phe Leu Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe
35 40 45

Ser Arg Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile
50 55 60

Ala Glu Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly
65 70 75 80

Lys Tyr Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile
85 90 95

Thr Asn Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu
100 105 110

Asn His Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln
115 120 125

Ser Asn Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn
130 135 140

Leu Arg Glu Leu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser
145 150 155 160

Gly Leu Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile
165 170 175

Tyr Asn Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn
180 185 190

Leu Tyr Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr
195 200 205

Asn Ile Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu
210 215 220

Ser Leu Ser Phe Asn Ser Leu Ser His Val Ser Pro Lys Leu Pro Ser
225 230 235 240

Ser Leu Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser
245 250 255

Glu Glu Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser
260 265 270

Gly Asn Cys Pro Arg Cys Phé Asn Ala Pro Phe Pro Cys Val Pro Cys
 275 280 285
 Asp Gly Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu
 290 295 300
 Thr Gln Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile
 305 310 315 320
 Asn Ala Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu
 325 330 335
 Glu Phe Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr
 340 345 350
 Met Leu Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys
 355 360 365
 Gly Ser Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Pro
 370 375 380
 Leu Ser Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu
 385 390 395 400
 Arg Glu Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr
 405 410 415
 Ile Asn Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe
 420 425 430
 Gln Asn Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile
 435 440 445
 Ser Pro Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser
 450 455 460
 Phe Gln Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp
 465 470 475 480
 Pro His Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln
 485 490 495
 Cys Ala Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe
 500 505 510
 Phe Ile Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu
 515 520 525
 Asn Leu Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe
 530 535 540
 Ser Ala Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu
 545 550 555 560
 Asp Phe Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val
 565 570 575
 Leu Asp Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr
 580 585 590
 His His Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn

595 600 605
 Leu Ser His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu
 610 615 620
 Ser Lys Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile
 625 630 635 640
 Leu Trp Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu
 645 650 655
 Lys Asn Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile
 660 665 670
 Pro Asn Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His
 675 680 685
 Ile Asn Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln
 690 695 700
 Phe Pro Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe
 705 710 715 720
 Leu Thr Asp Ser Leu Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu
 725 730 735
 Leu Ser His Asn Arg Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu
 740 745 750
 Val Ser Ser Leu Lys His Leu Asp Leu Ser Ser Asn Leu Leu Lys Thr
 755 760 765
 Ile Asn Lys Ser Ala Leu Glu Thr Lys Thr Thr Thr Lys Leu Ser Met
 770 775 780
 Leu Glu Leu His Gly Asn Pro Phe Glu Cys Thr Cys Asp Ile Gly Asp
 785 790 795 800
 Phe Arg Arg Trp Met Asp Glu His Leu Asn Val Lys Ile Pro Arg Leu
 805 810 815
 Val Asp Val Ile Cys Ala Ser Pro Gly Asp Gln Arg Gly Lys Ser Ile
 820 825 830
 Val Ser Leu Glu Leu Thr Thr Cys Val Ser Asp Val Thr Ala Val Ile
 835 840 845
 Leu Phe Phe Phe Thr Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala
 850 855 860
 Leu Ala His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val
 865 870 875 880
 Cys Leu Ala Lys Ile Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr
 885 890 895
 Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr
 900 905 910
 Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp
 915 920 925
 Lys Asn Val Leu Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu

930 935 940
 Ala Ile Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr
 945 950 955 960
 Val Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr
 965 970 975
 Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val
 980 985 990
 Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu
 995 1000 1005
 Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro
 1010 1015 1020
 Asp Asn Pro Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn
 1025 1030 1035
 Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val
 1040 1045 1050
 Asp Ser Ile Lys Gln Tyr
 1055

<210> 52
 <211> 1041
 <212> PRT
 <213> Homo sapiens

<400> 52

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu
 1 5 10 15
 Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg
 20 25 30
 Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile Ala Glu
 35 40 45
 Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly Lys Tyr
 50 55 60
 Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile Thr Asn
 65 70 75 80
 Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu Asn His
 85 90 95
 Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln Ser Asn
 100 105 110
 Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn Leu Arg
 115 120 125
 Glu Leu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser Gly Leu
 130 135 140
 Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile Tyr Asn
 145 150 155 160

Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn Leu Tyr
 165 170 175
 Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr Asn Ile
 180 185 190
 Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu Ser Leu
 195 200 205
 Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser Ser Leu
 210 215 220
 Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser Glu Glu
 225 230 235 240
 Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn
 245 250 255
 Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys Asp Gly
 260 265 270
 Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu Thr Gln
 275 280 285
 Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile Asn Ala
 290 295 300
 Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu Glu Phe
 305 310 315 320
 Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr Met Leu
 325 330 335
 Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys Gly Ser
 340 345 350
 Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Leu Leu Ser
 355 360 365
 Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu Arg Glu
 370 375 380
 Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr Ile Asn
 385 390 395 400
 Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn
 405 410 415
 Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro
 420 425 430
 Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln
 435 440 445
 Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His
 450 455 460
 Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala
 465 470 475 480
 Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile

485 490 495
 Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu Asn Leu
 500 505 510
 Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe Ser Ala
 515 520 525
 Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu Asp Phe
 530 535 540
 Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val Leu Asp
 545 550 555 560
 Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr His His
 565 570 575
 Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn Leu Ser
 580 585 590
 His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu Ser Lys
 595 600 605
 Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile Leu Trp
 610 615 620
 Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu Lys Asn
 625 630 635 640
 Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn
 645 650 655
 Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His Ile Asn
 660 665 670
 Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln Phe Pro
 675 680 685
 Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe Leu Thr
 690 695 700
 Asp Ser Leu Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu Leu Ser
 705 710 715 720
 His Asn Arg Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu Val Ser
 725 730 735
 Ser Leu Lys His Leu Asp Leu Ser Ser Asn Leu Leu Lys Thr Ile Asn
 740 745 750
 Lys Ser Ala Leu Glu Thr Lys Thr Thr Thr Lys Leu Ser Met Leu Glu
 755 760 765
 Leu His Gly Asn Pro Phe Glu Cys Thr Cys Asp Ile Gly Asp Phe Arg
 770 775 780
 Arg Trp Met Asp Glu His Leu Asn Val Lys Ile Pro Arg Leu Val Asp
 785 790 795 800
 Val Ile Cys Ala Ser Pro Gly Asp Gln Arg Gly Lys Ser Ile Val Ser
 805 810 815
 Leu Glu Leu Thr Thr Cys Val Ser Asp Val Thr Ala Val Ile Leu Phe

820 825 830
 Phe Phe Thr Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala Leu Ala
 835 840 845
 His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val Cys Leu
 850 855 860
 Ala Lys Val Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr Phe Tyr
 865 870 875 880
 Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr Asp Trp
 885 890 895
 Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp Lys Asn
 900 905 910
 Val Leu Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu Ala Ile
 915 920 925
 Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr Val Phe
 930 935 940
 Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr Ala Phe
 945 950 955 960
 Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val Ile Ile
 965 970 975
 Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu Arg Leu
 980 985 990
 Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro Asp Asn Pro
 995 1000 1005
 Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn Val Val Leu
 1010 1015 1020
 Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val Asp Ser Ile
 1025 1030 1035
 Lys Gln Tyr
 1040

<210> 53
 <211> 1041
 <212> PRT
 <213> Homo sapiens

<400> 53

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu
 1 5 10 15
 Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg
 20 25 30
 Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile Ala Glu
 35 40 45
 Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly Lys Tyr
 50 55 60

Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile Thr Asn
 65 70 75 80
 Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu Asn His
 85 90 95
 Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln Ser Asn
 100 105 110
 Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn Leu Arg
 115 120 125
 Glu Leu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser Gly Leu
 130 135 140
 Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile Tyr Asn
 145 150 155 160
 Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn Leu Tyr
 165 170 175
 Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr Asn Ile
 180 185 190
 Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu Ser Leu
 195 200 205
 Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser Ser Leu
 210 215 220
 Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser Glu Glu
 225 230 235 240
 Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn
 245 250 255
 Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys Asp Gly
 260 265 270
 Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu Thr Gln
 275 280 285
 Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile Asn Ala
 290 295 300
 Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu Glu Phe
 305 310 315 320
 Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr Met Leu
 325 330 335
 Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys Gly Ser
 340 345 350
 Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Leu Leu Ser
 355 360 365
 Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu Arg Glu
 370 375 380
 Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr Ile Asn

385 390 395 400
 Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn
 405 410 415

 Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro
 420 425 430

 Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln
 435 440 445

 Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His
 450 455 460

 Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala
 465 470 475 480

 Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile
 485 490 495

 Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu Asn Leu
 500 505 510

 Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe Ser Ala
 515 520 525

 Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu Asp Phe
 530 535 540

 Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val Leu Asp
 545 550 555 560

 Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr His His
 565 570 575

 Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn Leu Ser
 580 585 590

 His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu Ser Lys
 595 600 605

 Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile Leu Trp
 610 615 620

 Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu Lys Asn
 625 630 635 640

 Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn
 645 650 655

 Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His Ile Asn
 660 665 670

 Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln Phe Pro
 675 680 685

 Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe Leu Thr
 690 695 700

 Asp Ser Leu Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu Leu Ser
 705 710 715 720

 His Asn Arg Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu Val Ser

Ser Leu Lys His Leu Asp Leu Ser Ser Asn Leu Leu Lys Thr Ile Asn
 725 730 735
 740 745 750
 Lys Ser Ala Leu Glu Thr Lys Thr Thr Thr Lys Leu Ser Met Leu Glu
 755 760 765
 Leu His Gly Asn Pro Phe Glu Cys Thr Cys Asp Ile Gly Asp Phe Arg
 770 775 780
 Arg Trp Met Asp Glu His Leu Asn Val Lys Ile Pro Arg Leu Val Asp
 785 790 795 800
 Val Ile Cys Ala Ser Pro Gly Asp Gln Arg Gly Lys Ser Ile Val Ser
 805 810 815
 Leu Glu Leu Thr Thr Cys Val Ser Asp Val Thr Ala Val Ile Leu Phe
 820 825 830
 Phe Phe Thr Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala Leu Ala
 835 840 845
 His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val Cys Leu
 850 855 860
 Ala Lys Val Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr Phe Tyr
 865 870 875 880
 Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr Asp Trp
 885 890 895
 Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp Lys Asn
 900 905 910
 Val Leu Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu Ala Ile
 915 920 925
 Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr Val Phe
 930 935 940
 Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr Ala Phe
 945 950 955 960
 Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val Ile Ile
 965 970 975
 Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu Arg Leu
 980 985 990
 Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro Asp Asn Pro
 995 1000 1005
 Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn Val Val Leu
 1010 1015 1020
 Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val Asp Ser Ile
 1025 1030 1035
 Lys Gln Tyr
 1040

<210> 54
 <211> 1059
 <212> PRT
 <213> Homo sapiens

<400> 54

```

Met Lys Glu Ser Ser Leu Gln Asn Ser Ser Cys Ser Leu Gly Lys Glu
1      5      10      15
Thr Lys Lys Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile
      20      25      30
Phe Leu Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe
      35      40      45
Ser Arg Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile
      50      55      60
Ala Glu Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly
      65      70      75      80
Lys Tyr Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile
      85      90      95
Thr Asn Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu
      100     105     110
Asn His Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln
      115     120     125
Ser Asn Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn
      130     135     140
Leu Arg Glu Leu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser
      145     150     155     160
Gly Leu Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile
      165     170     175
Tyr Asn Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn
      180     185     190
Leu Tyr Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr
      195     200     205
Asn Ile Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu
      210     215     220
Ser Leu Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser
      225     230     235     240
Ser Leu Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser
      245     250     255
Glu Glu Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser
      260     265     270
Gly Asn Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys
      275     280     285

```

Asp Gly Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu
290 295 300

Thr Gln Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile
305 310 315 320

Asn Ala Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu
325 330 335

Glu Phe Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr
340 345 350

Met Leu Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys
355 360 365

Gly Ser Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Leu
370 375 380

Leu Ser Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu
385 390 395 400

Arg Glu Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr
405 410 415

Ile Asn Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe
420 425 430

Gln Asn Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile
435 440 445

Ser Pro Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser
450 455 460

Phe Gln Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp
465 470 475 480

Pro His Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln
485 490 495

Cys Ala Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe
500 505 510

Phe Ile Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu
515 520 525

Asn Leu Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe
530 535 540

Ser Ala Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu
545 550 555 560

Asp Phe Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val
565 570 575

Leu Asp Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr
580 585 590

His His Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn
595 600 605

Leu Ser His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu

610	615	620
Ser Lys Ser Leu Val	Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile	
625	630	635 640
Leu Trp Asn Asp Asp	Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu	
	645	650 655
Lys Asn Leu Thr Arg	Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile	
	660	665 670
Pro Asn Glu Ala Phe	Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His	
	675	680 685
Ile Asn Asp Asn Met	Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln	
	690	695 700
Phe Pro Arg Leu Glu	Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe	
	705	710 715 720
Leu Thr Asp Ser Leu	Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu	
	725	730 735
Leu Ser His Asn Arg	Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu	
	740	745 750
Val Ser Ser Leu Lys	His Leu Asp Leu Ser Ser Asn Leu Leu Lys Thr	
	755	760 765
Ile Asn Lys Ser Ala	Leu Glu Thr Lys Thr Thr Thr Lys Leu Ser Met	
	770	775 780
Leu Glu Leu His Gly	Asn Pro Phe Glu Cys Thr Cys Asp Ile Gly Asp	
	785	790 795 800
Phe Arg Arg Trp Met	Asp Glu His Leu Asn Val Lys Ile Pro Arg Leu	
	805	810 815
Val Asp Val Ile Cys	Ala Ser Pro Gly Asp Gln Arg Gly Lys Ser Ile	
	820	825 830
Val Ser Leu Glu Leu	Thr Thr Cys Val Ser Asp Val Thr Ala Val Ile	
	835	840 845
Leu Phe Phe Phe Thr	Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala	
	850	855 860
Leu Ala His His Leu	Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val	
	865	870 875 880
Cys Leu Ala Lys Val	Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr	
	885	890 895
Phe Tyr Asp Ala Tyr	Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr	
	900	905 910
Asp Trp Val Ile Asn	Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp	
	915	920 925
Lys Asn Val Leu Leu	Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu	
	930	935 940
Ala Ile Ile Asp Asn	Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr	

945 950 955 960
 Val Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr
 965 970 975

 Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val
 980 985 990

 Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu
 995 1000 1005

 Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro
 1010 1015 1020

 Asp Asn Pro Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn
 1025 1030 1035

 Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val
 1040 1045 1050

 Asp Ser Ile Lys Gln Tyr
 1055

<210> 55
 <211> 3220
 <212> DNA
 <213> murine

<400> 55
 attcagagtt ggatgttaag agagaaacaa acgttttacc ttcctttgtc tatagaacat 60

 ggaaaacatg cccctcagt catggattct gacgtgcttt tgtctgctgt cctctggaac 120

 cagtgccatc ttccataaag cgaactattc cagaagctat ccttgtgacg agataaggca 180

 caactccctt gtgattgcag aatgcaacca tcgtcaactg catgaagttc cccaaactat 240

 aggcaagtat gtgacaaaca tagacttgct agacaatgcc attacacata taacgaaaga 300

 gtcctttcaa aagctgcaaa acctcactaa aatcgatctg aaccacaatg ccaaacaaca 360

 gcacccaaat gaaaataaaa atggtatgaa tattacagaa ggggcacttc tcagcctaag 420

 aaatctaaca gttttactgc tggaagacaa ccagttatat actatacctg ctgggttgcc 480

 tgagtctttg aaagaactta gcctaattca aaacaatata tttcaggtaa ctaaaaacaa 540

 cacttttggg cttaggaact tggaaagact ctatttgggc tggaaactgct attttaaatg 600

 taatcaaacc ttttaaggtag aagatggggc atttaaaaat cttatacact tgaaggtact 660

 ctcattatct ttcaataacc ttttctatgt gcccccaaa ctaccaagtt ctctaaggaa 720

 actttttctg agtaatgcca aaatcatgaa catcactcag gaagacttca aaggactgga 780

 aaatttaaca ttactagatc tgagtggaaa ctgtccaagg tgttacaatg ctccatttcc 840

 ttgcacacct tgcaaggaaa actcatccat ccacatacat cctctggctt ttcaaagtct 900

 caccacactt ctctatctaa acctttccag cacttccctc aggacgattc cttctacctg 960

 gtttgaaaat ctgtcaaacc tgaaggaaact ccatcttgaa ttcaactatt tagttcaaga 1020

aattgcctcg ggggcatttt taacaaaact acccagttta caaatccttg atttgcctt 1080
caactttcaa tataaggaat atttacaatt tattaatatt tcctcaaatt tctctaagct 1140
tcgttctctc aagaagttgc acttaagagg ctatgtgttc cgagaactta aaaagaagca 1200
tttcgagcat ctccagagtc ttccaaactt ggcaaccatc aacttgggca ttaactttat 1260
tgagaaaatt gatttcaaag ctttccagaa tttttccaaa ctcgacgtta tctatttatc 1320
aggaaatcgc atagcatctg tattagatgg tacagattat tcctcttggc gaaatcgtct 1380
tcggaaacct ctctcaacag acgatgatga gtttgatcca cagtggaatt tttaccatag 1440
caccaaact ttaataaagc cacagtgtac tgcttatggc aaggccttgg atttaagttt 1500
gaacaatatt ttcattattg ggaaaagcca atttgaaggc tttcaggata tcgcctgctt 1560
aaatctgtcc ttcaatgcc aactcaagt gtttaatggc acagaattct cctccatgcc 1620
ccacattaaa tatttggatt taaccaacaa cagactagac tttgatgata acaatgcttt 1680
cagtgatctt cagatctag aagtgtgga cctgagccac aatgcacact atttcagtat 1740
agcaggggta acgcaccgtc taggatttat ccagaactta ataaacctca ggggtgttaa 1800
cctgagccac aatggcattt acaccctcac agaggaaagt gagctgaaaa gcatctcact 1860
gaaagaattg gttttcagt gaaatcgtct tgaccatttg tggaatgcaa atgatggcaa 1920
atactgggtc atttttaaaa gtctccagaa tttgatagc ctggacttat catacaataa 1980
ccttcaacaa atcccaaag gagcattcct caatttgcct cagagcctcc aagagttact 2040
tatcagtggg aacaaattac gtttctttta ttggacatta ctccagtatt ttcctcacct 2100
tcaattgctg gatttatcga gaaatgagct gtattttcta cccaattgcc tatctaagtt 2160
tgcacattcc ctggagacac tgctactgag ccataatcat ttctctcacc taccctctgg 2220
cttctctccc gaagccagga atctggtgca cctggatcta agtttcaaca caataaagat 2280
gatcaataaa tcctccctgc aaaccaagat gaaaacgaac ttgtctatc tggagctaca 2340
tgggaactat ttgactgca cgtgtgacat aagtgatttt cgaagctggc tagatgaaaa 2400
tctgaatatc acaattccta aattggtaaa tgttatatgt tccaatcctg gggatcaaaa 2460
atcaaagagt atcatgagcc tagatctcac gacttgtgta tcggatacca ctgcagctgt 2520
cctgtttttc ctacattcc ttaccacctc catgggtatg ttggtgctc tggttcacca 2580
cctgttttac tgggatgttt ggtttatcta tcacatgtgc tctgctaagt taaaaggcta 2640
caggacttca tccacatccc aaactttcta tgatgcttat atttcttatg acaccaaga 2700
tgcatctgtt actgactggg taatcaatga actgcgctac caccttgaag agagtgaaga 2760
caaaagtgtc ctctttgtt tagaggagag ggattgggat ccaggattac ccatcattga 2820
taacctcatg cagagcataa accagagcaa gaaaacaatc tttgttttaa ccaagaaata 2880

tgccaagagc	tggaacttta	aaacagcttt	ctacttggcc	ttgcagaggc	taatggatga	2940
gaacatggat	gtgattat	ttcatcctct	ggaaccagtg	ttacagtact	cacagtacct	3000
gaggcttcgg	cagaggatct	gtaagagctc	catcctccag	tggtcccaaca	atcccaaagc	3060
agaaaacttg	ttttggcaaa	gtctgaaaaa	tgtggtcttg	actgaaaatg	attcacggta	3120
tgacgatttg	tacattgatt	ccattaggca	atactagtga	tggaagtca	cgactctgcc	3180
atcataaaaa	cacacagctt	ctccttacia	tgaaccgaat			3220

<210> 56

<211> 3220

<212> DNA

<213> murine

<400> 56

attcagagtt	ggatgttaag	agagaaacaa	acgttttacc	ttcctttgtc	tatagaacat	60
ggaaaacatg	ccccctcagt	catggattct	gacgtgcttt	tgtctgctgt	cctctggaac	120
cagtgccatc	ttccataaag	cgaactat	cagaagctat	ccttgtgacg	agataaggca	180
caactccctt	gtgattgcag	aatgcaacca	tcgtcaactg	catgaagt	cccaaactat	240
aggcaagtat	gtgacaaaca	tagacttgtc	agacaatgcc	attacacata	taacgaaaga	300
gtcctttcaa	aagctgcaaa	acctcactaa	aatcgatctg	aaccacaatg	caaacaaca	360
gcacccaaat	gaaaataaaa	atggatatga	tattacagaa	ggggcacttc	tcagcctaag	420
aaatctaaca	gttttactgc	tggaagacaa	ccagttatat	actatactg	ctgggttgcc	480
tgagtctttg	aaagaactta	gcctaattca	aaacaatata	tttcaggtaa	ctaaaaacaa	540
cacttttggg	cttaggaact	tggaagact	ctatttgggc	tggaactgct	attttaaatg	600
taatcaaac	tttaaggtag	aagatggggc	atttaaaaat	cttatacact	tgaaggtag	660
ctcattatct	ttcaataacc	ttttctatgt	gcccccaaa	ctaccaagtt	ctctaaggaa	720
actttttctg	agtaatgcca	aatcatgaa	catcactcag	gaagacttca	aaggactgga	780
aaatttaaca	ttactagatc	tgagtggaaa	ctgtccaagg	tggtacaatg	ctccatttcc	840
ttgcacacct	tgcaaggaaa	actcatccat	ccacatacat	cctctggctt	ttcaaagtct	900
cacccaactt	ctctatctaa	acctttccag	cacttccctc	aggacgattc	cttctacctg	960
gtttgaaaat	ctgtcaaatc	tgaaggaa	ccatcttgaa	ttcaactatt	tagttcaaga	1020
aattgcctcg	ggggcatttt	taacaaaact	accagttta	caaactcctg	atttgcctt	1080
caactttcaa	tataaggaa	atttacaatt	tattaatatt	tcctcaaatt	tctctaagct	1140
tcgttctctc	aagaagttgc	acttaagagg	ctatgtgttc	cgagaactta	aaaagaagca	1200
tttcgagcat	ctccagagtc	ttccaaactt	ggcaaccatc	aacttgggca	ttaactttat	1260

tgagaaaatt gatttcaaag ctttccagaa tttttccaaa ctgcagctta tctatttatc	1320
aggaaatcgc atagcatctg tattagatgg tacagattat tcctcttggc gaaatcgtct	1380
tcggaaacct ctctcaacag acgatgatga gtttgatcca cacgtgaatt tttaccatag	1440
caccaaacct ttaataaagc cacagtgtac tgcttatggc aaggccttgg atttaagttt	1500
gaacaatatt ttcattattg ggaaaagcca atttgaaggc tttcaggata tcgcctgctt	1560
aaatctgtcc ttcaatgcc aactcaagt gtttaatggc acagaattct cctccatgcc	1620
ccacattaaa tatttggtt taaccaaaa cagactagac tttgatgata acaatgcttt	1680
cagtgatctt cagatctag aagtgttga cctgagccac aatgcacact atttcagtat	1740
agcaggggta acgcaccgtc taggatttat ccagaactta ataaacctca ggggtgtaaa	1800
cctgagccac aatggcattt acaccctcac agaggaaagt gagctgaaaa gcctctcact	1860
gaaagaattg gttttcagt gaaatcgtct tgaccatttg tggaatgcaa atgatggcaa	1920
atactggtcc atttttaaaa gtctccagaa tttgatacgc ctggacttat catacataa	1980
ccttcaacaa atcccaaag gagcattcct caatttgcct cagagcctcc aagagttact	2040
tatcagtggg aacaaattac gtttctttta ttggacatta ctccagtatt ttctcacct	2100
tcacttgctg gatttatcga gaaatgagct gtattttcta cccaattgcc tatctaagtt	2160
tgcacattcc ctggagacac tgctactgag ccataatcat ttctctcacc taccctctgg	2220
cttctctcc gaagccagga atctggtgca cctggatcta agtttcaaca caataaagat	2280
gatcaataaa tcctccctgc aaaccaagat gaaaacgaac ttgtctattc tggagctaca	2340
tgggaactat tttgactgca cgtgtgacat aagtgatttt cgaagctggc tagatgaaaa	2400
tctgaatatc acaattccta aattggtaaa tggtatatgt tccaatcctg gggatcaaaa	2460
atcaaagagt atcatgagcc tagatctcac gacttggtga tcggatacca ctgcagctgt	2520
cctgtttttc ctacattcc ttaccacctc catggttatg ttggctgctc tggttcacca	2580
cctgtttttac tgggatgttt gggttatcta tcacatgtgc tctgctaagt taaaaggcta	2640
caggacttca tccacatccc aaactttcta tgatgcttat atttcttatg acaccaaaga	2700
tgcactctgt actgactggg taatcaatga actgcgctac caccttgaag agagtgaaga	2760
caaaagtgtc ctcttttgt tagaggagag ggattgggat ccaggattac ccatcattga	2820
taacctcatg cagagcataa accagagcaa gaaaacaatc tttgttttaa ccaagaaata	2880
tgccaagagc tggaaactta aaacagcttt ctacttggcc ttgcagaggc taatggatga	2940
gaacatggat gtgattattt tcatctctc ggaaccagtg ttacagtact cacagtacct	3000
gaggcttcgg cagaggatct gtaagagctc catctccag tggcccaaca atcccaaagc	3060
agaaaacttg ttttggcaaa gtctgaaaaa tgtggtcttg actgaaaatg attcacggta	3120
tgacgatttg tacattgatt ccattaggca atactagtga tgggaagtca cgactctgcc	3180

atcataaaaa cacacagctt ctccttataaa tgaaccgaat

3220

<210> 57

<211> 1032

<212> PRT

<213> murine

<400> 57

Met Glu Asn Met Pro Pro Gln Ser Trp Ile Leu Thr Cys Phe Cys Leu
1 5 10 15

Leu Ser Ser Gly Thr Ser Ala Ile Phe His Lys Ala Asn Tyr Ser Arg
20 25 30

Ser Tyr Pro Cys Asp Glu Ile Arg His Asn Ser Leu Val Ile Ala Glu
35 40 45

Cys Asn His Arg Gln Leu His Glu Val Pro Gln Thr Ile Gly Lys Tyr
50 55 60

Val Thr Asn Ile Asp Leu Ser Asp Asn Ala Ile Thr His Ile Thr Lys
65 70 75 80

Glu Ser Phe Gln Lys Leu Gln Asn Leu Thr Lys Ile Asp Leu Asn His
85 90 95

Asn Ala Lys Gln Gln His Pro Asn Glu Asn Lys Asn Gly Met Asn Ile
100 105 110

Thr Glu Gly Ala Leu Leu Ser Leu Arg Asn Leu Thr Val Leu Leu Leu
115 120 125

Glu Asp Asn Gln Leu Tyr Thr Ile Pro Ala Gly Leu Pro Glu Ser Leu
130 135 140

Lys Glu Leu Ser Leu Ile Gln Asn Asn Ile Phe Gln Val Thr Lys Asn
145 150 155 160

Asn Thr Phe Gly Leu Arg Asn Leu Glu Arg Leu Tyr Leu Gly Trp Asn
165 170 175

Cys Tyr Phe Lys Cys Asn Gln Thr Phe Lys Val Glu Asp Gly Ala Phe
180 185 190

Lys Asn Leu Ile His Leu Lys Val Leu Ser Leu Ser Phe Asn Asn Leu
195 200 205

Phe Tyr Val Pro Pro Lys Leu Pro Ser Ser Leu Arg Lys Leu Phe Leu
210 215 220

Ser Asn Ala Lys Ile Met Asn Ile Thr Gln Glu Asp Phe Lys Gly Leu
225 230 235 240

Glu Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn Cys Pro Arg Cys Tyr
245 250 255

Asn Ala Pro Phe Pro Cys Thr Pro Cys Lys Glu Asn Ser Ser Ile His
260 265 270

Ile His Pro Leu Ala Phe Gln Ser Leu Thr Gln Leu Leu Tyr Leu Asn
 275 280 285
 Leu Ser Ser Thr Ser Leu Arg Thr Ile Pro Ser Thr Trp Phe Glu Asn
 290 295 300
 Leu Ser Asn Leu Lys Glu Leu His Leu Glu Phe Asn Tyr Leu Val Gln
 305 310 315 320
 Glu Ile Ala Ser Gly Ala Phe Leu Thr Lys Leu Pro Ser Leu Gln Ile
 325 330 335
 Leu Asp Leu Ser Phe Asn Phe Gln Tyr Lys Glu Tyr Leu Gln Phe Ile
 340 345 350
 Asn Ile Ser Ser Asn Phe Ser Lys Leu Arg Ser Leu Lys Lys Leu His
 355 360 365
 Leu Arg Gly Tyr Val Phe Arg Glu Leu Lys Lys Lys His Phe Glu His
 370 375 380
 Leu Gln Ser Leu Pro Asn Leu Ala Thr Ile Asn Leu Gly Ile Asn Phe
 385 390 395 400
 Ile Glu Lys Ile Asp Phe Lys Ala Phe Gln Asn Phe Ser Lys Leu Asp
 405 410 415
 Val Ile Tyr Leu Ser Gly Asn Arg Ile Ala Ser Val Leu Asp Gly Thr
 420 425 430
 Asp Tyr Ser Ser Trp Arg Asn Arg Leu Arg Lys Pro Leu Ser Thr Asp
 435 440 445
 Asp Asp Glu Phe Asp Pro His Val Asn Phe Tyr His Ser Thr Lys Pro
 450 455 460
 Leu Ile Lys Pro Gln Cys Thr Ala Tyr Gly Lys Ala Leu Asp Leu Ser
 465 470 475 480
 Leu Asn Asn Ile Phe Ile Ile Gly Lys Ser Gln Phe Glu Gly Phe Gln
 485 490 495
 Asp Ile Ala Cys Leu Asn Leu Ser Phe Asn Ala Asn Thr Gln Val Phe
 500 505 510
 Asn Gly Thr Glu Phe Ser Ser Met Pro His Ile Lys Tyr Leu Asp Leu
 515 520 525
 Thr Asn Asn Arg Leu Asp Phe Asp Asp Asn Asn Ala Phe Ser Asp Leu
 530 535 540
 His Asp Leu Glu Val Leu Asp Leu Ser His Asn Ala His Tyr Phe Ser
 545 550 555 560
 Ile Ala Gly Val Thr His Arg Leu Gly Phe Ile Gln Asn Leu Ile Asn
 565 570 575
 Leu Arg Val Leu Asn Leu Ser His Asn Gly Ile Tyr Thr Leu Thr Glu
 580 585 590
 Glu Ser Glu Leu Lys Ser Ile Ser Leu Lys Glu Leu Val Phe Ser Gly

595 600 605
 Asn Arg Leu Asp His Leu Trp Asn Ala Asn Asp Gly Lys Tyr Trp Ser
 610 615 620
 Ile Phe Lys Ser Leu Gln Asn Leu Ile Arg Leu Asp Leu Ser Tyr Asn
 625 630 635 640
 Asn Leu Gln Gln Ile Pro Asn Gly Ala Phe Leu Asn Leu Pro Gln Ser
 645 650 655
 Leu Gln Glu Leu Leu Ile Ser Gly Asn Lys Leu Arg Phe Phe Asn Trp
 660 665 670
 Thr Leu Leu Gln Tyr Phe Pro His Leu His Leu Leu Asp Leu Ser Arg
 675 680 685
 Asn Glu Leu Tyr Phe Leu Pro Asn Cys Leu Ser Lys Phe Ala His Ser
 690 695 700
 Leu Glu Thr Leu Leu Leu Ser His Asn His Phe Ser His Leu Pro Ser
 705 710 715 720
 Gly Phe Leu Ser Glu Ala Arg Asn Leu Val His Leu Asp Leu Ser Phe
 725 730 735
 Asn Thr Ile Lys Met Ile Asn Lys Ser Ser Leu Gln Thr Lys Met Lys
 740 745 750
 Thr Asn Leu Ser Ile Leu Glu Leu His Gly Asn Tyr Phe Asp Cys Thr
 755 760 765
 Cys Asp Ile Ser Asp Phe Arg Ser Trp Leu Asp Glu Asn Leu Asn Ile
 770 775 780
 Thr Ile Pro Lys Leu Val Asn Val Ile Cys Ser Asn Pro Gly Asp Gln
 785 790 795 800
 Lys Ser Lys Ser Ile Met Ser Leu Asp Leu Thr Thr Cys Val Ser Asp
 805 810 815
 Thr Thr Ala Ala Val Leu Phe Phe Leu Thr Phe Leu Thr Thr Ser Met
 820 825 830
 Val Met Leu Ala Ala Leu Val His His Leu Phe Tyr Trp Asp Val Trp
 835 840 845
 Phe Ile Tyr His Met Cys Ser Ala Lys Leu Lys Gly Tyr Arg Thr Ser
 850 855 860
 Ser Thr Ser Gln Thr Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys
 865 870 875 880
 Asp Ala Ser Val Thr Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu
 885 890 895
 Glu Glu Ser Glu Asp Lys Ser Val Leu Leu Cys Leu Glu Glu Arg Asp
 900 905 910
 Trp Asp Pro Gly Leu Pro Ile Ile Asp Asn Leu Met Gln Ser Ile Asn
 915 920 925
 Gln Ser Lys Lys Thr Ile Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser

930 935 940
 Trp Asn Phe Lys Thr Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp
 945 950 955 960
 Glu Asn Met Asp Val Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln
 965 970 975
 Tyr Ser Gln Tyr Leu Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile
 980 985 990
 Leu Gln Trp Pro Asn Asn Pro Lys Ala Glu Asn Leu Phe Trp Gln Ser
 995 1000 1005
 Leu Lys Asn Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asp Asp
 1010 1015 1020
 Leu Tyr Ile Asp Ser Ile Arg Gln Tyr
 1025 1030

<210> 58
 <211> 1032
 <212> PRT
 <213> murine

<400> 58

Met Glu Asn Met Pro Pro Gln Ser Trp Ile Leu Thr Cys Phe Cys Leu
 1 5 10 15
 Leu Ser Ser Gly Thr Ser Ala Ile Phe His Lys Ala Asn Tyr Ser Arg
 20 25 30
 Ser Tyr Pro Cys Asp Glu Ile Arg His Asn Ser Leu Val Ile Ala Glu
 35 40 45
 Cys Asn His Arg Gln Leu His Glu Val Pro Gln Thr Ile Gly Lys Tyr
 50 55 60
 Val Thr Asn Ile Asp Leu Ser Asp Asn Ala Ile Thr His Ile Thr Lys
 65 70 75 80
 Glu Ser Phe Gln Lys Leu Gln Asn Leu Thr Lys Ile Asp Leu Asn His
 85 90 95
 Asn Ala Lys Gln Gln His Pro Asn Glu Asn Lys Asn Gly Met Asn Ile
 100 105 110
 Thr Glu Gly Ala Leu Leu Ser Leu Arg Asn Leu Thr Val Leu Leu Leu
 115 120 125
 Glu Asp Asn Gln Leu Tyr Thr Ile Pro Ala Gly Leu Pro Glu Ser Leu
 130 135 140
 Lys Glu Leu Ser Leu Ile Gln Asn Asn Ile Phe Gln Val Thr Lys Asn
 145 150 155 160
 Asn Thr Phe Gly Leu Arg Asn Leu Glu Arg Leu Tyr Leu Gly Trp Asn
 165 170 175
 Cys Tyr Phe Lys Cys Asn Gln Thr Phe Lys Val Glu Asp Gly Ala Phe
 180 185 190

Lys Asn Leu Ile His Leu Lys Val Leu Ser Leu Ser Phe Asn Asn Leu
 195 200 205
 Phe Tyr Val Pro Pro Lys Leu Pro Ser Ser Leu Arg Lys Leu Phe Leu
 210 215 220
 Ser Asn Ala Lys Ile Met Asn Ile Thr Gln Glu Asp Phe Lys Gly Leu
 225 230 235 240
 Glu Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn Cys Pro Arg Cys Tyr
 245 250 255
 Asn Ala Pro Phe Pro Cys Thr Pro Cys Lys Glu Asn Ser Ser Ile His
 260 265 270
 Ile His Pro Leu Ala Phe Gln Ser Leu Thr Gln Leu Leu Tyr Leu Asn
 275 280 285
 Leu Ser Ser Thr Ser Leu Arg Thr Ile Pro Ser Thr Trp Phe Glu Asn
 290 295 300
 Leu Ser Asn Leu Lys Glu Leu His Leu Glu Phe Asn Tyr Leu Val Gln
 305 310 315 320
 Glu Ile Ala Ser Gly Ala Phe Leu Thr Lys Leu Pro Ser Leu Gln Ile
 325 330 335
 Leu Asp Leu Ser Phe Asn Phe Gln Tyr Lys Glu Tyr Leu Gln Phe Ile
 340 345 350
 Asn Ile Ser Ser Asn Phe Ser Lys Leu Arg Ser Leu Lys Lys Leu His
 355 360 365
 Leu Arg Gly Tyr Val Phe Arg Glu Leu Lys Lys Lys His Phe Glu His
 370 375 380
 Leu Gln Ser Leu Pro Asn Leu Ala Thr Ile Asn Leu Gly Ile Asn Phe
 385 390 395 400
 Ile Glu Lys Ile Asp Phe Lys Ala Phe Gln Asn Phe Ser Lys Leu Asp
 405 410 415
 Val Ile Tyr Leu Ser Gly Asn Arg Ile Ala Ser Val Leu Asp Gly Thr
 420 425 430
 Asp Tyr Ser Ser Trp Arg Asn Arg Leu Arg Lys Pro Leu Ser Thr Asp
 435 440 445
 Asp Asp Glu Phe Asp Pro His Val Asn Phe Tyr His Ser Thr Lys Pro
 450 455 460
 Leu Ile Lys Pro Gln Cys Thr Ala Tyr Gly Lys Ala Leu Asp Leu Ser
 465 470 475 480
 Leu Asn Asn Ile Phe Ile Ile Gly Lys Ser Gln Phe Glu Gly Phe Gln
 485 490 495
 Asp Ile Ala Cys Leu Asn Leu Ser Phe Asn Ala Asn Thr Gln Val Phe
 500 505 510
 Asn Gly Thr Glu Phe Ser Ser Met Pro His Ile Lys Tyr Leu Asp Leu

515	520	525
Thr Asn Asn Arg Leu Asp Phe	Asp Asp Asn Asn Ala Phe	Ser Asp Leu
530	535	540
His Asp Leu Glu Val Leu Asp Leu Ser His Asn Ala His Tyr Phe Ser		
545	550	555
Ile Ala Gly Val Thr His Arg Leu Gly Phe Ile Gln Asn Leu Ile Asn		
565	570	575
Leu Arg Val Leu Asn Leu Ser His Asn Gly Ile Tyr Thr Leu Thr Glu		
580	585	590
Glu Ser Glu Leu Lys Ser Ile Ser Leu Lys Glu Leu Val Phe Ser Gly		
595	600	605
Asn Arg Leu Asp His Leu Trp Asn Ala Asn Asp Gly Lys Tyr Trp Ser		
610	615	620
Ile Phe Lys Ser Leu Gln Asn Leu Ile Arg Leu Asp Leu Ser Tyr Asn		
625	630	635
Asn Leu Gln Gln Ile Pro Asn Gly Ala Phe Leu Asn Leu Pro Gln Ser		
645	650	655
Leu Gln Glu Leu Leu Ile Ser Gly Asn Lys Leu Arg Phe Phe Asn Trp		
660	665	670
Thr Leu Leu Gln Tyr Phe Pro His Leu His Leu Leu Asp Leu Ser Arg		
675	680	685
Asn Glu Leu Tyr Phe Leu Pro Asn Cys Leu Ser Lys Phe Ala His Ser		
690	695	700
Leu Glu Thr Leu Leu Leu Ser His Asn His Phe Ser His Leu Pro Ser		
705	710	715
Gly Phe Leu Ser Glu Ala Arg Asn Leu Val His Leu Asp Leu Ser Phe		
725	730	735
Asn Thr Ile Lys Met Ile Asn Lys Ser Ser Leu Gln Thr Lys Met Lys		
740	745	750
Thr Asn Leu Ser Ile Leu Glu Leu His Gly Asn Tyr Phe Asp Cys Thr		
755	760	765
Cys Asp Ile Ser Asp Phe Arg Ser Trp Leu Asp Glu Asn Leu Asn Ile		
770	775	780
Thr Ile Pro Lys Leu Val Asn Val Ile Cys Ser Asn Pro Gly Asp Gln		
785	790	795
Lys Ser Lys Ser Ile Met Ser Leu Asp Leu Thr Thr Cys Val Ser Asp		
805	810	815
Thr Thr Ala Ala Val Leu Phe Phe Leu Thr Phe Leu Thr Thr Ser Met		
820	825	830
Val Met Leu Ala Ala Leu Val His His Leu Phe Tyr Trp Asp Val Trp		
835	840	845
Phe Ile Tyr His Met Cys Ser Ala Lys Leu Lys Gly Tyr Arg Thr Ser		

850 855 860
 Ser Thr Ser Gln Thr Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys
 865 870 875 880
 Asp Ala Ser Val Thr Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu
 885 890 895
 Glu Glu Ser Glu Asp Lys Ser Val Leu Leu Cys Leu Glu Glu Arg Asp
 900 905 910
 Trp Asp Pro Gly Leu Pro Ile Ile Asp Asn Leu Met Gln Ser Ile Asn
 915 920 925
 Gln Ser Lys Lys Thr Ile Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser
 930 935 940
 Trp Asn Phe Lys Thr Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp
 945 950 955 960
 Glu Asn Met Asp Val Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln
 965 970 975
 Tyr Ser Gln Tyr Leu Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile
 980 985 990
 Leu Gln Trp Pro Asn Asn Pro Lys Ala Glu Asn Leu Phe Trp Gln Ser
 995 1000 1005
 Leu Lys Asn Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asp Asp
 1010 1015 1020
 Leu Tyr Ile Asp Ser Ile Arg Gln Tyr
 1025 1030

<210> 59
 <211> 1032
 <212> PRT
 <213> murine

<400> 59

Met Glu Asn Met Pro Pro Gln Ser Trp Ile Leu Thr Cys Phe Cys Leu
 1 5 10 15
 Leu Ser Ser Gly Thr Ser Ala Ile Phe His Lys Ala Asn Tyr Ser Arg
 20 25 30
 Ser Tyr Pro Cys Asp Glu Ile Arg His Asn Ser Leu Val Ile Ala Glu
 35 40 45
 Cys Asn His Arg Gln Leu His Glu Val Pro Gln Thr Ile Gly Lys Tyr
 50 55 60
 Val Thr Asn Ile Asp Leu Ser Asp Asn Ala Ile Thr His Ile Thr Lys
 65 70 75 80
 Glu Ser Phe Gln Lys Leu Gln Asn Leu Thr Lys Ile Asp Leu Asn His
 85 90 95
 Asn Ala Lys Gln Gln His Pro Asn Glu Asn Lys Asn Gly Met Asn Ile
 100 105 110

Thr Glu Gly Ala Leu Leu Ser Leu Arg Asn Leu Thr Val Leu Leu Leu
 115 120 125
 Glu Asp Asn Gln Leu Tyr Thr Ile Pro Ala Gly Leu Pro Glu Ser Leu
 130 135 140
 Lys Glu Leu Ser Leu Ile Gln Asn Asn Ile Phe Gln Val Thr Lys Asn
 145 150 155 160
 Asn Thr Phe Gly Leu Arg Asn Leu Glu Arg Leu Tyr Leu Gly Trp Asn
 165 170 175
 Cys Tyr Phe Lys Cys Asn Gln Thr Phe Lys Val Glu Asp Gly Ala Phe
 180 185 190
 Lys Asn Leu Ile His Leu Lys Val Leu Ser Leu Ser Phe Asn Asn Leu
 195 200 205
 Phe Tyr Val Pro Pro Lys Leu Pro Ser Ser Leu Arg Lys Leu Phe Leu
 210 215 220
 Ser Asn Ala Lys Ile Met Asn Ile Thr Gln Glu Asp Phe Lys Gly Leu
 225 230 235 240
 Glu Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn Cys Pro Arg Cys Tyr
 245 250 255
 Asn Ala Pro Phe Pro Cys Thr Pro Cys Lys Glu Asn Ser Ser Ile His
 260 265 270
 Ile His Pro Leu Ala Phe Gln Ser Leu Thr Gln Leu Leu Tyr Leu Asn
 275 280 285
 Leu Ser Ser Thr Ser Leu Arg Thr Ile Pro Ser Thr Trp Phe Glu Asn
 290 295 300
 Leu Ser Asn Leu Lys Glu Leu His Leu Glu Phe Asn Tyr Leu Val Gln
 305 310 315 320
 Glu Ile Ala Ser Gly Ala Phe Leu Thr Lys Leu Pro Ser Leu Gln Ile
 325 330 335
 Leu Asp Leu Ser Phe Asn Phe Gln Tyr Lys Glu Tyr Leu Gln Phe Ile
 340 345 350
 Asn Ile Ser Ser Asn Phe Ser Lys Leu Arg Ser Leu Lys Lys Leu His
 355 360 365
 Leu Arg Gly Tyr Val Phe Arg Glu Leu Lys Lys Lys His Phe Glu His
 370 375 380
 Leu Gln Ser Leu Pro Asn Leu Ala Thr Ile Asn Leu Gly Ile Asn Phe
 385 390 395 400
 Ile Glu Lys Ile Asp Phe Lys Ala Phe Gln Asn Phe Ser Lys Leu Asp
 405 410 415
 Val Ile Tyr Leu Ser Gly Asn Arg Ile Ala Ser Val Leu Asp Gly Thr
 420 425 430
 Asp Tyr Ser Ser Trp Arg Asn Arg Leu Arg Lys Pro Leu Ser Thr Asp

435 440 445
 Asp Asp Glu Phe Asp Pro His Val Asn Phe Tyr His Ser Thr Lys Pro
 450 455 460
 Leu Ile Lys Pro Gln Cys Thr Ala Tyr Gly Lys Ala Leu Asp Leu Ser
 465 470 475 480
 Leu Asn Asn Ile Phe Ile Ile Gly Lys Ser Gln Phe Glu Gly Phe Gln
 485 490 495
 Asp Ile Ala Cys Leu Asn Leu Ser Phe Asn Ala Asn Thr Gln Val Phe
 500 505 510
 Asn Gly Thr Glu Phe Ser Ser Met Pro His Ile Lys Tyr Leu Asp Leu
 515 520 525
 Thr Asn Asn Arg Leu Asp Phe Asp Asp Asn Asn Ala Phe Ser Asp Leu
 530 535 540
 His Asp Leu Glu Val Leu Asp Leu Ser His Asn Ala His Tyr Phe Ser
 545 550 555 560
 Ile Ala Gly Val Thr His Arg Leu Gly Phe Ile Gln Asn Leu Ile Asn
 565 570 575
 Leu Arg Val Leu Asn Leu Ser His Asn Gly Ile Tyr Thr Leu Thr Glu
 580 585 590
 Glu Ser Glu Leu Lys Ser Ile Ser Leu Lys Glu Leu Val Phe Ser Gly
 595 600 605
 Asn Arg Leu Asp His Leu Trp Asn Ala Asn Asp Gly Lys Tyr Trp Ser
 610 615 620
 Ile Phe Lys Ser Leu Gln Asn Leu Ile Arg Leu Asp Leu Ser Tyr Asn
 625 630 635 640
 Asn Leu Gln Gln Ile Pro Asn Gly Ala Phe Leu Asn Leu Pro Gln Ser
 645 650 655
 Leu Gln Glu Leu Leu Ile Ser Gly Asn Lys Leu Arg Phe Phe Asn Trp
 660 665 670
 Thr Leu Leu Gln Tyr Phe Pro His Leu His Leu Leu Asp Leu Ser Arg
 675 680 685
 Asn Glu Leu Tyr Phe Leu Pro Asn Cys Leu Ser Lys Phe Ala His Ser
 690 695 700
 Leu Glu Thr Leu Leu Leu Ser His Asn His Phe Ser His Leu Pro Ser
 705 710 715 720
 Gly Phe Leu Ser Glu Ala Arg Asn Leu Val His Leu Asp Leu Ser Phe
 725 730 735
 Asn Thr Ile Lys Met Ile Asn Lys Ser Ser Leu Gln Thr Lys Met Lys
 740 745 750
 Thr Asn Leu Ser Ile Leu Glu Leu His Gly Asn Tyr Phe Asp Cys Thr
 755 760 765
 Cys Asp Ile Ser Asp Phe Arg Ser Trp Leu Asp Glu Asn Leu Asn Ile

770 775 780
 Thr Ile Pro Lys Leu Val Asn Val Ile Cys Ser Asn Pro Gly Asp Gln
 785 790 795 800

 Lys Ser Lys Ser Ile Met Ser Leu Asp Leu Thr Thr Cys Val Ser Asp
 805 810 815

 Thr Thr Ala Ala Val Leu Phe Phe Leu Thr Phe Leu Thr Thr Ser Met
 820 825 830

 Val Met Leu Ala Ala Leu Val His His Leu Phe Tyr Trp Asp Val Trp
 835 840 845

 Phe Ile Tyr His Met Cys Ser Ala Lys Leu Lys Gly Tyr Arg Thr Ser
 850 855 860

 Ser Thr Ser Gln Thr Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys
 865 870 875 880

 Asp Ala Ser Val Thr Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu
 885 890 895

 Glu Glu Ser Glu Asp Lys Ser Val Leu Leu Cys Leu Glu Glu Arg Asp
 900 905 910

 Trp Asp Pro Gly Leu Pro Ile Ile Asp Asn Leu Met Gln Ser Ile Asn
 915 920 925

 Gln Ser Lys Lys Thr Ile Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser
 930 935 940

 Trp Asn Phe Lys Thr Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp
 945 950 955 960

 Glu Asn Met Asp Val Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln
 965 970 975

 Tyr Ser Gln Tyr Leu Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile
 980 985 990

 Leu Gln Trp Pro Asn Asn Pro Lys Ala Glu Asn Leu Phe Trp Gln Ser
 995 1000 1005

 Leu Lys Asn Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asp Asp
 1010 1015 1020

 Leu Tyr Ile Asp Ser Ile Arg Gln Tyr
 1025 1030

<210> 60
 <211> 3352
 <212> DNA
 <213> Homo sapiens

<400> 60
 aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

 ggacctogag tgtgaagcat ccttccctgt agctgctgtc cagtctgccc gccagacct 120

 ctggagaagc ccctgcccc cagcatgggt ttctgcccga gcgccttgca cccgctgtct 180

ctcctgggtgc	aggccatcat	gctggccatg	accctggccc	tgggtaccctt	gcctgccttc	240
ctaccctgtg	agctccagcc	ccacggcctg	gtgaactgca	actggctgtt	cctgaagtct	300
gtgccccact	tctccatggc	agcaccocgt	ggcaatgtca	ccagcctttc	cttgtcctcc	360
aaccgcatcc	accacctcca	tgattctgac	tttgccccacc	tgcccagcct	gcggcatctc	420
aacctcaagt	ggaactgccc	gccggttggc	ctcagcccca	tgcacttccc	ctgccacatg	480
accatcgagc	ccagcacctt	cttggtgtgt	cccaccctgg	aagagctaaa	cctgagctac	540
aacaacatca	tgactgtgcc	tgcgtgccc	aaatccctca	tatccctgtc	cctcagccat	600
accaacatcc	tgatgctaga	ctctgccagc	ctcgccggcc	tgcatgccct	gcgcttccta	660
ttcatggacg	gcaactgtta	ttacaagaac	ccctgcaggc	aggcactgga	gggtggccccg	720
ggtgccctcc	ttggcctggg	caacctcacc	cacctgtcac	tcaagtacaa	caacctcact	780
gtggtgcccc	gcaacctgcc	ttccagcctg	gagtatctgc	tgttgtccta	caaccgcatc	840
gtcaaaactgg	cgctgagga	cctggccaat	ctgaccgccc	tgcgtgtgct	cgatgtgggc	900
ggaaattgcc	gccgtgcca	ccacgtcccc	aaccctgca	tggagtggcc	tcgtcacttc	960
ccccagctac	atcccgatac	cttcagccac	ctgagccgtc	ttgaaggcct	gggtgtgaag	1020
gacagttctc	tctcctggct	gaatgccagt	tggttccgtg	ggctgggaaa	cctccgagtg	1080
ctggacctga	gtgagaactt	cctctacaaa	tgcatcacta	aaaccaaggc	cttcaggggc	1140
ctaacacagc	tgcgcaagct	taacctgtcc	ttcaattacc	aaaagagggt	gtcctttgcc	1200
cacctgtctc	tggccccttc	cttcgggagc	ctggtcgccc	tgaaggagct	ggacatgcac	1260
ggcatcttct	tccgctcact	cgatgagacc	acgctccggc	cactggccccg	cctgcccattg	1320
ctccagactc	tgcgtctgca	gatgaacttc	atcaaccagg	cccagctcgg	catcttcagg	1380
gccttccctg	gcctgcgcta	cgtggacctg	tcggacaacc	gcatcagcgg	agcttcggag	1440
ctgacagcca	ccatggggga	ggcagatgga	ggggagaagg	tctggctgca	gcctggggac	1500
cttgcctcgg	ccccagtgga	cactcccagc	tctgaagact	tcaggcccaa	ctgcagcacc	1560
ctcaacttca	ccttggtatct	gtcacggaac	aacctggtga	ccgtgcagcc	ggagatgttt	1620
gcccagctct	cgcacctgca	gtgcctgcgc	ctgagccaca	actgcatctc	gcaggcagtc	1680
aatggctccc	agttcctgcc	gctgaccggt	ctgcagggtc	tagacctgtc	ccgcaataag	1740
ctggacctct	accacgagca	ctcattcacg	gagctaccgc	gactggaggc	cctggacctc	1800
agctacaaca	gccagccctt	tggcatgcag	ggcgtggggc	acaacttcag	cttcgtggct	1860
cacctgcgca	ccctgcgcca	cctcagcctg	gcccacaaca	acatccacag	ccaagtgtcc	1920
cagcagctct	gcagtacgtc	gctgcggggc	ctggacttca	gcggcaatgc	actgggcat	1980
atgtggggcg	agggagacct	ctatctgcac	ttcttccaag	gcctgagcgg	tttgatctgg	2040
ctggacttgt	cccagaaccg	cctgcacacc	ctcctgcccc	aaacctgcg	caacctcccc	2100

aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160
ctccacttcc tgcccaaact ggaagtcctc gacctggcag gaaaccggct gaaggccctg 2220
accaatggca gctgcctgc tggcaccggtg ctccggaggc tggatgtcag ctgcaacagc 2280
atcagcttcg tggcccccgg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340
agcgccaacg ccctcaagac agtggaccac tcctggtttg ggccctggc gagtgcctg 2400
caaatactag atgtaagcgc caacctctg cactgcgctt gtggggcggc ctttatggac 2460
ttctgtctgg aggtgcaggc tgcgtgccc ggtctgccc gccgggtgaa gtgtggcagt 2520
ccggggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580
gccctctcct gggactgttt cgccctctcg ctgctggctg tggtctctgg cctgggtgtg 2640
cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700
tggtctccct ggcggggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760
ttcgtggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820
gggcagctgg aggagtgcg tgggcgctgg gcactccgcc tgtgcctgga ggaacgcgac 2880
tggtgcctg gcaaaaccct ctttgagaac ctgtgggcct cggctctatg cagccgcaag 2940
acgtgtttg tgctggcca caccggaccg gtcagtggc tcttgcgcg cagcttctg 3000
ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tgggtgctgt gatcctgagc 3060
cctgacggcc gccgctcccg ctacgtgcg ctgcgccagc gcctctgcc ccagagtgtc 3120
ctcctctggc cccaccagcc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180
ctgaccagg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240
tagccgtgag ccggaatcct gcaagggtgcc acctccacac tcacctcacc tctgcctgcc 3300
tggtctgacc ctcccctgct cgctccctc accccacacc tgacacagag ca 3352

<210> 61

<211> 3257

<212> DNA

<213> Homo sapiens

<400> 61

ccgctgctgc ccctgtggga agggacctcg agtgtgaagc atccttccct gtagctgctg 60
tccagtctgc ccgccagacc ctctggagaa gccctgccc ccagcatgg gttctgccc 120
cagcgccctg caccgctgt ctctcctggt gcaggccatc atgctggcca tgacctggc 180
cctgggtacc ttgctgcct tcctacctg tgagctccag cccacggcc tggatgaactg 240
caactggctg ttctgaagt ctgtgcccc cttctccatg gcagcaccgc gtggcaatgt 300
caccagcctt tcctgtgct ccaaccgcat ccaccacct catgattctg actttgccc 360

cctgcccagc	ctgcggcatc	tcaācōtcaa	gtggaactgc	ccgccggttg	gcctcagccc	420
catgcacttc	ccctgccaca	tgaccatcga	gccagcacc	ttcttggtg	tgcccaccct	480
ggaagagcta	aacctgagct	acaacaacat	catgactgtg	cctgcgctgc	ccaaatccct	540
catatccctg	tccctcagcc	ataccaacat	cctgatgcta	gactctgcca	gcctcgccgg	600
cctgcatgcc	ctgcgcttcc	tattcatgga	cggcaactgt	tattacaaga	accctgcag	660
gcaggcactg	gaggtggccc	cgggtgccct	ccttggcctg	ggcaacctca	cccacctgtc	720
actcaagtac	aacaacctca	ctgtggtgcc	ccgcaacctg	ccttccagcc	tggagtatct	780
gctgttgctc	tacaaccgca	tcgtcaaact	ggcgctgag	gacctggcca	atctgaccgc	840
cctgcgtgtg	ctcgatgtgg	gcggaaattg	ccgccgtgc	gaccacgctc	ccaaccctg	900
catggagtgc	cctcgtcact	tccccagct	acatcccgat	accttcagcc	acctgagccg	960
tcttgaaggc	ctggtgttga	aggacagttc	tctctcctgg	ctgaatgcca	gttggttccg	1020
tgggctggga	aacctccgag	tgctggacct	gagtgagaac	ttcctctaca	aatgcatcac	1080
taaaaccaag	gccttccagg	gcctaacaca	gctgcgcaag	cttaacctgt	ccttcaatta	1140
ccaaaagagg	gtgtcctttg	cccacctgtc	tctggcccct	tccttcggga	gcctggctgc	1200
cctgaaggag	ctggacatgc	acggcatctt	cttccgctca	ctcgatgaga	ccacgctccg	1260
gccactggcc	cgctgcccga	tgctccagac	tctgcgtctg	cagatgaact	tcataacca	1320
ggcccagctc	ggcatcttca	gggccttccc	tggcctgcgc	tacgtggacc	tgctggacaa	1380
ccgcatcagc	ggagcttcgg	agctgacagc	caccatgggg	gaggcagatg	gaggggagaa	1440
ggtctggctg	cagcctgggg	accttgctcc	ggccccagtg	gacactccca	gctctgaaga	1500
cttcaggccc	aactgcagca	ccctcaactt	caccttggat	ctgtcacgga	acaacctggt	1560
gacctgtcag	ccggagatgt	ttgcccagct	ctcgcacctg	cagtgcctgc	gcctgagcca	1620
caactgcata	tcgcaggcag	tcaatggctc	ccagttcctg	ccgctgaccg	gtctgcaggt	1680
gctagacctg	tcccacaata	agctggacct	ctaccacgag	cactcattca	cggagctacc	1740
acgactggag	gccctggacc	tcagctacaa	cagccagccc	tttggcatgc	agggcggtgg	1800
ccacaacttc	agcttcgtgg	ctcacctgcg	caccctgcgc	cacctcagcc	tggcccacaa	1860
caacatccac	agccaagtgt	cccagcagct	ctgcagtacg	tcgctgcggg	ccctggactt	1920
cagcggcaat	gcactggggc	atatgtgggc	cgaggagac	ctctatctgc	acttcttcca	1980
aggcctgagc	ggtttgatct	ggctggactt	gtcccagaac	cgctgcaca	ccctcctgcc	2040
ccaaaccctg	cgcaacctcc	ccaagagcct	acaggtgctg	cgtctccgtg	acaattacct	2100
ggccttcttt	aagtgggtga	gcctccactt	cctgcccaaa	ctggaagtcc	tcgacctggc	2160
aggaaaccag	ctgaaggccc	tgaccaatgg	cagcctgcct	gctggcacc	ggctccggag	2220
gctggatgtc	agctgcaaca	gcatacagctt	cgtggccccc	ggcttctttt	ccaaggccaa	2280

```

ggagctgcga gagctcaacc ttagcgccaa cgccctcaag acagtggacc actcctggtt 2340
tggggccctg gcgagtgcc tgcaaatact agatgtaagc gccaaccctc tgcaactgcgc 2400
ctgtggggcg gcctttatgg acttcctgct ggaggtgcag gctgccgtgc ccggtctgcc 2460
cagccgggtg aagtgtggca gtccgggcca gctccagggc ctcagcatct ttgcacagga 2520
cctgcgcctc tgccctggatg aggccctctc ctgggactgt ttgcacctct cgctgctggc 2580
tgtggctctg ggccctgggtg tgcccatgct gcatcacctc tgtggctggg acctctggta 2640
ctgcttcac ctgtgcctgg cctggcttcc ctggcggggg cggcaaagtg ggcgagatga 2700
ggatgccctg ccctacgatg ccttcgtggt ctccgacaaa acgcagagcg cagtggcaga 2760
ctgggtgtac aacgagcttc gggggcagct ggaggagtgc cgtgggcgct gggcactccg 2820
cctgtgcctg gaggaacgcg actggctgcc tggcaaaacc ctctttgaga acctgtgggc 2880
ctcggcttat ggcagccgca agacgtgtt tgtgctggcc cacacggacc gggtcagtgg 2940
tctcttgccg gccagcttcc tgctggccca gcagcgctc ctggaggacc gcaaggacgt 3000
cgtgggtctg gtgatcctga gccctgacgg ccgccgctcc cgctacgtgc ggctgcgcca 3060
gcgcctctgc cgccagagtg tctcctctg gcccaccag ccagtggtc agcgcagctt 3120
ctgggcccag ctgggcatgg ccctgaccag ggacaaccac cacttctata accggaactt 3180
ctgccaggga cccacggccg aatagccgtg agccggaatc ctgcacgggtg ccacctccac 3240
actcacctca cctctgc 3257

```

<210> 62

<211> 1032

<212> PRT

<213> Homo sapiens

<400> 62

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20           25           30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35           40           45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50           55           60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
85           90           95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met

```

Thr	Ile	Glu	Pro	Ser	Thr	Phe	Leu	Ala	Val	Pro	Thr	Leu	Glu	Glu	Leu
		100					105					110			
		115					120					125			
Asn	Leu	Ser	Tyr	Asn	Asn	Ile	Met	Thr	Val	Pro	Ala	Leu	Pro	Lys	Ser
		130				135					140				
Leu	Ile	Ser	Leu	Ser	Leu	Ser	His	Thr	Asn	Ile	Leu	Met	Leu	Asp	Ser
		145			150				155					160	
Ala	Ser	Leu	Ala	Gly	Leu	His	Ala	Leu	Arg	Phe	Leu	Phe	Met	Asp	Gly
				165					170					175	
Asn	Cys	Tyr	Tyr	Lys	Asn	Pro	Cys	Arg	Gln	Ala	Leu	Glu	Val	Ala	Pro
		180						185					190		
Gly	Ala	Leu	Leu	Gly	Leu	Gly	Asn	Leu	Thr	His	Leu	Ser	Leu	Lys	Tyr
		195					200					205			
Asn	Asn	Leu	Thr	Val	Val	Pro	Arg	Asn	Leu	Pro	Ser	Ser	Leu	Glu	Tyr
		210					215				220				
Leu	Leu	Leu	Ser	Tyr	Asn	Arg	Ile	Val	Lys	Leu	Ala	Pro	Glu	Asp	Leu
		225			230					235					240
Ala	Asn	Leu	Thr	Ala	Leu	Arg	Val	Leu	Asp	Val	Gly	Gly	Asn	Cys	Arg
				245					250					255	
Arg	Cys	Asp	His	Ala	Pro	Asn	Pro	Cys	Met	Glu	Cys	Pro	Arg	His	Phe
			260					265					270		
Pro	Gln	Leu	His	Pro	Asp	Thr	Phe	Ser	His	Leu	Ser	Arg	Leu	Glu	Gly
		275					280					285			
Leu	Val	Leu	Lys	Asp	Ser	Ser	Leu	Ser	Trp	Leu	Asn	Ala	Ser	Trp	Phe
		290					295				300				
Arg	Gly	Leu	Gly	Asn	Leu	Arg	Val	Leu	Asp	Leu	Ser	Glu	Asn	Phe	Leu
		305			310					315					320
Tyr	Lys	Cys	Ile	Thr	Lys	Thr	Lys	Ala	Phe	Gln	Gly	Leu	Thr	Gln	Leu
			325						330					335	
Arg	Lys	Leu	Asn	Leu	Ser	Phe	Asn	Tyr	Gln	Lys	Arg	Val	Ser	Phe	Ala
			340					345					350		
His	Leu	Ser	Leu	Ala	Pro	Ser	Phe	Gly	Ser	Leu	Val	Ala	Leu	Lys	Glu
			355				360					365			
Leu	Asp	Met	His	Gly	Ile	Phe	Phe	Arg	Ser	Leu	Asp	Glu	Thr	Thr	Leu
		370				375					380				
Arg	Pro	Leu	Ala	Arg	Leu	Pro	Met	Leu	Gln	Thr	Leu	Arg	Leu	Gln	Met
		385			390					395					400
Asn	Phe	Ile	Asn	Gln	Ala	Gln	Leu	Gly	Ile	Phe	Arg	Ala	Phe	Pro	Gly
				405					410					415	
Leu	Arg	Tyr	Val	Asp	Leu	Ser	Asp	Asn	Arg	Ile	Ser	Gly	Ala	Ser	Glu
			420					425					430		
Leu	Thr	Ala	Thr	Met	Gly	Glu	Ala	Asp	Gly	Gly	Glu	Lys	Val	Trp	Leu

435 440 445
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val
 500 505 510
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu
 515 520 525
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu
 530 535 540
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605
 Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620
 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640
 His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
 645 650 655
 Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
 660 665 670
 Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
 675 680 685
 Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
 690 695 700
 Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
 705 710 715 720
 Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735
 Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
 740 745 750
 Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765
 Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu

770 775 780
 Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
 785 790 795 800

 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815

 Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
 820 825 830

 Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845

 Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
 850 855 860

 Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
 865 870 875 880

 Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
 885 890 895

 Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910

 Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925

 Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940

 Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

 Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
 965 970 975

 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

 Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005

 Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
 1010 1015 1020

 Asn Phe Cys Gln Gly Pro Thr Ala Glu
 1025 1030

<210> 63
 <211> 1032
 <212> PRT
 <213> Homo sapiens

<400> 63

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

 Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45
 Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
 50 55 60
 Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80
 Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
 85 90 95
 Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110
 Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125
 Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
 130 135 140
 Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
 145 150 155 160
 Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270
 Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300
 Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu
 325 330 335
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala
 340 345 350
 His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu

355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu
 370 375 380
 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly
 405 410 415
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu
 420 425 430
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu
 435 440 445
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val
 500 505 510
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu
 515 520 525
 Ser His Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu
 530 535 540
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605
 Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620
 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640
 His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
 645 650 655
 Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
 660 665 670
 Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Gln
 675 680 685
 Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg

690 695 700
 Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
 705 710 715 720

 Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

 Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
 740 745 750

 Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

 Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

 Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
 785 790 795 800

 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815

 Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
 820 825 830

 Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845

 Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
 850 855 860

 Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
 865 870 875 880

 Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
 885 890 895

 Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910

 Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925

 Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940

 Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

 Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
 965 970 975

 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

 Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005

 Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
 1010 1015 1020

 Asn Phe Cys Gln Gly Pro Thr Ala Glu

1025 1030
 <210> 64
 <211> 333
 <212> PRT
 <213> Homo sapiens
 <400> 64
 Met Pro Met Lys Trp Ser Gly Trp Arg Trp Ser Trp Gly Pro Ala Thr
 1 5 10 15
 His Thr Ala Leu Pro Pro Pro Gln Gly Phe Cys Arg Ser Ala Leu His
 20 25 30
 Pro Leu Ser Leu Leu Val Gln Ala Ile Met Leu Ala Met Thr Leu Ala
 35 40 45
 Leu Gly Thr Leu Pro Ala Phe Leu Pro Cys Glu Leu Gln Pro His Gly
 50 55 60
 Leu Val Asn Cys Asn Trp Leu Phe Leu Lys Ser Val Pro His Phe Ser
 65 70 75 80
 Met Ala Ala Pro Arg Gly Asn Val Thr Ser Leu Ser Leu Ser Ser Asn
 85 90 95
 Arg Ile His His Leu His Asp Ser Asp Phe Ala His Leu Pro Ser Leu
 100 105 110
 Arg His Leu Asn Leu Lys Trp Asn Cys Pro Pro Val Gly Leu Ser Pro
 115 120 125
 Met His Phe Pro Cys His Met Thr Ile Glu Pro Ser Thr Phe Leu Ala
 130 135 140
 Val Pro Thr Leu Glu Glu Leu Asn Leu Ser Tyr Asn Asn Ile Met Thr
 145 150 155 160
 Val Pro Ala Leu Pro Lys Ser Leu Ile Ser Leu Ser Leu Ser His Thr
 165 170 175
 Asn Ile Leu Met Leu Asp Ser Ala Ser Leu Ala Gly Leu His Ala Leu
 180 185 190
 Arg Phe Leu Phe Met Asp Gly Asn Cys Tyr Tyr Lys Asn Pro Cys Arg
 195 200 205
 Gln Ala Leu Glu Val Ala Pro Gly Ala Leu Leu Gly Leu Gly Asn Leu
 210 215 220
 Thr His Leu Ser Leu Lys Tyr Asn Asn Leu Thr Val Val Pro Arg Asn
 225 230 235 240
 Leu Pro Ser Ser Leu Glu Tyr Leu Leu Leu Ser Tyr Asn Arg Ile Val
 245 250 255
 Lys Leu Ala Pro Glu Asp Leu Ala Asn Leu Thr Ala Leu Arg Val Leu
 260 265 270
 Asp Val Gly Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys
 275 280 285

Met Glu Cys Pro Arg His Phe Pro Gln Leu His Pro Asp Thr Phe Ser
 290 295 300

His Leu Ser Arg Leu Glu Gly Leu Val Leu Lys Asp Ser Ser Leu Ser
 305 310 315 320

Trp Leu Asn Ala Ser Trp Phe Arg Gly Leu Gly Asn Leu
 325 330

<210> 65

<211> 216

<212> PRT

<213> Homo sapiens

<400> 65

Met Leu Tyr Ser Ser Cys Lys Ser Arg Leu Leu Asp Ser Val Glu Gln
 1 5 10 15

Asp Phe His Leu Glu Ile Ala Lys Lys Gly Phe Cys Arg Ser Ala Leu
 20 25 30

His Pro Leu Ser Leu Leu Val Gln Ala Ile Met Leu Ala Met Thr Leu
 35 40 45

Ala Leu Gly Thr Leu Pro Ala Phe Leu Pro Cys Glu Leu Gln Pro His
 50 55 60

Gly Leu Val Asn Cys Asn Trp Leu Phe Leu Lys Ser Val Pro His Phe
 65 70 75 80

Ser Met Ala Ala Pro Arg Gly Asn Val Thr Ser Leu Ser Leu Ser Ser
 85 90 95

Asn Arg Ile His His Leu His Asp Ser Asp Phe Ala His Leu Pro Ser
 100 105 110

Leu Arg His Leu Asn Leu Lys Trp Asn Cys Pro Pro Val Gly Leu Ser
 115 120 125

Pro Met His Phe Pro Cys His Met Thr Ile Glu Pro Ser Thr Phe Leu
 130 135 140

Ala Val Pro Thr Leu Glu Glu Leu Asn Leu Ser Tyr Asn Asn Ile Met
 145 150 155 160

Thr Val Pro Ala Leu Pro Lys Ser Leu Ile Ser Leu Ser Leu Ser His
 165 170 175

Thr Asn Ile Leu Met Leu Asp Ser Ala Ser Leu Ala Gly Leu His Ala
 180 185 190

Leu Arg Phe Leu Phe Met Asp Gly Asn Cys Tyr Tyr Lys Asn Pro Cys
 195 200 205

Arg Gln Ala Leu Glu Val Ala Pro
 210 215

<210> 66

<211> 117
 <212> PRT
 <213> Homo sapiens

<400> 66

```

Met Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala
1           5           10           15

Phe Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp
          20           25           30

Leu Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly
          35           40           45

Asn Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His
          50           55           60

Asp Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys
65           70           75           80

Trp Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His
          85           90           95

Met Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu
          100          105          110

Leu Asn Leu Ser Tyr
          115

```

<210> 67
 <211> 1032
 <212> PRT
 <213> Homo sapiens

<400> 67

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
          20           25           30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
          35           40           45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
          50           55           60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
          85           90           95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
          100          105          110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
          115          120          125

```

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
 130 135 140
 Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
 145 150 155 160
 Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270
 Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300
 Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu
 325 330 335
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala
 340 345 350
 His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu
 370 375 380
 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly
 405 410 415
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu
 420 425 430
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu
 435 440 445
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu

450 455 460
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val
 500 505 510
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu
 515 520 525
 Ser His Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu
 530 535 540
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605
 Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620
 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640
 His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
 645 650 655
 Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
 660 665 670
 Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Gln
 675 680 685
 Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
 690 695 700
 Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
 705 710 715 720
 Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735
 Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
 740 745 750
 Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765
 Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780
 Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser

785 790 795 800
 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815
 Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
 820 825 830
 Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845
 Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
 850 855 860
 Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
 865 870 875 880
 Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
 885 890 895
 Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910
 Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925
 Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940
 Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960
 Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
 965 970 975
 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990
 Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005
 Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
 1010 1015 1020
 Asn Phe Cys Gln Gly Pro Thr Ala Glu
 1025 1030

<210> 68

<211> 3200

<212> DNA

<213> murine

<400> 68

tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tcgaaggact 60
 ctgcaccctt tgtccctcct ggtacaggct gcagtgtctg ctgagactct ggccttgggt 120
 accctgcttg ccttctctacc ctgtgagctg aagcctcatg gcctggtgga ctgcaattgg 180
 ctgttcttga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcaccgcg 240
 ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc 300

aacctgcggc agctgaacct caagtggaac tgtccacca ctggccttag cccctgcac	360
ttctcttgcc acatgaccat tgagcccaga accttcctgg ctatgcgtac actggaggag	420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctggtgaat	480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac	540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg	600
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcacccatct gtctctgaag	660
tataacaacc tcacaaagggt gcccgcgcaa ctgccccca gcctggagta cctcctgggtg	720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttoga	780
gtacttgatg tgggtgggaa ttgcgctgc tgcgacctg ccccaatcc ctgtatagaa	840
tgtggccaaa agtccctcca cctgcaccct gagaccttc atcacctgag ccatctggaa	900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg	960
gtcaacctct cgggtctgga cctaagcgag aactttctct atgaaagcat caaccacacc	1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgccttcaa ttaccgcaag	1080
aaggatcct ttgcccgcct ccacctggca agttccttca agaacctgggt gtcactgcag	1140
gagctgaaca tgaacggcat cttcttcgc tcgctcaaca agtacacgct cagatggctg	1200
gccgatctgc ccaaactcca cactctgcat cttcaaata acttcatcaa ccaggcacag	1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc	1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag	1380
gagctgttgt ctgcggatcc tcacccagct ccactgagca cccctgcttc taagaacttc	1440
atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgctccagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttctgccc tgactaatct gcagggtctg	1620
gacctgtccc ataacaaact ggacttgta cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgcgt gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatacct cgggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttcctg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggcctgac caatggcacc ctgcctaag gcacctcct ccagaaactg	2160

gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag 2220
 ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg 2280
 cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt 2340
 ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata 2400
 ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcattctcgc acaggacctg 2460
 cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg 2520
 gccgtgggca tgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt 2580
 tttcatctgt gcctggcatg gctacctttg ctggcccgcg gccgacgcag cgcccaagct 2640
 ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg 2700
 tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt 2760
 ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc 2820
 tatgggagcc gcaagactct atttgtgctg gccacacagg accgcgtcag tggcctcctg 2880
 cgcaccagct tcctgctggc tcagcagcgc ctggtggaag accgcaagga cgtggtggtg 2940
 ttggtgatcc tgcgtccgga tgcccaccgc tcccgcctatg tgcgactgcg ccagcgtctc 3000
 tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc 3060
 cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg 3120
 ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt 3180
 tcccagttg ctctgcctgc 3200

<210> 69
 <211> 3471
 <212> DNA
 <213> murine

<400> 69
 tgaaagtgtc acttctctcaa ttctctgaga gacctggtg tggaacatca ttctctgccg 60
 cccagtttgt cagagggagc ctggggagaa tcctccatct cccaacatgg ttctccgtcg 120
 aaggactctg cacccttgt ccctcctggt acaggctgca gtgctggctg agactctggc 180
 cctgggtacc ctgcctgcct tcctaccctg tgagctgaag cctcatggcc tgggtggactg 240
 caattggctg ttctgaagt ctgtaccccg tttctctgcg gcagcatcct gctccaacat 300
 caccgcctc tccttgatct ccaaccgtat ccaccacctg cacaactccg acttogtcca 360
 cctgtccaac ctgcccagc tgaacctcaa gtggaactgt ccaccactg gccttagccc 420
 cctgcacttc tottgccaca tgaccattga gcccagaacc ttctggcta tgcgtacact 480
 ggaggagctg aacctgagct ataatggtat caccactgtg ccccgactgc ccagctccct 540

ggtgaatctg agcctgagcc acaccaacat cctggttcta gatgctaaca gcctcgccgg	600
cctatacagc ctgcgcgttc tcttcatgga cgggaactgc tactacaaga acccctgcac	660
aggagcggtg aaggtgaccc caggcgccct cctgggcctg agcaatctca cccatctgtc	720
tctgaagtat aacaacctca caaagggtgcc ccgccaactg cccccagcc tggagtacct	780
cctgggtgtcc tataacctca ttgtcaagct ggggcctgaa gacctggcca atctgacctc	840
ccttcgagta cttgatgtgg gtgggaattg ccgtcgctgc gacctgccc ccaatccctg	900
tatagaatgt ggccaaaagt ccctccacct gcaccctgag accttccatc acctgagcca	960
tctggaaggc ctggtgctga aggacagctc tctccataca ctgaactctt cctggttcca	1020
aggtctggtc aacctctcgg tgctggacct aagcgagaac tttctctatg aaagcatcaa	1080
ccacaccaat gcctttcaga acctaaccgg cctgcgcaag ctcaacctgt ccttcaatta	1140
ccgcaagaag gtatcccttg ccgcctcca cctggcaagt tccttcaaga acctggtgtc	1200
actgcaggag ctgaacatga acggcatctt cttccgctcg ctcaacaagt acacgtcag	1260
atggctggcc gatctgccc aactccacac tctgcatctt caaatgaact tcatcaacca	1320
ggcacagctc agcatctttg gtaccttcgg agcccttcgc tttgtggact tgtcagacaa	1380
tcgcatcagt gggccttcaa cgctgtcaga agccaccct gaagaggcag atgatgcaga	1440
gcaggaggag ctgttgtctg cggatcctca ccagctcca ctgagcacc ctgcttctaa	1500
gaacttcatg gacaggtgta agaacttcaa gttcaccatg gacctgtctc ggaacaacct	1560
ggtgactatc aagccagaga tgtttgtcaa tctctcacgc ctccagtgtc ttagcctgag	1620
ccacaactcc attgcacagg ctgtcaatgg ctctcagttc ctgccgctga ctaatctgca	1680
ggtgctggac ctgtcccata acaaactgga cttgtaccac tggaaatcgt tcagtgaact	1740
accacagttg caggccctgg acctgagcta caacagccag cccttttagca tgaagggtat	1800
aggccacaat ttcagttttg tgacctctct gtccatgcta cagagcctta gcctggcaca	1860
caatgacatt cataccctg tgctctcaca tctcaacagc aactcagtga ggtttcttga	1920
cttcagcggc aacggtatgg gccgcatgtg ggatgagggg ggcctttatc tccatttctt	1980
ccaaggcctg agtggcctgc tgaagctgga cctgtctcaa aataacctgc atatcctcgg	2040
gccccagaac cttgacaacc tccccagag cctgaagctg ctgagcctcc gagacaacta	2100
cctatctttc tttaactgga ccagtctgtc cttcctaccc aacctggaag tcttagacct	2160
ggcaggcaac cagctaaagg ccctgaccaa tggcaccctg cctaattgga ccctcctcca	2220
gaaactogat gtcagtagca acagtatcgt ctctgtggtc ccagccttct tcgctctggc	2280
ggtcgagctg aaagaggtca acctcagcca caacattctc aagacggtgg atcgctcctg	2340
gtttgggccc attgtgatga acctgacagt tctagacgtg agaagcaacc ctctgcactg	2400
tgctgtggg gcagccttcg tagacttact gttggagggt cagaccaagg tgctggcct	2460

ggctaattggt gtgaagtgtg gcagccccgg ccagctgcag ggccgtagca tcttcgcgca 2520
 ggacctgcgg ctgtgcctgg atgaggtcct ctcttgggac tgctttggcc tttcactctt 2580
 ggctgtggcc gtgggcatgg tgggtgcctat actgcaccat ctctgcggtt gggacgtctg 2640
 gtactgtttt catctgtgcc tggcatggct acctttgctg gcccgagcc gacgcagcgc 2700
 ccaaactctc ccttatgatg ccttcgtggt gtccgataag gcacagagcg cagttgccga 2760
 ctgggtgtat aacgagctgc ggggtgcggct ggaggagcgg cgcggtcgcc gagccctacg 2820
 cttgtgtctg gaggaccgag attggctgcc tggccagacg ctcttcgaga acctctgggc 2880
 ttccatctat gggagccgca agactctatt tgtgctggcc cacacggacc gcgtcagtgg 2940
 cctcctgcgc accagcttcc tgetggctca gcagcgctg ttggaagacc gcaaggacgt 3000
 ggtggtgttg gtgacctgc gtccggatgc ccaccgctcc cgctatgtgc gactgcgcca 3060
 gcgtctctgc cgccagagtg tgetcttctg gcccagcag cccaacgggc aggggggctt 3120
 ctgggcccag ctgagtacag ccctgactag ggacaaccgc cacttctata accagaactt 3180
 ctgccgggga cctacagcag aatagctcag agcaacagct ggaaacagct gcatcttcat 3240
 gcctggttcc cgagttgctc tgctgcctt gctctgtctt actacaccgc tatttgcaa 3300
 gtgcgcaata tatgctacca agccaccagg ccacaggagc aaagggttggc agtaaagggt 3360
 agttttcttc ccatgcatct ttcaggagag tgaagataga caccagacc acacagaaca 3420
 ggactggagt tcattctctg cccctccacc caactttgcc tgtctctgta t 3471

<210> 70

<211> 3340

<212> DNA

<213> murine

<400> 70

tctctgagag accctggtgt ggaacatcat tctctgccgc ccagtttgtc agagggagcc 60
 tcgggagaat cctccatctc ccaacatggt tctccgtcga aggactctgc accccttgtc 120
 cctcctggta caggctgcag tgctggctga gactctggcc ctgggtaccc tgctgcctt 180
 cctaccctgt gagctgaagc ctcatggcct ggtggactgc aattggctgt tcctgaagtc 240
 tgtaccccggt ttctctgcgg cagcatcctg ctccaacatc acccgctct ccttgatctc 300
 caaccgtatc caccacctgc acaactccga ctctgtccac ctgtccaacc tgcggcagct 360
 gaacctcaag tggaactgtc caccactgg ccttagcccc ctgcacttct cttgccacat 420
 gaccattgag ccagaaacct tcctggctat gcgtacactg gaggagctga acctgagcta 480
 taatggtatc accactgtgc cccgactgcc cagctccctg gtgaatctga gcctgagcca 540
 caccaacatc ctggttctag atgctaacag cctcgccggc ctatacagcc tgcgcggttct 600

cttcatggac	gggaactgct	actacaagaa	ccccgcaca	ggagcgggtga	aggtgacccc	660
aggcgccctc	ctgggcctga	gcaatctcac	ccatctgtct	ctgaagtata	acaacctcac	720
aaaggtgccc	cgccaactgc	cccccagcct	ggagtacctc	ctggtgtcct	ataacctcat	780
tgtcaagctg	gggcctgaag	acctggccaa	tctgacctcc	cttcgagtac	ttgatgtggg	840
tgggaattgc	cgctcgctgcg	accatgcccc	caatccctgt	atagaatgtg	gccaaaagtc	900
cctccacctg	cacctgaga	ccttccatca	cctgagccat	ctggaaggcc	tgggtgctgaa	960
ggacagctct	ctccatacac	tgaactcttc	ctggttccaa	ggtctgggtca	acctctcggt	1020
gctggacctt	agcgagaact	ttctctatga	aagcatcaac	cacaccaatg	cctttcagaa	1080
cctaaccgct	ctgcgcaagc	tcaacctgtc	cttcaattac	cgcaagaagg	tatcctttgc	1140
ccgcctccac	ctggcaagtt	ccttcaagaa	cctggtgtca	ctgcaggagc	tgaacatgaa	1200
cgcatcttc	ttccgctcgc	tcaacaagta	cacgctcaga	tggctggccg	atctgcccaa	1260
actccacact	ctgcatcttc	aatgaactt	catcaaccag	gcacagctca	gcatctttgg	1320
taccttcga	gcccttcgct	ttgtggactt	gtcagacaat	cgcatcagtg	ggccttcaac	1380
gctgtcagaa	gccaccctg	aagaggcaga	tgatgcagag	caggaggagc	tgttgtctgc	1440
ggatcctcac	ccagctccac	tgagcaccac	tgcttctaag	aacttcatgg	acaggtgtaa	1500
gaacttcaag	ttcaccatgg	acctgtctcg	gaacaacctg	gtgactatca	agccagagat	1560
gtttgtcaat	ctctcacgcc	tccagtgtct	tagcctgagc	cacaactcca	ttgcacaggc	1620
tgtcaatggc	tctcagttcc	tgccgctgac	taatctgcag	gtgctggacc	tgtcccataa	1680
caaactggac	ttgtaccact	ggaaatcggt	cagtgcagta	ccacagttgc	aggccctgga	1740
cctgggctac	aacagccagc	ccttttagcat	aaagggata	ggccacaatt	tcagttttgt	1800
ggcccatctg	tccatgctac	acagccttag	cctggcacac	aatgacattc	ataccctgtg	1860
gtcctcacat	ctcaacagca	actcagtgcg	gtttcttgac	ttcagcggca	acggtatggg	1920
ccgcatgtgg	gatgaggggg	gcctttatct	ccattttctc	caaggcctga	gtggcctgct	1980
gaagctggac	ctgtctcaaa	ataacctgca	tatcctccgg	cccagaacc	ttgacaacct	2040
ccccaaagac	ctgaagctgc	tgagcctccg	agacaactac	ctatctttct	ttaactggac	2100
cagtctgtcc	ttcctgccc	acctggaagt	cctagacctg	gcaggcaacc	agctaaaggc	2160
cctgaccaat	ggcaccctgc	ctaatggcac	cctcctccag	aaactggatg	tcagcagcaa	2220
cagtatcgtc	tctgtggtcc	cagccttctt	cgctctggcg	gtcagctga	aagaggtcaa	2280
cctcagccac	aacattctca	agacggtgga	tcgtctctgg	tttgggccc	ttgtgatgaa	2340
cctgacagtt	ctagacgtga	gaagcaacc	tctgcactgt	gcctgtgggg	cagccttcgt	2400
agacttactg	ttggaggtgc	agaccaaggt	gcctggcctg	gctaagtgtg	tgaagtgtgg	2460
cagccccggc	cagctgcagg	gccgtagcat	cttcgcacag	gacctgcggc	tgtgcctgga	2520

tgaggctctc tcttgggact gctttggcct ttcactcttg gctgtggccg tgggcatggt	2580
ggtgcctata ctgcaccatc tctgcggtcg ggacgtcttg tactgttttc atctgtgcct	2640
ggcatggcta cctttgctgg ccgcagccg acgcagcgcc caagctctcc cctatgatgc	2700
cttcgtggtg ttcgataagg cacagagcgc agttgcggac tgggtgtata acgagctgcg	2760
ggtgcggctg gaggggcggc gcggtcgccg agccctacgc ttgtgtcttg aggaccgaga	2820
ttggctgcct ggccagacgc tcttcgagaa cctctgggct tccatctatg ggagccgcaa	2880
gactctatct gtgtggccc acacggaccg cgtcagtggc ctctgcgca ccagcttct	2940
gctggctcag cagcgctctg tggagaccg caaggacgtg gtggtgttg tgatcctgcg	3000
tccggatgcc caccgctccc gctatgtgcg actgcgccag cgtctctgcc gccagagtgt	3060
gctcttttgg cccagcagc ccaacgggca ggggggcttc tgggcccagc tgagtacagc	3120
cctgactagg gacaaccgcc acttctataa ccagaacttc tgccggggac ctacagcaga	3180
atagctcaga gcaacagctg gaaacagctg catcttcatg cctgggtccc gagttgctct	3240
gcctgccttg ctctgtctta ctacaccgct atttggcaag tgcgcaatat atgctaccaa	3300
gccaccgggc ccacggagca aaggttggct gtaaagggtg	3340

<210> 71
 <211> 3471
 <212> DNA
 <213> murine

<400> 71	
tgaaagtgtc acttctcaa ttctctgaga gaccctggtg tggaaacatca ttctctgccg	60
cccagtttgt cagagggagc ctcgaggagaa tcctccatct cccaacatgg ttctccgtcg	120
aaggactctg cacccttctg ccctcctggt acaggctgca gtgtggctg agactctggc	180
cctgggtacc ctgcctgcct tcctaccctg tgagctgaag cctcatggcc tgggtggactg	240
caattggctg ttctgaagt ctgtacccg tttctctgcg gcagcctct gctccaacat	300
caccgcctc tccttgatct ccaaccgtat ccaccacctg cacaactccg acttcgtcca	360
cctgtccaac ctgcggcagc tgaacctcaa gtggaactgt ccaccactg gccttagccc	420
cctgcacttc tcttgccaca tgaccattga gcccagaacc ttcttggtta tgcgtacact	480
ggaggagctg aacctgagct ataatggtat caccactgtg ccccgactgc ccagctccct	540
ggtgaatctg agcctgagcc acaccaacat cctgggtcta gatgctaaca gcctcgccgg	600
cctatacagc ctgcgcgttc tcttcatgga cgggaactgc tactacaaga acccctgcac	660
aggagcgggtg aaggtagccc caggcgccct cctgggctg agcaatctca cccatctgtc	720
tctgaagtat aacaacctca caaagggtgcc ccgccaactg ccccccagcc tggagtacct	780

cctggtgtcc tataacctca ttgtcaagct ggggcctgaa gacctggcca atctgacctc	840
ccttcgagta cttgatgtgg gtgggaattg ccgtcgctgc gaccatgccc ccaatccctg	900
tatagaatgt ggccaaaagt cctccacct gcaccctgag accttccatc acctgagcca	960
tctggaaggc ctggtgctga aggacagctc tctccataca ctgaactctt cctggttcca	1020
aggtctggtc aacctctcgg tgctggacct aagcgagaac tttctctatg aaagcatcaa	1080
ccacaccaat gcctttcaga acctaaccgg cctgcgcaag ctcaacctgt ccttcaatta	1140
ccgcaagaag gtatcctttg cccgcctcca cctggcaagt tccttcaaga acctggtgtc	1200
actgcaggag ctgaacatga acggcatctt cttccgctcg ctcaacaagt acacgctcag	1260
atggtctggc gatctgccc aactccacac tctgcatctt caaatgaact tcataacca	1320
ggcacagctc agcatctttg gtaccttccg agcccttcgc tttgtggact tgtcagacaa	1380
tcgcatcagt gggccttcaa cgctgtcaga agccaccct gaagaggcag atgatgcaga	1440
gcaggaggag ctggtgtctg cggatcctca cccagctcca ctgagcacc ctgcttctaa	1500
gaacttcatg gacaggtgta agaacttcaa gttcaccatg gacctgtctc ggaacaacct	1560
ggtgactatc aagccagaga tgtttgtcaa tctctcacgc ctccagtgtc ttagcctgag	1620
ccacaactcc attgcacagg ctgtcaatgg ctctcagttc ctgccgtga ctaatctgca	1680
ggtgctggac ctgtcccata acaaactgga cttgtaccac tggaaatcgt tcagttagct	1740
accacagttg caggccctgg acctgagcta caacagccag cccttttagca tgaagggtat	1800
aggccacaat ttcagttttg tgacctatct gtccatgcta cagagcctta gcctggcaca	1860
caatgacatt cataccctg tgctctcaca tctcaacagc aactcagtga ggtttcttga	1920
cttcagcggc aacggtatgg gccgcatgtg ggatgagggg ggcctttatc tccatttctt	1980
ccaaggcctg agtggcctgc tgaagctgga cctgtctcaa aataacctgc atatcctccg	2040
gccccagaac cttgacaacc tccccagag cctgaagctg ctgagcctcc gagacaacta	2100
cctatctttc ttttaactgga ccagtctgtc ctctctacc aacctggaag tcctagacct	2160
ggcaggcaac cagctaaagg ccctgaccaa tggcaccctg cctaattggca ccctcctcca	2220
gaaactcgat gtcagtagca acagtatcgt ctctgtggtc ccagccttct tcgctctggc	2280
ggtcgagctg aaagaggtca acctcagcca caacattctc aagacgggtg atcgctcctg	2340
gtttgggccc attgtgatga acctgacagt tctagacgtg agaagcaacc ctctgcactg	2400
tgctgtggg goagccttcg tagacttact gttggagggt cagaccaagg tgcttggcct	2460
ggctaattgg gtgaagtgtg gcagccccgg ccagctgcag ggccgtagca tcttcgcgca	2520
ggacctgcgg ctgtgcctgg atgaggtcct ctcttgggac tgctttggcc tttcactctt	2580
ggctgtggcc gtgggcatgg tggcgctat actgcacat ctctgcggct gggacgtctg	2640
gtactgtttt catctgtgcc tggcatggct acctttgtg gcccgagcc gacgcagcgc	2700

ccaaactctc ccttatgatg ccttcgtggg gttcgataag gcacagagcg cagttgccga 2760
 ctgggtgtat aacgagctgc ggggtgcggc ggaggagcgg cgcggtcgcc gagccctacg 2820
 cttgtgtctg gaggaccgag attggctgcc tggccagacg ctcttcgaga acctctgggc 2880
 ttccatctat gggagccgca agactctatt tgtgctggcc cacacggacc gcgtcagtg 2940
 cctcctgcgc accagcttcc tgctggctca gcagcgctg ttggaagacc gcaaggacgt 3000
 ggtggtgttg gtgatcctgc gtccgatgc ccaccgctcc cgctatgtgc gactgcgcca 3060
 gcgtctctgc cgccagagtg tgctcttctg gcccagcag cccaacgggc aggggggctt 3120
 ctgggcccag ctgagtacag cctgactag ggacaaccgc cacttctata accagaactt 3180
 ctgccgggga cctacagcag aatagctcag agcaacagct ggaaacagct gcattctcat 3240
 gcctggttcc cgagttgctc tgctgcctt gctctgtctt actacaccgc tatttggcaa 3300
 gtgcgcaata tatgtacca agccaccagg ccacaggagc aaaggttggc agtaaagggt 3360
 agttttcttc ccatgcatct ttcaggagag tgaagataga caccagacc acacagaaca 3420
 ggactggagt tcattctctg cccctccacc ccactttgcc tgtctctgta t 3471

<210> 72

<211> 1032

<212> PRT

<213> murine

<400> 72

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160
 Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser
 260 265 270
 Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe
 290 295 300
 Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala
 340 345 350
 Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu
 355 360 365
 Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu
 370 375 380
 Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala
 405 410 415
 Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr
 420 425 430
 Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu
 435 440 445
 Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser
 450 455 460
 Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu

465 470 475 480
 Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

 Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala
 500 505 510

 Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp
 515 520 525

 Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu
 530 535 540

 Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560

 Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser
 565 570 575

 Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
 580 585 590

 Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
 595 600 605

 Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
 610 615 620

 Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
 625 630 635 640

 Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
 645 650 655

 Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
 660 665 670

 Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
 675 680 685

 Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700

 Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
 705 710 715 720

 Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
 725 730 735

 Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
 740 745 750

 Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
 755 760 765

 Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
 770 775 780

 Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
 785 790 795 800

 Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser

385	Asn	Phe	Ile	Asn	Gln	Ala	Gln	Leu	Ser	Ile	Phe	Gly	Thr	Phe	Arg	Ala	400
				405						410						415	
Leu	Arg	Phe	Val	Asp	Leu	Ser	Asp	Asn	Arg	Ile	Ser	Gly	Pro	Ser	Thr		
			420					425					430				
Leu	Ser	Glu	Ala	Thr	Pro	Glu	Glu	Ala	Asp	Asp	Ala	Glu	Gln	Glu	Glu		
		435					440					445					
Leu	Leu	Ser	Ala	Asp	Pro	His	Pro	Ala	Pro	Leu	Ser	Thr	Pro	Ala	Ser		
	450					455						460					
Lys	Asn	Phe	Met	Asp	Arg	Cys	Lys	Asn	Phe	Lys	Phe	Thr	Met	Asp	Leu		
465				470						475					480		
Ser	Arg	Asn	Asn	Leu	Val	Thr	Ile	Lys	Pro	Glu	Met	Phe	Val	Asn	Leu		
			485						490					495			
Ser	Arg	Leu	Gln	Cys	Leu	Ser	Leu	Ser	His	Asn	Ser	Ile	Ala	Gln	Ala		
		500						505					510				
Val	Asn	Gly	Ser	Gln	Phe	Leu	Pro	Leu	Thr	Asn	Leu	Gln	Val	Leu	Asp		
	515						520					525					
Leu	Ser	His	Asn	Lys	Leu	Asp	Leu	Tyr	His	Trp	Lys	Ser	Phe	Ser	Glu		
	530					535					540						
Leu	Pro	Gln	Leu	Gln	Ala	Leu	Asp	Leu	Gly	Tyr	Asn	Ser	Gln	Pro	Phe		
545					550					555					560		
Ser	Ile	Lys	Gly	Ile	Gly	His	Asn	Phe	Ser	Phe	Val	Ala	His	Leu	Ser		
			565					570						575			
Met	Leu	His	Ser	Leu	Ser	Leu	Ala	His	Asn	Asp	Ile	His	Thr	Arg	Val		
		580						585					590				
Ser	Ser	His	Leu	Asn	Ser	Asn	Ser	Val	Arg	Phe	Leu	Asp	Phe	Ser	Gly		
		595					600					605					
Asn	Gly	Met	Gly	Arg	Met	Trp	Asp	Glu	Gly	Gly	Leu	Tyr	Leu	His	Phe		
	610					615					620						
Phe	Gln	Gly	Leu	Ser	Gly	Leu	Leu	Lys	Leu	Asp	Leu	Ser	Gln	Asn	Asn		
625					630					635					640		
Leu	His	Ile	Leu	Arg	Pro	Gln	Asn	Leu	Asp	Asn	Leu	Pro	Lys	Ser	Leu		
			645						650					655			
Lys	Leu	Leu	Ser	Leu	Arg	Asp	Asn	Tyr	Leu	Ser	Phe	Phe	Asn	Trp	Thr		
			660					665					670				
Ser	Leu	Ser	Phe	Leu	Pro	Asn	Leu	Glu	Val	Leu	Asp	Leu	Ala	Gly	Asn		
		675					680					685					
Gln	Leu	Lys	Ala	Leu	Thr	Asn	Gly	Thr	Leu	Pro	Asn	Gly	Thr	Leu	Leu		
	690					695					700						
Gln	Lys	Leu	Asp	Val	Ser	Ser	Asn	Ser	Ile	Val	Ser	Val	Val	Pro	Ala		
705					710					715					720		
Phe	Phe	Ala	Leu														

```

              725              730              735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
              740              745              750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
              755              760              765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
              770              775              780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785              790              795              800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
              805              810              815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val
              820              825              830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
              835              840              845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser
              850              855              860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865              870              875              880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
              885              890              895

Gly Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
              900              905              910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
              915              920              925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
              930              935              940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945              950              955              960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
              965              970              975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
              980              985              990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln
              995              1000              1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
              1010              1015              1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
              1025              1030

```

<210> 74
 <211> 1032
 <212> PRT

<213> murine

<400> 74

```

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1          5          10          15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
          20          25          30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
          35          40          45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
50          55          60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
65          70          75          80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
          85          90          95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
          100          105          110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
          115          120          125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
130          135          140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
145          150          155          160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
          165          170          175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
180          185          190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
195          200          205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
210          215          220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu
225          230          235          240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
          245          250          255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser
260          265          270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly
275          280          285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe
290          295          300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
305          310          315          320

```

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala
 340 345 350
 Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu
 355 360 365
 Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu
 370 375 380
 Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala
 405 410 415
 Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr
 420 425 430
 Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu
 435 440 445
 Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser
 450 455 460
 Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu
 465 470 475 480
 Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495
 Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala
 500 505 510
 Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp
 515 520 525
 Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu
 530 535 540
 Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560
 Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Thr His Leu Ser
 565 570 575
 Met Leu Gln Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
 580 585 590
 Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
 595 600 605
 Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
 610 615 620
 Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
 625 630 635 640
 Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu

645 650 655
 Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
 660 665 670
 Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
 675 680 685
 Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700
 Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
 705 710 715 720
 Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
 725 730 735
 Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
 740 745 750
 Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
 755 760 765
 Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
 770 775 780
 Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
 785 790 795 800
 Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
 805 810 815
 Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val
 820 825 830
 Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
 835 840 845
 His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser
 850 855 860
 Ala Gln Thr Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
 865 870 875 880
 Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
 885 890 895
 Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
 900 905 910
 Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
 915 920 925
 Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940
 Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960
 Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
 965 970 975
 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val

980 985 990
 Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
 1025 1030

<210> 75
 <211> 1032
 <212> PRT
 <213> murine

<400> 75

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser
 260 265 270
 Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe
 290 295 300
 Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala
 340 345 350
 Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu
 355 360 365
 Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu
 370 375 380
 Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala
 405 410 415
 Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr
 420 425 430
 Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu
 435 440 445
 Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser
 450 455 460
 Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu
 465 470 475 480
 Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495
 Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala
 500 505 510
 Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp
 515 520 525
 Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu
 530 535 540
 Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560
 Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Thr His Leu Ser

565 570 575
 Met Leu Gln Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
 580 585 590
 Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
 595 600 605
 Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
 610 615 620
 Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
 625 630 635 640
 Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
 645 650 655
 Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
 660 665 670
 Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
 675 680 685
 Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700
 Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
 705 710 715 720
 Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
 725 730 735
 Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
 740 745 750
 Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
 755 760 765
 Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
 770 775 780
 Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
 785 790 795 800
 Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
 805 810 815
 Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val
 820 825 830
 Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
 835 840 845
 His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser
 850 855 860
 Ala Gln Thr Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
 865 870 875 880
 Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
 885 890 895
 Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp

900 905 910
 Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
 915 920 925
 Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940
 Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960
 Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
 965 970 975
 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990
 Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln
 995 1000 1005
 Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020
 Asn Phe Cys Arg Gly Pro Thr Ala Glu
 1025 1030

<210> 76
 <211> 3002
 <212> DNA
 <213> Homo sapiens

<400> 76
 gtggcttggt attcactggc aggtttcaga catttagatc tttcttttaa tgactaacac 60
 catgcctatc tgtggagaag ctggcaacat gtcacacctg gaaattgttt ttcaacatta 120
 atactattat ttggcagtaa tccagattgc ttttgccacc aacctgaaga catatagagg 180
 cagaaggaca ggaataattc tatttgtttc ctgttttgaa acttccatct gtaaggctat 240
 caaaaggaga tgtgagagag ggtattgagt ctggcctgac aatgcagttc ttaaaccaaa 300
 ggtccattat gcttctcctc tctgagaatc ctgacttacc tcaacaacgg agacatggca 360
 cagtagccag cttggagact tctcagccaa tgctctgaga tcaagtcgaa gacccaatat 420
 acagggtttt gagctcatct tcatcattca tatgaggaaa taagtggtaa aatccttggg 480
 aatacaatga gactcatcag aaacatttac atattttgta gtattgttat gacagcagag 540
 ggtgatgctc cagagctgcc agaagaaagg gaactgatga ccaactgctc caacatgtct 600
 ctaagaaagg ttcccgaga cttgacccca gccacaacga cactggattt atcctataac 660
 ctcttttttc aactccagag ttcagatttt cattctgtct ccaaactgag agttttgatt 720
 ctatgccata acagaattca acagctggat ctcaaacct ttgaattcaa caaggagtta 780
 agatatttag atttgtctaa taacagactg aagagtgtaa cttggtattt actggcaggt 840
 ctcaggtatt tagatctttc ttttaatgac tttgacacca tgcctatctg tgaggaagct 900

ggcaacatgt	cacacctgga	aatcctaggt	ttgagtgggg	caaaaataca	aaaatcagat	960
ttccagaaaa	ttgctcatct	gcatctaaat	actgtcttct	taggattcag	aactcttctc	1020
cattatgaag	aaggtagcct	gcccattctta	aacacaacaa	aactgcacat	tgtttttacca	1080
atggacacaa	atttctgggt	tcttttgcgt	gatggaatca	agacttcaaa	aatattagaa	1140
atgacaaata	tagatggcaa	aagccaattt	gtaagttatg	aaatgcaacg	aaatcttagt	1200
ttagaaaatg	ctaagacatc	ggttctattg	cttaataaag	ttgattttact	ctgggacgac	1260
cttttcttta	tcttacaatt	tgtttggcat	acatcagtg	aacactttca	gatccgaaat	1320
gtgacttttg	gtggtaaggc	ttatcttgac	cacaattcat	ttgactactc	aaatactgta	1380
atgagaacta	taaaattgga	gcatgtacat	ttcagagtgt	tttacattca	acaggataaa	1440
atctatttgc	ttttgaccaa	aatggacata	gaaaacctga	caatatcaaa	tgcacaaatg	1500
ccacacatgc	ttttcccgaa	ttatctctacg	aaattccaat	atttaaattt	tgccaataat	1560
atcttaacag	acgagttggt	taaaagaact	atccaactgc	ctcacttgaa	aactctcatt	1620
ttgaatggca	ataaactgga	gacactttct	ttagtaagtt	gctttgctaa	caacacaccc	1680
ttggaacact	tggatctgag	tcaaaatcta	ttacaacata	aaaatgatga	aaattgctca	1740
tggccagaaa	ctgtgggtcaa	tatgaatctg	tcatacaata	aattgtctga	ttctgtcttc	1800
aggtgcttgc	ccaaaagtat	tcaaatactt	gacctaaata	ataaccaa	ccaaactgta	1860
cctaaagaga	ctattcatct	gatggcctta	cgagaactaa	atattgcatt	taattttcta	1920
actgatctcc	ctggatgcag	tcatttcagt	agactttcag	ttctgaacat	tgaaatgaac	1980
ttcattctca	gcccattctc	ggattttggt	cagagctgcc	aggaagttaa	aactctaaat	2040
gcgggaagaa	atccattccg	gtgtacctgt	gaattaaaaa	atttcattca	gcttgaacaa	2100
tattcagagg	tcattgatgt	tggatgggtca	gattcataca	cctgtgaata	ccctttaaac	2160
ctaaggggaa	ttaggttaaa	agacgttcat	ctccacgaat	tatcttgcaa	cacagctctg	2220
ttgattgtca	ccattgtggt	tattatgcta	gttctggggg	tggctgtggc	cttctgctgt	2280
ctccactttg	atctgccctg	gtatctcagg	atgctaggtc	aatgcacaca	aacatggcac	2340
agggttagga	aaacaacca	agaacaactc	aagagaaatg	tccgattcca	cgcattttatt	2400
tcatacagtg	aacatgattc	tctgtgggtg	aagaatgaat	tgatcccaaa	tctagagaag	2460
gaagatgggt	ctatcttgat	ttgcctttat	gaaagctact	ttgacctggg	caaaagcatt	2520
agtgaaaata	ttgtaagctt	cattgagaaa	agctataagt	ccatctttgt	tttgtctccc	2580
aactttgtcc	agaatgagtg	gtgccattat	gaattttact	ttgcccacca	caatctcttc	2640
catgaaaatt	ctgatcatat	aattcttata	ttactgggaac	ccattccatt	ctattgcatt	2700
cccaccaggt	atcataaact	gaaagctctc	ctggaaaaaa	aagcataact	ggaatggccc	2760
aaggataggc	gtaaatgtgg	gcttttctgg	gcaaaccttc	gagctgctat	taatgttaat	2820

gtattagcca ccagagaaat gtatgaactg cagacattca cagagttaaa tgaagagtct 2880
 cgaggttcta caatctctct gatgagaaca gattgtctat aaaatccac agtccttggg 2940
 aagttgggga ccacatacac tgttgggatg tacattgata caacctttat gatggcaatt 3000
 tg 3002

<210> 77
 <211> 811
 <212> PRT
 <213> Homo sapiens

<400> 77

Met Arg Leu Ile Arg Asn Ile Tyr Ile Phe Cys Ser Ile Val Met Thr
 1 5 10 15
 Ala Glu Gly Asp Ala Pro Glu Leu Pro Glu Glu Arg Glu Leu Met Thr
 20 25 30
 Asn Cys Ser Asn Met Ser Leu Arg Lys Val Pro Ala Asp Leu Thr Pro
 35 40 45
 Ala Thr Thr Thr Leu Asp Leu Ser Tyr Asn Leu Leu Phe Gln Leu Gln
 50 55 60
 Ser Ser Asp Phe His Ser Val Ser Lys Leu Arg Val Leu Ile Leu Cys
 65 70 75 80
 His Asn Arg Ile Gln Gln Leu Asp Leu Lys Thr Phe Glu Phe Asn Lys
 85 90 95
 Glu Leu Arg Tyr Leu Asp Leu Ser Asn Asn Arg Leu Lys Ser Val Thr
 100 105 110
 Trp Tyr Leu Leu Ala Gly Leu Arg Tyr Leu Asp Leu Ser Phe Asn Asp
 115 120 125
 Phe Asp Thr Met Pro Ile Cys Glu Glu Ala Gly Asn Met Ser His Leu
 130 135 140
 Glu Ile Leu Gly Leu Ser Gly Ala Lys Ile Gln Lys Ser Asp Phe Gln
 145 150 155 160
 Lys Ile Ala His Leu His Leu Asn Thr Val Phe Leu Gly Phe Arg Thr
 165 170 175
 Leu Pro His Tyr Glu Glu Gly Ser Leu Pro Ile Leu Asn Thr Thr Lys
 180 185 190
 Leu His Ile Val Leu Pro Met Asp Thr Asn Phe Trp Val Leu Leu Arg
 195 200 205
 Asp Gly Ile Lys Thr Ser Lys Ile Leu Glu Met Thr Asn Ile Asp Gly
 210 215 220
 Lys Ser Gln Phe Val Ser Tyr Glu Met Gln Arg Asn Leu Ser Leu Glu
 225 230 235 240

Asn Ala Lys Thr Ser Val Leu Leu Leu Asn Lys Val Asp Leu Leu Trp
 245 250 255
 Asp Asp Leu Phe Leu Ile Leu Gln Phe Val Trp His Thr Ser Val Glu
 260 265 270
 His Phe Gln Ile Arg Asn Val Thr Phe Gly Gly Lys Ala Tyr Leu Asp
 275 280 285
 His Asn Ser Phe Asp Tyr Ser Asn Thr Val Met Arg Thr Ile Lys Leu
 290 295 300
 Glu His Val His Phe Arg Val Phe Tyr Ile Gln Gln Asp Lys Ile Tyr
 305 310 315 320
 Leu Leu Leu Thr Lys Met Asp Ile Glu Asn Leu Thr Ile Ser Asn Ala
 325 330 335
 Gln Met Pro His Met Leu Phe Pro Asn Tyr Pro Thr Lys Phe Gln Tyr
 340 345 350
 Leu Asn Phe Ala Asn Asn Ile Leu Thr Asp Glu Leu Phe Lys Arg Thr
 355 360 365
 Ile Gln Leu Pro His Leu Lys Thr Leu Ile Leu Asn Gly Asn Lys Leu
 370 375 380
 Glu Thr Leu Ser Leu Val Ser Cys Phe Ala Asn Asn Thr Pro Leu Glu
 385 390 395 400
 His Leu Asp Leu Ser Gln Asn Leu Leu Gln His Lys Asn Asp Glu Asn
 405 410 415
 Cys Ser Trp Pro Glu Thr Val Val Asn Met Asn Leu Ser Tyr Asn Lys
 420 425 430
 Leu Ser Asp Ser Val Phe Arg Cys Leu Pro Lys Ser Ile Gln Ile Leu
 435 440 445
 Asp Leu Asn Asn Asn Gln Ile Gln Thr Val Pro Lys Glu Thr Ile His
 450 455 460
 Leu Met Ala Leu Arg Glu Leu Asn Ile Ala Phe Asn Phe Leu Thr Asp
 465 470 475 480
 Leu Pro Gly Cys Ser His Phe Ser Arg Leu Ser Val Leu Asn Ile Glu
 485 490 495
 Met Asn Phe Ile Leu Ser Pro Ser Leu Asp Phe Val Gln Ser Cys Gln
 500 505 510
 Glu Val Lys Thr Leu Asn Ala Gly Arg Asn Pro Phe Arg Cys Thr Cys
 515 520 525
 Glu Leu Lys Asn Phe Ile Gln Leu Glu Thr Tyr Ser Glu Val Met Met
 530 535 540
 Val Gly Trp Ser Asp Ser Tyr Thr Cys Glu Tyr Pro Leu Asn Leu Arg
 545 550 555 560
 Gly Ile Arg Leu Lys Asp Val His Leu His Glu Leu Ser Cys Asn Thr

565 570 575
 Ala Leu Leu Ile Val Thr Ile Val Val Ile Met Leu Val Leu Gly Leu
 580 585 590
 Ala Val Ala Phe Cys Cys Leu His Phe Asp Leu Pro Trp Tyr Leu Arg
 595 600 605
 Met Leu Gly Gln Cys Thr Gln Thr Trp His Arg Val Arg Lys Thr Thr
 610 615 620
 Gln Glu Gln Leu Lys Arg Asn Val Arg Phe His Ala Phe Ile Ser Tyr
 625 630 635 640
 Ser Glu His Asp Ser Leu Trp Val Lys Asn Glu Leu Ile Pro Asn Leu
 645 650 655
 Glu Lys Glu Asp Gly Ser Ile Leu Ile Cys Leu Tyr Glu Ser Tyr Phe
 660 665 670
 Asp Pro Gly Lys Ser Ile Ser Glu Asn Ile Val Ser Phe Ile Glu Lys
 675 680 685
 Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro Asn Phe Val Gln Asn Glu
 690 695 700
 Trp Cys His Tyr Glu Phe Tyr Phe Ala His His Asn Leu Phe His Glu
 705 710 715 720
 Asn Ser Asp His Ile Ile Leu Ile Leu Leu Glu Pro Ile Pro Phe Tyr
 725 730 735
 Cys Ile Pro Thr Arg Tyr His Lys Leu Lys Ala Leu Leu Glu Lys Lys
 740 745 750
 Ala Tyr Leu Glu Trp Pro Lys Asp Arg Arg Lys Cys Gly Leu Phe Trp
 755 760 765
 Ala Asn Leu Arg Ala Ala Ile Asn Val Asn Val Leu Ala Thr Arg Glu
 770 775 780
 Met Tyr Glu Leu Gln Thr Phe Thr Glu Leu Asn Glu Glu Ser Arg Gly
 785 790 795 800
 Ser Thr Ile Ser Leu Met Arg Thr Asp Cys Leu
 805 810

<210> 78
 <211> 2760
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (2529)..(2529)
 <223> n is a, c, g, or t

<400> 78
 aagaatttgg actcatatca agatgctctg aagaagaaca accctttagg atagccactg 60
 caacatcatg accaaagaca aagaacctat tgttaaaagc ttccattttg ttgccttat 120

gatcataata gttggaacca gaatccagtt ctccgacgga aatgaatttg cagtagacaa	180
gtcaaaaaga ggtcttattc atgttccaaa agacctaccg ctgaaaacca aagtcttaga	240
tatgtctcag aactacatcg ctgagcttca ggtctctgac atgagctttc tatcagagtt	300
gacagttttg agactttccc ataacagaat ccagctaactt gatttaagtg ttttcaagtt	360
caaccaggat ttagaatatt tggatttata tcataatcag ttgcaaaaaga taccctgcca	420
tcctattgtg agtttcaggc atttagatct ctcatccaat gatttcaagg ccctgcccac	480
ctgtaaggaa tttggcaact tatcacaact gaatttcttg ggattgagtg ctatgaagct	540
gcaaaaatta gatttgctgc caattgctca cttgcatcta agttatatcc ttctggattt	600
aagaaattat tatataaaag aaaatgagac agaaagtcta caaattctga atgcaaaaac	660
ccttcacett gtttttcacc caactagttt attcgtatc caagtgaaca tatcagttaa	720
tactttaggg tgcttacaac tgactaatat taaattgaat gatgacaact gtcaagtttt	780
cattaaattt ttatcagaac tcaccagagg tccaacctta ctgaatttta ccctcaacca	840
catagaaacg acttggaat gcctggtcag agtctttcaa tttctttggc ccaaacctgt	900
ggaatatctc aatatttaca atttaacaat aattgaaagc attcgtgaag aagattttac	960
ttattctaaa acgacattga aagcattgac aatagaacat atcacgaacc aagtttttct	1020
gttttcacag acagctttgt acaccgtgtt ttctgagatg aacattatga tgtaaccat	1080
ttcagatata cctttttatac acatgctgtg tctcatgca ccaagcacat tcaagttttt	1140
gaactttacc cagaacgttt tcacagatag tatttttgaa aaatgttcca cgtagtttaa	1200
attggagaca cttatcttac aaaagaatgg attaaaagac cttttcaaag taggtctcat	1260
gacgaaggat atgccttctt tggaaatact ggatgttagc tggaaattctt tggaaatctgg	1320
tagacataaa gaaaactgca cttgggttga gagtatagtg gtgttaaatt tgtcttcaaa	1380
tatgcttact gactctgttt tcagatgttt acctcccagg atcaaggtag ttgatcttca	1440
cagcaataaa ataaagagcg ttctaaaca agtcgtaaaa ctggaagctt tgcaagaact	1500
caatgttgct ttcaattctt taactgacct tcctggatgt ggcagcttta gcagcctttc	1560
tgtattgac attgatcaca attcagtttc ccacccacg gctgatttct tccagagctg	1620
ccagaagatg aggtcaataa aagcagggga caatccattc caatgtacct gtgagctaag	1680
agaatttgtc aaaaatatag accaagtatc aagtgaagtg ttagagggct ggcctgattc	1740
ttataagtgt gactaccacg aaagttatag aggaagccca ctaaaggact ttcacatgtc	1800
tgaattatcc tgcaacataa ctctgctgat cgtcaccatc ggtgccacca tgctgggtgt	1860
ggctgtgact gtgacctccc tctgcatcta cttggatctg ccctggtatc tcaggatggg	1920
gtgccagtg acccagactc ggcgcagggc caggaacata cccttagaag aactccaaag	1980
aaacctccag ttctatgctt ttatttcata tagtgaacat gattctgcct gggtgaaaag	2040

tgaattggta ccttacctag aaaaagaaga tatacagatt tgtcttcatg agaggaactt 2100
 tgtccctggc aagagcattg tggaaaatat catcaactgc attgagaaga gttacaagtc 2160
 catctttgtt ttgtctccca actttgtcca gagtgagtgg tgccattacg aactctattt 2220
 tgcccatcac aatctctttc atgaaggatc taataactta atcctcatct tactggaacc 2280
 cattccacag aacagcattc ccaacaagta ccacaagctg aaggctctca tgacgcagcg 2340
 gacttatttg cagtggccca aggagaaaag caaacgtggg ctcttttggg ctaacattag 2400
 agccgctttt aatatgaaat taacactagt cactgaaaac aatgatgtga aatcttaaaa 2460
 aaatttagga aattcaactt aagaaccat tatttacttg gatgatgggtg aatagtacag 2520
 tcgtaagtna ctgtctggag gtgcctccat tctctcatg ccttcaggaa agacttaaca 2580
 aaaacaatgt ttcactctggg gaactgagct aggcggtgag gttagcctgc cagttagaga 2640
 cagcccagtc tcttctgggt taatcattat gtttcaaatt gaaacagtct cttttgagta 2700
 aatgctcagt ttttcagctc ctctccactc tgctttccca aatggattct gttgggtgaag 2760

<210> 79

<211> 2753

<212> DNA

<213> Homo sapiens

<400> 79

agaatttgga ctcatatcaa gatgctctga agaagaacaa cccttttagga tagccactgc 60
 aacatcatga ccaaagacaa agaacctatt gttaaaagct tccattttgt ttgccttatg 120
 atcataatag ttggaaccag aatccagttc tccgacggaa atgaatttgc agtagacaag 180
 tcaaaaagag gtcttattca tgttccaaaa gacctaccgc tgaaaaccaa agtcttagat 240
 atgtctcaga actacatcgc tgagcttcag gtctctgaca tgagctttct atcagagttg 300
 acagttttga gactttccca taacagaatc cagctacttg atttaagtgt tttcaagttc 360
 aaccaggatt tagaatattt ggatttatct cataatcagt tgcaaaagat atcctgccat 420
 cctattgtga gtttcaggca tttagatctc tcattcaatg atttcaaggc cctgcccac 480
 tgtaaggaat ttggcaactt atcacaactg aatttcttgg gattgagtgc tatgaagctg 540
 caaaaattag atttgtgcc aattgctcac ttgcatctaa gttatatcct tctggattta 600
 agaaattatt atataaaaga aatgagaca gaaagtctac aaattctgaa tgcaaaaacc 660
 cttcaccttg tttttcacc aactagttaa ttcgctatcc aagtgaacat atcagttaat 720
 actttagggt gcttacaact gactaatatt aaattgaatg atgacaactg tcaagttttc 780
 attaaatttt tatcagaact caccagaggt tcaaccttac tgaattttac cctcaaccac 840
 atagaaaoga cttggaaatg cctggtcaga gtctttcaat ttctttggcc caaacctgtg 900

gaatatctca atatttaca tttacaata attgaaagca ttcgtgaaga agattttact 960
tattctaaaa cgacattgaa agcattgaca atagaacata tcacgaacca agtttttctg 1020

ttttcacaga cagctttgta caccgtgttt tctgagatga acattatgat gttaaccatt 1080
tcagatacac cttttatata catgctgtgt cctcatgcac caagcacatt caagtttttg 1140
aactttaccc agaacgtttt cacagatagt atttttgaaa aatgttccac gttagttaaa 1200
ttggagacac ttatcttaca aaaaaatgga ttaaaagacc ttttcaaagt aggtctcatg 1260
acgaaggata tgccttcttt ggaaatactg gatgttagct ggaattcttt ggaatctggt 1320
agacataaag aaaactgcac ttgggttgag agtatagtgg tgttaaattt gtcttcaaatt 1380
atgcttactg actctgtttt cagatgttta cctcccagga tcaaggactt tgatcttcac 1440
agcaataaaa taaagagcgt tcctaaacaa gtcgtaaaac tggaagcttt gcaagaactc 1500
aatgttgctt tcaattcttt aactgacctt cctggatgtg gcagcttttag cagcctttct 1560
gtattgatca ttgatcaca ttcagtttcc caccatcgg ctgatttctt ccagagctgc 1620
cagaagatga ggtcaataaa agcaggggac aatccattcc aatgtacctg tgagctaaga 1680
gaatttgctca aaaatataga ccaagtatca agtgaagtgt tagagggctg gcctgattct 1740
tataagtgtg actaccaga aagttataga ggaagccac taaaggactt tcacatgtct 1800
gaattatcct gcaacataac tctgctgatc gtcaccatcg gtgccaccat gctgggtgtg 1860
gctgtgactg tgacctcct ctgcatctac ttgatctgc cctggtatct caggatggtg 1920
tgccagtga cccagactcg gcgcagggcc aggaacatac ccttagaaga actccaaaga 1980
aacctccagt ttcattgctt ttttcatat agtgaacatg attctgcctg ggtgaaaagt 2040
gaattggtac cttacctaga aaaagaagat atacagattt gtcttcatga gaggaacttt 2100
gtccctggca agagcattgt ggaaaatata atcaactgca ttgagaagag ttacaagtcc 2160
atctttgttt tgtctcccaa ctttgtccag agtgagtggg gccattacga actctatttt 2220
gccatcaca atctctttca tgaaggatct aataacttaa tcctcatctt actggaacct 2280
attccacaga acagcattcc caacaagtac cacaagctga aggctctcat gacgcagcgg 2340
acttatttgc agtggcccaa ggagaaaagc aaacgtgggc tcttttgggc taacattaga 2400
gccgctttta atatgaaatt aactactatc actgaaaaca atgatgtgaa atcttaaaaa 2460
aatttaggaa attcaactta agaaaccatt atttacttgg atgatggtga atagtacagt 2520
cgtaagtaac tgtctggagg tgccctcatt atctcatgc cttcaggaaa gacttaacaa 2580
aaacaatgtt tcatctgggg aactgagcta ggcggtgagg ttagcctgcc agttagagac 2640
agcccagtct cttctgggtt aatcattatg tttcaaattg aaacagtctc ttttgagtaa 2700
atgetcagtt tttcagctcc tctccactct gctttcccaa atggattctg ttg 2753

<210> 80
 <211> 796
 <212> PRT
 <213> Homo sapiens

<400> 80

```

Met Thr Lys Asp Lys Glu Pro Ile Val Lys Ser Phe His Phe Val Cys
1          5          10          15
Leu Met Ile Ile Ile Val Gly Thr Arg Ile Gln Phe Ser Asp Gly Asn
          20          25          30
Glu Phe Ala Val Asp Lys Ser Lys Arg Gly Leu Ile His Val Pro Lys
          35          40          45
Asp Leu Pro Leu Lys Thr Lys Val Leu Asp Met Ser Gln Asn Tyr Ile
          50          55          60
Ala Glu Leu Gln Val Ser Asp Met Ser Phe Leu Ser Glu Leu Thr Val
          65          70          75          80
Leu Arg Leu Ser His Asn Arg Ile Gln Leu Leu Asp Leu Ser Val Phe
          85          90          95
Lys Phe Asn Gln Asp Leu Glu Tyr Leu Asp Leu Ser His Asn Gln Leu
          100          105          110
Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu
          115          120          125
Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn
          130          135          140
Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys
          145          150          155          160
Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu
          165          170          175
Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln
          180          185          190
Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu
          195          200          205
Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln
          210          215          220
Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys
          225          230          235          240
Phe Leu Ser Glu Leu Thr Arg Gly Pro Thr Leu Leu Asn Phe Thr Leu
          245          250          255
Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe
          260          265          270
Leu Trp Pro Lys Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile
          275          280          285

```

Ile Glu Ser Ile Arg Glu Glu Asp Phe Thr Tyr Ser Lys Thr Thr Leu
 290 295 300
 Lys Ala Leu Thr Ile Glu His Ile Thr Asn Gln Val Phe Leu Phe Ser
 305 310 315 320
 Gln Thr Ala Leu Tyr Thr Val Phe Ser Glu Met Asn Ile Met Met Leu
 325 330 335
 Thr Ile Ser Asp Thr Pro Phe Ile His Met Leu Cys Pro His Ala Pro
 340 345 350
 Ser Thr Phe Lys Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser
 355 360 365
 Ile Phe Glu Lys Cys Ser Thr Leu Val Lys Leu Glu Thr Leu Ile Leu
 370 375 380
 Gln Lys Asn Gly Leu Lys Asp Leu Phe Lys Val Gly Leu Met Thr Lys
 385 390 395 400
 Asp Met Pro Ser Leu Glu Ile Leu Asp Val Ser Trp Asn Ser Leu Glu
 405 410 415
 Ser Gly Arg His Lys Glu Asn Cys Thr Trp Val Glu Ser Ile Val Val
 420 425 430
 Leu Asn Leu Ser Ser Asn Met Leu Thr Asp Ser Val Phe Arg Cys Leu
 435 440 445
 Pro Pro Arg Ile Lys Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser
 450 455 460
 Val Pro Lys Gln Val Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val
 465 470 475 480
 Ala Phe Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser
 485 490 495
 Leu Ser Val Leu Ile Ile Asp His Asn Ser Val Ser His Pro Ser Ala
 500 505 510
 Asp Phe Phe Gln Ser Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp
 515 520 525
 Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Glu Phe Val Lys Asn Ile
 530 535 540
 Asp Gln Val Ser Ser Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys
 545 550 555 560
 Cys Asp Tyr Pro Glu Ser Tyr Arg Gly Ser Pro Leu Lys Asp Phe His
 565 570 575
 Met Ser Glu Leu Ser Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Gly
 580 585 590
 Ala Thr Met Leu Val Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr
 595 600 605
 Leu Asp Leu Pro Trp Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr

610 615 620
 Arg Arg Arg Ala Arg Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu
 625 630 635 640
 Gln Phe His Ala Phe Ile Ser Tyr Ser Glu His Asp Ser Ala Trp Val
 645 650 655
 Lys Ser Glu Leu Val Pro Tyr Leu Glu Lys Glu Asp Ile Gln Ile Cys
 660 665 670
 Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile
 675 680 685
 Ile Asn Cys Ile Glu Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro
 690 695 700
 Asn Phe Val Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His
 705 710 715 720
 His Asn Leu Phe His Glu Gly Ser Asn Asn Leu Ile Leu Ile Leu Leu
 725 730 735
 Glu Pro Ile Pro Gln Asn Ser Ile Pro Asn Lys Tyr His Lys Leu Lys
 740 745 750
 Ala Leu Met Thr Gln Arg Thr Tyr Leu Gln Trp Pro Lys Glu Lys Ser
 755 760 765
 Lys Arg Gly Leu Phe Trp Ala Asn Ile Arg Ala Ala Phe Asn Met Lys
 770 775 780
 Leu Thr Leu Val Thr Glu Asn Asn Asp Val Lys Ser
 785 790 795

<210> 81
 <211> 796
 <212> PRT
 <213> Homo sapiens

<400> 81

Met Thr Lys Asp Lys Glu Pro Ile Val Lys Ser Phe His Phe Val Cys
 1 5 10 15
 Leu Met Ile Ile Ile Val Gly Thr Arg Ile Gln Phe Ser Asp Gly Asn
 20 25 30
 Glu Phe Ala Val Asp Lys Ser Lys Arg Gly Leu Ile His Val Pro Lys
 35 40 45
 Asp Leu Pro Leu Lys Thr Lys Val Leu Asp Met Ser Gln Asn Tyr Ile
 50 55 60
 Ala Glu Leu Gln Val Ser Asp Met Ser Phe Leu Ser Glu Leu Thr Val
 65 70 75 80
 Leu Arg Leu Ser His Asn Arg Ile Gln Leu Leu Asp Leu Ser Val Phe
 85 90 95
 Lys Phe Asn Gln Asp Leu Glu Tyr Leu Asp Leu Ser His Asn Gln Leu
 100 105 110

Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu
 115 120 125
 Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn
 130 135 140
 Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys
 145 150 155 160
 Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu
 165 170 175
 Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln
 180 185 190
 Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu
 195 200 205
 Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln
 210 215 220
 Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys
 225 230 235 240
 Phe Leu Ser Glu Leu Thr Arg Gly Ser Thr Leu Leu Asn Phe Thr Leu
 245 250 255
 Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe
 260 265 270
 Leu Trp Pro Lys Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile
 275 280 285
 Ile Glu Ser Ile Arg Glu Glu Asp Phe Thr Tyr Ser Lys Thr Thr Leu
 290 295 300
 Lys Ala Leu Thr Ile Glu His Ile Thr Asn Gln Val Phe Leu Phe Ser
 305 310 315 320
 Gln Thr Ala Leu Tyr Thr Val Phe Ser Glu Met Asn Ile Met Met Leu
 325 330 335
 Thr Ile Ser Asp Thr Pro Phe Ile His Met Leu Cys Pro His Ala Pro
 340 345 350
 Ser Thr Phe Lys Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser
 355 360 365
 Ile Phe Glu Lys Cys Ser Thr Leu Val Lys Leu Glu Thr Leu Ile Leu
 370 375 380
 Gln Lys Asn Gly Leu Lys Asp Leu Phe Lys Val Gly Leu Met Thr Lys
 385 390 395 400
 Asp Met Pro Ser Leu Glu Ile Leu Asp Val Ser Trp Asn Ser Leu Glu
 405 410 415
 Ser Gly Arg His Lys Glu Asn Cys Thr Trp Val Glu Ser Ile Val Val
 420 425 430
 Leu Asn Leu Ser Ser Asn Met Leu Thr Asp Ser Val Phe Arg Cys Leu

435 440 445
 Pro Pro Arg Ile Lys Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser
 450 455 460
 Val Pro Lys Gln Val Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val
 465 470 475 480
 Ala Phe Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser
 485 490 495
 Leu Ser Val Leu Ile Ile Asp His Asn Ser Val Ser His Pro Ser Ala
 500 505 510
 Asp Phe Phe Gln Ser Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp
 515 520 525
 Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Glu Phe Val Lys Asn Ile
 530 535 540
 Asp Gln Val Ser Ser Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys
 545 550 555 560
 Cys Asp Tyr Pro Glu Ser Tyr Arg Gly Ser Pro Leu Lys Asp Phe His
 565 570 575
 Met Ser Glu Leu Ser Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Gly
 580 585 590
 Ala Thr Met Leu Val Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr
 595 600 605
 Leu Asp Leu Pro Trp Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr
 610 615 620
 Arg Arg Arg Ala Arg Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu
 625 630 635 640
 Gln Phe His Ala Phe Ile Ser Tyr Ser Glu His Asp Ser Ala Trp Val
 645 650 655
 Lys Ser Glu Leu Val Pro Tyr Leu Glu Lys Glu Asp Ile Gln Ile Cys
 660 665 670
 Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile
 675 680 685
 Ile Asn Cys Ile Glu Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro
 690 695 700
 Asn Phe Val Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His
 705 710 715 720
 His Asn Leu Phe His Glu Gly Ser Asn Asn Leu Ile Leu Ile Leu Leu
 725 730 735
 Glu Pro Ile Pro Gln Asn Ser Ile Pro Asn Lys Tyr His Lys Leu Lys
 740 745 750
 Ala Leu Met Thr Gln Arg Thr Tyr Leu Gln Trp Pro Lys Glu Lys Ser
 755 760 765
 Lys Arg Gly Leu Phe Trp Ala Asn Ile Arg Ala Ala Phe Asn Met Lys

770 775 780
 Leu Thr Leu Val Thr Glu Asn Asn Asp Val Lys Ser
 785 790 795

<210> 82
 <211> 796
 <212> PRT
 <213> Homo sapiens

<400> 82

Met Thr Lys Asp Lys Glu Pro Ile Val Lys Ser Phe His Phe Val Cys
 1 5 10 15

Leu Met Ile Ile Ile Val Gly Thr Arg Ile Gln Phe Ser Asp Gly Asn
 20 25 30

Glu Phe Ala Val Asp Lys Ser Lys Arg Gly Leu Ile His Val Pro Lys
 35 40 45

Asp Leu Pro Leu Lys Thr Lys Val Leu Asp Met Ser Gln Asn Tyr Ile
 50 55 60

Ala Glu Leu Gln Val Ser Asp Met Ser Phe Leu Ser Glu Leu Thr Val
 65 70 75 80

Leu Arg Leu Ser His Asn Arg Ile Gln Leu Leu Asp Leu Ser Val Phe
 85 90 95

Lys Phe Asn Gln Asp Leu Glu Tyr Leu Asp Leu Ser His Asn Gln Leu
 100 105 110

Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu
 115 120 125

Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn
 130 135 140

Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys
 145 150 155 160

Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu
 165 170 175

Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln
 180 185 190

Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu
 195 200 205

Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln
 210 215 220

Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys
 225 230 235 240

Phe Leu Ser Glu Leu Thr Arg Gly Pro Thr Leu Leu Asn Phe Thr Leu
 245 250 255

Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe
 260 265 270

Leu Trp Pro Lys Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile
 275 280 285
 Ile Glu Ser Ile Arg Glu Glu Asp Phe Thr Tyr Ser Lys Thr Thr Leu
 290 295 300
 Lys Ala Leu Thr Ile Glu His Ile Thr Asn Gln Val Phe Leu Phe Ser
 305 310 315 320
 Gln Thr Ala Leu Tyr Thr Val Phe Ser Glu Met Asn Ile Met Met Leu
 325 330 335
 Thr Ile Ser Asp Thr Pro Phe Ile His Met Leu Cys Pro His Ala Pro
 340 345 350
 Ser Thr Phe Lys Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser
 355 360 365
 Ile Phe Glu Lys Cys Ser Thr Leu Val Lys Leu Glu Thr Leu Ile Leu
 370 375 380
 Gln Lys Asn Gly Leu Lys Asp Leu Phe Lys Val Gly Leu Met Thr Lys
 385 390 395 400
 Asp Met Pro Ser Leu Glu Ile Leu Asp Val Ser Trp Asn Ser Leu Glu
 405 410 415
 Ser Gly Arg His Lys Glu Asn Cys Thr Trp Val Glu Ser Ile Val Val
 420 425 430
 Leu Asn Leu Ser Ser Asn Met Leu Thr Asp Ser Val Phe Arg Cys Leu
 435 440 445
 Pro Pro Arg Ile Lys Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser
 450 455 460
 Val Pro Lys Gln Val Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val
 465 470 475 480
 Ala Phe Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser
 485 490 495
 Leu Ser Val Leu Ile Ile Asp His Asn Ser Val Ser His Pro Ser Ala
 500 505 510
 Asp Phe Phe Gln Ser Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp
 515 520 525
 Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Glu Phe Val Lys Asn Ile
 530 535 540
 Asp Gln Val Ser Ser Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys
 545 550 555 560
 Cys Asp Tyr Pro Glu Ser Tyr Arg Gly Ser Pro Leu Lys Asp Phe His
 565 570 575
 Met Ser Glu Leu Ser Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Gly
 580 585 590
 Ala Thr Met Leu Val Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr

595 600 605
 Leu Asp Leu Pro Trp Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr
 610 615 620
 Arg Arg Arg Ala Arg Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu
 625 630 635 640
 Gln Phe His Ala Phe Ile Ser Tyr Ser Glu His Asp Ser Ala Trp Val
 645 650 655
 Lys Ser Glu Leu Val Pro Tyr Leu Glu Lys Glu Asp Ile Gln Ile Cys
 660 665 670
 Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile
 675 680 685
 Ile Asn Cys Ile Glu Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro
 690 695 700
 Asn Phe Val Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His
 705 710 715 720
 His Asn Leu Phe His Glu Gly Ser Asn Asn Leu Ile Leu Ile Leu Leu
 725 730 735
 Glu Pro Ile Pro Gln Asn Ser Ile Pro Asn Lys Tyr His Lys Leu Lys
 740 745 750
 Ala Leu Met Thr Gln Arg Thr Tyr Leu Gln Trp Pro Lys Glu Lys Ser
 755 760 765
 Lys Arg Gly Leu Phe Trp Ala Asn Ile Arg Ala Ala Phe Asn Met Lys
 770 775 780
 Leu Thr Leu Val Thr Glu Asn Asn Asp Val Lys Ser
 785 790 795

<210> 83
 <211> 2604
 <212> DNA
 <213> murine

<400> 83
 aagtaaaaat gctgtgaaga atggtaaagt ccctctggga tagcctctgc aacatgagcc 60
 aagacagaaa acccatcgtg gggagtttcc actttgtttg cgccctggcc ttaatagtcg 120
 gaagcatgac cccgttctct aatgaacttg agtctatggt agactattca aacaggaacc 180
 ttactcatgt ccccaaagac ctgccaccaa gaacaaaagc cctgagtctg tctcaaaact 240
 ctatatctga gcttcggatg cctgatatca gctttctgtc agagctgaga gttctgagac 300
 tctcccacaa caggatacgg agccttgatt tccatgtatt cttgttcaat caggacttag 360
 aatacctgga tgtctcacac aatcggttgc aaaacatctc ttgctgccct atggcgagcc 420
 tgaggcatct agacctctca ttcaatgact ttgatgtact gcctgtgtgt aaggaatttg 480
 gcaacctgac gaagctgact ttctgggat taagtgtctg caagttccga caactggatc 540

tgctcccagt tgctcacttg catctaagct gcattcttct ggacttagtg agtcatcata 600
taaaaggcgg ggaaacagaa agtcttcaga ttcccaatac caccgttctc catttggtct 660
ttcatccaaa tagcttggtc tctgttcaag tgaacatgtc tgtaaacgct ttaggacatt 720
tacaactgag taatattaaa ttgaatgatg aaaactgtca aagggttaatg acatttttat 780
cagaactcac cagagggtcca accttattga atgtgacctt ccagcacata gaaacaacct 840
ggaagtgtct gggttaaactt ttccaattct tttggccccg accggtggag tacctcaata 900
tttacaactt aacgataact gagagaatcg acagggaaga atttacttac tcgggagacag 960
cactgaagtc actgatgata gagcacgtca aaaaccaagt gttcctcttt tcaaaggagg 1020
cgctatactc ggtgtttgct gagatgaaca tcaagatgct ctctatctca gacaccctt 1080
tcatccacat ggtgtgcccc ccatcccaa gctcatttac atttctgaac ttaccacaga 1140
atgtttttac tgacagtgtt tttcaaggct gttccacctt aaagagattg cagacactta 1200
tcttacaag gaatggttg aagaactttt ttaaagtagc tctcatgact aagaatatgt 1260
cctctctgga aactttggat gttagttga attctttgaa ctctcatgca tatgacagga 1320
catgcgcctg ggctgagagc atattggtgt tgaattgtc ttcgaatatg cttacaggct 1380
ctgtcttcag atgcttacct cccaagggtca aggtccttga ccttcacaac aacaggataa 1440
tgagcatccc taaagatgtc acccacctgc aggtcttgca ggaactcaat gtagcatcca 1500
actccttaac tgaccttctt ggggtgtggg ccttcagcag cctttctgtg ctggtcatcg 1560
accataactc agtttcccat cctctgagg atttcttcca gagctgtcag aatattagat 1620
ccctaacagc gggaaacaac ccattccaat gcacatgtga gctgaggac tttgtcaaga 1680
acataggctg ggtagcaaga gaagtgggtg agggctggcc tgactcttac aggtgtgact 1740
accagaaaag ctctaaggga actgcactga gggacttcca catgtctcca ctgtcctgtg 1800
atactgttct gctgactgtc accatcgggg ccactatgct ggtgctggct gtcactgggg 1860
ctttcctctg tctctacttt gacctgccct ggtatgtgag gatgctgtgt cagtggacac 1920
agaccaggca cagggccagg cacatccct tagaggaact ccagagaaac ctccagttcc 1980
atgcttttgt ctcatacagt gagcatgatt ctgcctgggt gaagaacgaa ttactacca 2040
acctagagaa agatgacatc cgggtttgcc tccatgagag gaactttgtc cctggcaaga 2100
gcattgtgga gaacatcatc aatttcattg agaagagtta caaggccatc tttgtgctgt 2160
ctccccactt catccagagt gagtgggtgcc attatgaact ctattttgcc catcataatc 2220
tcttccatga aggtctgat aacttaatcc tcatcttgct ggaaccatt ctacagaaca 2280
acattcccag tagataccac aagctgcggg ctctcatggc acagcggact tacttggaat 2340
ggcctactga gaagggcaaa cgtgggctgt tttgggcaa ccttagagct tcatttatta 2400
tgaagttagc cttagtcaat gaggatgatg tgaaaacttg aaacttgggt ttctaactta 2460

ataaaactgtc aacctgggct ctcataaaca ctgtgggtttt cagttcctac ctggaggtac 2520
 ttctgttggtg gtgtcttagt ttgtctgtg cttatgataa ataacatgtt tagaagtagt 2580
 ttatgaagggt gctaagttca ttaa 2604

<210> 84
 <211> 2604
 <212> DNA
 <213> murine

<400> 84
 aagtaaaaat gctgtgaaga atggtaaagt ccctctggga tagcctctgc aacatgagcc 60
 aagacagaaa acccatcgtg gggagtttcc actttgtttg cgccttgcc ttaatagtcg 120
 gaagcatgac cccgttctct aatgaacttg agtctatggt agactattca aacaggaacc 180
 ttactcatgt ccccaaagac ctgccaccaa gaacaaaagc cctgagctctg tctcaaaact 240
 ctatatctga gcttcggatg cctgatatca gctttctgtc agagctgaga gttctgagac 300
 tctcccacaa caggatacgg agccttgatt tccatgtatt cttgttcaat caggacttag 360
 aatacctgga tgtctcacac aatcgggtgc aaaacatctc ttgctgccct atggcgagcc 420
 tgaggcatct agacctctca ttcaatgact ttgatgtact gcctgtgtgt aaggaatttg 480
 gcaacctgac gaagctgact ttccctgggat taagtgtctc caagttccga caactggatc 540
 tgctcccagt tgetcacttg catctaagct gcattcttct ggacttagtg agtcatcata 600
 taaaaggcgg ggaaacagaa agtcttcaga ttcccaatac caccgttctc catttggctc 660
 ttcatccaaa tagcttggtc tctgttcaag tgaacatgtc tgtaaacgct ttaggacatt 720
 tacaactgag taatattaaa ttgaatgatg aaaactgtca aagggttaatg acatttttat 780
 cagaactcac cagaggtcca accttattga atgtgaccct ccagcacata gaaacaacct 840
 ggaagtgtc ggttaaactt ttccaattct tttggccccg accggtggag tacctcaata 900
 tttaacaactt aacgataact gagagaatcg acaggaaga atttacttac tcggagacag 960
 cactgaagtc actgatgata gagcacgtca aaaaccaagt gttcctcttt tcaaaggagg 1020
 cgctatactc ggtgtttgct gagatgaaca tcaagatgct ctctatctca gacaccctt 1080
 tcatccacat ggtgtgcccc ccatcccaa gctcatttac atttctgaac tttaaccaga 1140
 atgtttttac tgacagtgtt tttaaggct gttccacctt aaagagattg cagacactta 1200
 tcttaciaag gaatggttg aagaactttt ttaaagtagc tctcatgact aagaatatgt 1260
 cctctctgga aactttggat gttagtttga attctttgaa ctctcatgca tatgacagga 1320
 catgcgcctg ggctgagagc atattggtgt tgaatttgc ttogaatatg cttacaggct 1380
 ctgtcttcag atgcttacct cccaaggctc aggtccttga ccttcacaac aacaggataa 1440

tgagcatccc taaagatgtc acccacctgc aggcttttgc ggaactcaat gtagcatcca	1500
actccttaac tgaccttctt ggggtgtggg ccttcagcag cctttctgtg ctggatcatc	1560
accataactc agtttcccat ccctctgagg atttcttcca gagctgtcag aatattagat	1620
ccctaacagc gggaaacaac ccattccaat gcacatgtga gctgaggagac tttgtcaaga	1680
acataggctg ggtagcaaga gaagtgggtg agggctggcc tgactcttac aggtgtgact	1740
accagaaaag ctctaaggga actgcactga gggacttcca catgtctcca ctgtcctgtg	1800
atactgttct gctgactgtc accatcgggg ccactatgct ggtgctggct gtcactgggg	1860
ccttcctctg tctctacttt gacctgccct ggtatgtgag gatgctgtgt cagtggacac	1920
agaccaggca cagggccagg cacatccct tagaggaaact ccagagaaaac ctccagttcc	1980
atgcttttgt ctcatacagt gagcatgatt ctgcctgggt gaagaacgaa ttactacca	2040
acctagagaa agatgacatc cgggtttgcc tccatgagag gaactttgtc cctggcaaga	2100
gcattgtgga gaacatcatc aatttcattg agaagagtta caaggccatc tttgtgctgt	2160
ctccccactt catccagagt gagtgggtgcc attatgaact ctattttgcc catcataatc	2220
tcttccatga aggctctgat aacttaatcc tcatcttgct ggaaccatt ctacagaaca	2280
acattcccag tagataccac aagctgcggg ctctcatggc acagcggact tacttggaa	2340
ggcctactga gaagggcaaa cgtgggctgt tttgggcaa ccttagagct tcatttatta	2400
tgaagttagc cttagtcaat gaggatgatg tgaaaacttg aaacttgggt ttctaactta	2460
ataaactgtc aacctgggct ctcatgaaca ctgtggtttt cagttcctac ctggaggtag	2520
ttctgtgtg gtgtcttagt ttgtctgtg cttatgataa ataacatgtt tagaagtagt	2580
ttatgaagggt gctaagttca ttaa	2604

<210> 85
 <211> 2421
 <212> DNA
 <213> murine

<400> 85	
atggtaaagt ccctctggga tagcctctgc aacatgagcc aagacagaaa acccatcgtg	60
gggagtttcc actttgtttg cgccctggcc ttaatagtcg gaagcatgac cccgttctct	120
aatgaacttg agtctatggt agactattca aacaggaacc ttactcatgt ccccaaagac	180
ctgccaccaa gaacaaaagc cctgagtctg tctcaaaact ctatatctga gttcggatg	240
cctgatatca gctttctgtc agagctgaga gttctgagac tctcccacaa caggatacgg	300
agccttgatt tccatgtatt cttgttcaat caggacttag aatacctgga tgtctcacac	360
aatcggttgc aaaacatctc ttgctgccct atggcgagcc tgaggcatct agacctctca	420
ttcaatgact ttgatgtact gcctgtgtgt aaggaatttg gcaacctgac gaagctgact	480

ttcctgggat taagtgtgc aaagttccga caactggatc tgctcccagt tgctcacttg	540
catctaagct gcattcttct ggacttagtg agttatcata taaaaggcgg ggaaacagaa	600
agtcttcaga ttcccaatac caccgttctc catttggtct ttcattccaaa tagcttggtc	660
tctgttcaag tgaacatgtc tgtaaagcgt ttaggacatt tacaactgag taatattaaa	720
ttgaatgatg aaaactgtca aagggttaatg acatttttat cagaactcac cagagggtcca	780
accttattga atgtgacct ccagcacata gaaacaacct ggaagtgtc ggtaaactt	840
ttccaattct tttggccccg accggtggag tacctcaata ttacaactt aacgataact	900
gagagaatcg acaggaaga atttacttac tcggagacag cactgaagtc actgatgata	960
gagcacgtca aaaaccaagt gttcctcttt tcaaaggagg cgctatactc ggtgtttgct	1020
gagatgaaca tcaagatgct ctctatctca gacaccctt tcatccacat ggtgtgccc	1080
ccatcccaa gctcatttac atttctgaac ttaccacaga atgtttttac tgacagtgtt	1140
tttcaaggct gttccacct aaagagattg cagacactta tcttacaag gaatggttg	1200
aagaactttt ttaaagtagc tctcatgact aagaatatgt cctctctgga aactttggat	1260
gttagtttga attctttgaa ctctcatgca tatgacagga catgcgcctg ggctgagagc	1320
atattggtgt tgaatttgc ttcgaatatg cttacaggct ctgtcttcag atgcttacct	1380
ccaaggtca aggtccttga ccttcacaac aacaggataa tgagcatccc taaagatgtc	1440
accacctgc aggttttga ggaactcaat gtagcatcca actcctaac tgaccttct	1500
gggtgtggg ccttcagcag cctttctgtg ctggtcatcg accataactc agtttccat	1560
ccctctgagg atttcttcca gagctgtcag aatattagat ccctaacagc gggaaacaac	1620
ccattccaat gcacatgtga gctgaggac tttgtcaaga acataggctg ggtagcaaga	1680
gaagtgggtg agggctggcc tgactcttac aggtgtgact accagaaaag ctctaagga	1740
actgcactga gggacttcca catgtctcca ctgtcctgtg atactgttct gctgactgtc	1800
accatcgggg ccactatgct ggtgctggct gtcactggg ctttctctg tctctacttt	1860
gacctgccct ggtatgtgag gatgctgtgt cagtggacac agaccaggca cagggccagg	1920
cacatcccct tagaggaact ccagagaaac ctccagttcc atgcttttgt ctcatagct	1980
gagcatgatt ctgcctgggt gaagaacgaa ttactacca acctagagaa agatgacatc	2040
cgggtttgcc tccatgagag gaactttgtc cctggcaaga gcattgtgga gaacatcatc	2100
aatttcattg agaagagtta caaggccatc tttgtgctgt ctcccactt catccagagt	2160
gagtgggtgcc attatgaact ctattttgcc catcataatc tcttccatga aggtctgat	2220
aacttaatcc tcatcttgct ggaaccatt ctacagaaca acattcccag tagataccac	2280
aagctgcggg ctctcatggc acagcggact tacttggaat ggctactga gaagggcaaa	2340
cgtaggctgt tttgggcaa ccttagagct tcatttatta tgaagttagc cttagtcaat	2400

gaggatgatg tgaaaacttg a

2421

<210> 86
 <211> 806
 <212> PRT
 <213> murine

<400> 86

Met Val Lys Ser Leu Trp Asp Ser Leu Cys Asn Met Ser Gln Asp Arg
 1 5 10 15

Lys Pro Ile Val Gly Ser Phe His Phe Val Cys Ala Leu Ala Leu Ile
 20 25 30

Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu Glu Ser Met Val Asp
 35 40 45

Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys Asp Leu Pro Pro Arg
 50 55 60

Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile Ser Glu Leu Arg Met
 65 70 75 80

Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val Leu Arg Leu Ser His
 85 90 95

Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe Leu Phe Asn Gln Asp
 100 105 110

Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu Gln Asn Ile Ser Cys
 115 120 125

Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu Ser Phe Asn Asp Phe
 130 135 140

Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn Leu Thr Lys Leu Thr
 145 150 155 160

Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln Leu Asp Leu Leu Pro
 165 170 175

Val Ala His Leu His Leu Ser Cys Ile Leu Leu Asp Leu Val Ser His
 180 185 190

His Ile Lys Gly Gly Glu Thr Glu Ser Leu Gln Ile Pro Asn Thr Thr
 195 200 205

Val Leu His Leu Val Phe His Pro Asn Ser Leu Phe Ser Val Gln Val
 210 215 220

Asn Met Ser Val Asn Ala Leu Gly His Leu Gln Leu Ser Asn Ile Lys
 225 230 235 240

Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr Phe Leu Ser Glu Leu
 245 250 255

Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu Gln His Ile Glu Thr
 260 265 270

Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe Phe Trp Pro Arg Pro
 275 280 285
 Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile Thr Glu Arg Ile Asp
 290 295 300
 Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu Lys Ser Leu Met Ile
 305 310 315 320
 Glu His Val Lys Asn Gln Val Phe Leu Phe Ser Lys Glu Ala Leu Tyr
 325 330 335
 Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu Ser Ile Ser Asp Thr
 340 345 350
 Pro Phe Ile His Met Val Cys Pro Pro Ser Pro Ser Ser Phe Thr Phe
 355 360 365
 Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser Val Phe Gln Gly Cys
 370 375 380
 Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu Gln Arg Asn Gly Leu
 385 390 395 400
 Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys Asn Met Ser Ser Leu
 405 410 415
 Glu Thr Leu Asp Val Ser Leu Asn Ser Leu Asn Ser His Ala Tyr Asp
 420 425 430
 Arg Thr Cys Ala Trp Ala Glu Ser Ile Leu Val Leu Asn Leu Ser Ser
 435 440 445
 Asn Met Leu Thr Gly Ser Val Phe Arg Cys Leu Pro Pro Lys Val Lys
 450 455 460
 Val Leu Asp Leu His Asn Asn Arg Ile Met Ser Ile Pro Lys Asp Val
 465 470 475 480
 Thr His Leu Gln Ala Leu Gln Glu Leu Asn Val Ala Ser Asn Ser Leu
 485 490 495
 Thr Asp Leu Pro Gly Cys Gly Ala Phe Ser Ser Leu Ser Val Leu Val
 500 505 510
 Ile Asp His Asn Ser Val Ser His Pro Ser Glu Asp Phe Phe Gln Ser
 515 520 525
 Cys Gln Asn Ile Arg Ser Leu Thr Ala Gly Asn Asn Pro Phe Gln Cys
 530 535 540
 Thr Cys Glu Leu Arg Asp Phe Val Lys Asn Ile Gly Trp Val Ala Arg
 545 550 555 560
 Glu Val Val Glu Gly Trp Pro Asp Ser Tyr Arg Cys Asp Tyr Pro Glu
 565 570 575
 Ser Ser Lys Gly Thr Ala Leu Arg Asp Phe His Met Ser Pro Leu Ser
 580 585 590
 Cys Asp Thr Val Leu Leu Thr Val Thr Ile Gly Ala Thr Met Leu Val

595 600 605
 Leu Ala Val Thr Gly Ala Phe Leu Cys Leu Tyr Phe Asp Leu Pro Trp
 610 615 620
 Tyr Val Arg Met Leu Cys Gln Trp Thr Gln Thr Arg His Arg Ala Arg
 625 630 635 640
 His Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe
 645 650 655
 Val Ser Tyr Ser Glu His Asp Ser Ala Trp Val Lys Asn Glu Leu Leu
 660 665 670
 Pro Asn Leu Glu Lys Asp Asp Ile Arg Val Cys Leu His Glu Arg Asn
 675 680 685
 Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Asn Phe Ile Glu
 690 695 700
 Lys Ser Tyr Lys Ala Ile Phe Val Leu Ser Pro His Phe Ile Gln Ser
 705 710 715 720
 Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His
 725 730 735
 Glu Gly Ser Asp Asn Leu Ile Leu Ile Leu Leu Glu Pro Ile Leu Gln
 740 745 750
 Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg Ala Leu Met Ala Gln
 755 760 765
 Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly Lys Arg Gly Leu Phe
 770 775 780
 Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys Leu Ala Leu Val Asn
 785 790 795 800
 Glu Asp Asp Val Lys Thr
 805

<210> 87
 <211> 806
 <212> PRT
 <213> murine

<400> 87

Met Val Lys Ser Leu Trp Asp Ser Leu Cys Asn Met Ser Gln Asp Arg
 1 5 10 15
 Lys Pro Ile Val Gly Ser Phe His Phe Val Cys Ala Leu Ala Leu Ile
 20 25 30
 Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu Glu Ser Met Val Asp
 35 40 45
 Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys Asp Leu Pro Pro Arg
 50 55 60
 Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile Ser Glu Leu Arg Met
 65 70 75 80

Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val Leu Arg Leu Ser His
 85 90 95

Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe Leu Phe Asn Gln Asp
 100 105 110

Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu Gln Asn Ile Ser Cys
 115 120 125

Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu Ser Phe Asn Asp Phe
 130 135 140

Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn Leu Thr Lys Leu Thr
 145 150 155 160

Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln Leu Asp Leu Leu Pro
 165 170 175

Val Ala His Leu His Leu Ser Cys Ile Leu Leu Asp Leu Val Ser Tyr
 180 185 190

His Ile Lys Gly Gly Glu Thr Glu Ser Leu Gln Ile Pro Asn Thr Thr
 195 200 205

Val Leu His Leu Val Phe His Pro Asn Ser Leu Phe Ser Val Gln Val
 210 215 220

Asn Met Ser Val Asn Ala Leu Gly His Leu Gln Leu Ser Asn Ile Lys
 225 230 235 240

Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr Phe Leu Ser Glu Leu
 245 250 255

Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu Gln His Ile Glu Thr
 260 265 270

Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe Phe Trp Pro Arg Pro
 275 280 285

Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile Thr Glu Arg Ile Asp
 290 295 300

Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu Lys Ser Leu Met Ile
 305 310 315 320

Glu His Val Lys Asn Gln Val Phe Leu Phe Ser Lys Glu Ala Leu Tyr
 325 330 335

Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu Ser Ile Ser Asp Thr
 340 345 350

Pro Phe Ile His Met Val Cys Pro Pro Ser Pro Ser Ser Phe Thr Phe
 355 360 365

Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser Val Phe Gln Gly Cys
 370 375 380

Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu Gln Arg Asn Gly Leu
 385 390 395 400

Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys Asn Met Ser Ser Leu

405 410 415
 Glu Thr Leu Asp Val Ser Leu Asn Ser Leu Asn Ser His Ala Tyr Asp
 420 425 430
 Arg Thr Cys Ala Trp Ala Glu Ser Ile Leu Val Leu Asn Leu Ser Ser
 435 440 445
 Asn Met Leu Thr Gly Ser Val Phe Arg Cys Leu Pro Pro Lys Val Lys
 450 455 460
 Val Leu Asp Leu His Asn Asn Arg Ile Met Ser Ile Pro Lys Asp Val
 465 470 475 480
 Thr His Leu Gln Ala Leu Gln Glu Leu Asn Val Ala Ser Asn Ser Leu
 485 490 495
 Thr Asp Leu Pro Gly Cys Gly Ala Phe Ser Ser Leu Ser Val Leu Val
 500 505 510
 Ile Asp His Asn Ser Val Ser His Pro Ser Glu Asp Phe Phe Gln Ser
 515 520 525
 Cys Gln Asn Ile Arg Ser Leu Thr Ala Gly Asn Asn Pro Phe Gln Cys
 530 535 540
 Thr Cys Glu Leu Arg Asp Phe Val Lys Asn Ile Gly Trp Val Ala Arg
 545 550 555 560
 Glu Val Val Glu Gly Trp Pro Asp Ser Tyr Arg Cys Asp Tyr Pro Glu
 565 570 575
 Ser Ser Lys Gly Thr Ala Leu Arg Asp Phe His Met Ser Pro Leu Ser
 580 585 590
 Cys Asp Thr Val Leu Leu Thr Val Thr Ile Gly Ala Thr Met Leu Val
 595 600 605
 Leu Ala Val Thr Gly Ala Phe Leu Cys Leu Tyr Phe Asp Leu Pro Trp
 610 615 620
 Tyr Val Arg Met Leu Cys Gln Trp Thr Gln Thr Arg His Arg Ala Arg
 625 630 635 640
 His Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe
 645 650 655
 Val Ser Tyr Ser Glu His Asp Ser Ala Trp Val Lys Asn Glu Leu Leu
 660 665 670
 Pro Asn Leu Glu Lys Asp Asp Ile Arg Val Cys Leu His Glu Arg Asn
 675 680 685
 Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Asn Phe Ile Glu
 690 695 700
 Lys Ser Tyr Lys Ala Ile Phe Val Leu Ser Pro His Phe Ile Gln Ser
 705 710 715 720
 Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His
 725 730 735
 Glu Gly Ser Asp Asn Leu Ile Leu Ile Leu Leu Glu Pro Ile Leu Gln

740 745 750
 Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg Ala Leu Met Ala Gln
 755 760 765
 Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly Lys Arg Gly Leu Phe
 770 775 780
 Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys Leu Ala Leu Val Asn
 785 790 795 800
 Glu Asp Asp Val Lys Thr
 805

<210> 88
 <211> 806
 <212> PRT
 <213> murine

<400> 88

Met Val Lys Ser Leu Trp Asp Ser Leu Cys Asn Met Ser Gln Asp Arg
 1 5 10 15
 Lys Pro Ile Val Gly Ser Phe His Phe Val Cys Ala Leu Ala Leu Ile
 20 25 30
 Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu Glu Ser Met Val Asp
 35 40 45
 Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys Asp Leu Pro Pro Arg
 50 55 60
 Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile Ser Glu Leu Arg Met
 65 70 75 80
 Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val Leu Arg Leu Ser His
 85 90 95
 Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe Leu Phe Asn Gln Asp
 100 105 110
 Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu Gln Asn Ile Ser Cys
 115 120 125
 Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu Ser Phe Asn Asp Phe
 130 135 140
 Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn Leu Thr Lys Leu Thr
 145 150 155 160
 Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln Leu Asp Leu Leu Pro
 165 170 175
 Val Ala His Leu His Leu Ser Cys Ile Leu Leu Asp Leu Val Ser His
 180 185 190
 His Ile Lys Gly Gly Glu Thr Glu Ser Leu Gln Ile Pro Asn Thr Thr
 195 200 205
 Val Leu His Leu Val Phe His Pro Asn Ser Leu Phe Ser Val Gln Val
 210 215 220

Asn Met Ser Val Asn Ala Leu Gly His Leu Gln Leu Ser Asn Ile Lys
 225 230 235 240
 Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr Phe Leu Ser Glu Leu
 245 250 255
 Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu Gln His Ile Glu Thr
 260 265 270
 Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe Phe Trp Pro Arg Pro
 275 280 285
 Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile Thr Glu Arg Ile Asp
 290 295 300
 Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu Lys Ser Leu Met Ile
 305 310 315 320
 Glu His Val Lys Asn Gln Val Phe Leu Phe Ser Lys Glu Ala Leu Tyr
 325 330 335
 Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu Ser Ile Ser Asp Thr
 340 345 350
 Pro Phe Ile His Met Val Cys Pro Pro Ser Pro Ser Ser Phe Thr Phe
 355 360 365
 Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser Val Phe Gln Gly Cys
 370 375 380
 Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu Gln Arg Asn Gly Leu
 385 390 395 400
 Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys Asn Met Ser Ser Leu
 405 410 415
 Glu Thr Leu Asp Val Ser Leu Asn Ser Leu Asn Ser His Ala Tyr Asp
 420 425 430
 Arg Thr Cys Ala Trp Ala Glu Ser Ile Leu Val Leu Asn Leu Ser Ser
 435 440 445
 Asn Met Leu Thr Gly Ser Val Phe Arg Cys Leu Pro Pro Lys Val Lys
 450 455 460
 Val Leu Asp Leu His Asn Asn Arg Ile Met Ser Ile Pro Lys Asp Val
 465 470 475 480
 Thr His Leu Gln Ala Leu Gln Glu Leu Asn Val Ala Ser Asn Ser Leu
 485 490 495
 Thr Asp Leu Pro Gly Cys Gly Ala Phe Ser Ser Leu Ser Val Leu Val
 500 505 510
 Ile Asp His Asn Ser Val Ser His Pro Ser Glu Asp Phe Phe Gln Ser
 515 520 525
 Cys Gln Asn Ile Arg Ser Leu Thr Ala Gly Asn Asn Pro Phe Gln Cys
 530 535 540
 Thr Cys Glu Leu Arg Asp Phe Val Lys Asn Ile Gly Trp Val Ala Arg

545 550 555 560
 Glu Val Val Glu Gly Trp Pro Asp Ser Tyr Arg Cys Asp Tyr Pro Glu
 565 570 575

 Ser Ser Lys Gly Thr Ala Leu Arg Asp Phe His Met Ser Pro Leu Ser
 580 585 590

 Cys Asp Thr Val Leu Leu Thr Val Thr Ile Gly Ala Thr Met Leu Val
 595 600 605

 Leu Ala Val Thr Gly Ala Phe Leu Cys Leu Tyr Phe Asp Leu Pro Trp
 610 615 620

 Tyr Val Arg Met Leu Cys Gln Trp Thr Gln Thr Arg His Arg Ala Arg
 625 630 635 640

 His Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe
 645 650 655

 Val Ser Tyr Ser Glu His Asp Ser Ala Trp Val Lys Asn Glu Leu Leu
 660 665 670

 Pro Asn Leu Glu Lys Asp Asp Ile Arg Val Cys Leu His Glu Arg Asn
 675 680 685

 Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Asn Phe Ile Glu
 690 695 700

 Lys Ser Tyr Lys Ala Ile Phe Val Leu Ser Pro His Phe Ile Gln Ser
 705 710 715 720

 Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His
 725 730 735

 Glu Gly Ser Asp Asn Leu Ile Leu Ile Leu Leu Glu Pro Ile Leu Gln
 740 745 750

 Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg Ala Leu Met Ala Gln
 755 760 765

 Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly Lys Arg Gly Leu Phe
 770 775 780

 Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys Leu Ala Leu Val Asn
 785 790 795 800

 Glu Asp Asp Val Lys Thr
 805

<210> 89
 <211> 795
 <212> PRT
 <213> murine

<400> 89

Met Ser Gln Asp Arg Lys Pro Ile Val Gly Ser Phe His Phe Val Cys
 1 5 10 15

 Ala Leu Ala Leu Ile Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu
 20 25 30

Glu Ser Met Val Asp Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys
 35 40 45
 Asp Leu Pro Pro Arg Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile
 50 55 60
 Ser Glu Leu Arg Met Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val
 65 70 75 80
 Leu Arg Leu Ser His Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe
 85 90 95
 Leu Phe Asn Gln Asp Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu
 100 105 110
 Gln Asn Ile Ser Cys Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu
 115 120 125
 Ser Phe Asn Asp Phe Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn
 130 135 140
 Leu Thr Lys Leu Thr Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln
 145 150 155 160
 Leu Asp Leu Leu Pro Val Ala His Leu His Leu Ser Cys Ile Leu Leu
 165 170 175
 Asp Leu Val Ser Tyr His Ile Lys Gly Gly Glu Thr Glu Ser Leu Gln
 180 185 190
 Ile Pro Asn Thr Thr Val Leu His Leu Val Phe His Pro Asn Ser Leu
 195 200 205
 Phe Ser Val Gln Val Asn Met Ser Val Asn Ala Leu Gly His Leu Gln
 210 215 220
 Leu Ser Asn Ile Lys Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr
 225 230 235 240
 Phe Leu Ser Glu Leu Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu
 245 250 255
 Gln His Ile Glu Thr Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe
 260 265 270
 Phe Trp Pro Arg Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile
 275 280 285
 Thr Glu Arg Ile Asp Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu
 290 295 300
 Lys Ser Leu Met Ile Glu His Val Lys Asn Gln Val Phe Leu Phe Ser
 305 310 315 320
 Lys Glu Ala Leu Tyr Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu
 325 330 335
 Ser Ile Ser Asp Thr Pro Phe Ile His Met Val Cys Pro Pro Ser Pro
 340 345 350
 Ser Ser Phe Thr Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser

355 360 365
 Val Phe Gln Gly Cys Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu
 370 375 380
 Gln Arg Asn Gly Leu Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys
 385 390 395 400
 Asn Met Ser Ser Leu Glu Thr Leu Asp Val Ser Leu Asn Ser Leu Asn
 405 410 415
 Ser His Ala Tyr Asp Arg Thr Cys Ala Trp Ala Glu Ser Ile Leu Val
 420 425 430
 Leu Asn Leu Ser Ser Asn Met Leu Thr Gly Ser Val Phe Arg Cys Leu
 435 440 445
 Pro Pro Lys Val Lys Val Leu Asp Leu His Asn Asn Arg Ile Met Ser
 450 455 460
 Ile Pro Lys Asp Val Thr His Leu Gln Ala Leu Gln Glu Leu Asn Val
 465 470 475 480
 Ala Ser Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ala Phe Ser Ser
 485 490 495
 Leu Ser Val Leu Val Ile Asp His Asn Ser Val Ser His Pro Ser Glu
 500 505 510
 Asp Phe Phe Gln Ser Cys Gln Asn Ile Arg Ser Leu Thr Ala Gly Asn
 515 520 525
 Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Asp Phe Val Lys Asn Ile
 530 535 540
 Gly Trp Val Ala Arg Glu Val Val Glu Gly Trp Pro Asp Ser Tyr Arg
 545 550 555 560
 Cys Asp Tyr Pro Glu Ser Ser Lys Gly Thr Ala Leu Arg Asp Phe His
 565 570 575
 Met Ser Pro Leu Ser Cys Asp Thr Val Leu Leu Thr Val Thr Ile Gly
 580 585 590
 Ala Thr Met Leu Val Leu Ala Val Thr Gly Ala Phe Leu Cys Leu Tyr
 595 600 605
 Phe Asp Leu Pro Trp Tyr Val Arg Met Leu Cys Gln Trp Thr Gln Thr
 610 615 620
 Arg His Arg Ala Arg His Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu
 625 630 635 640
 Gln Phe His Ala Phe Val Ser Tyr Ser Glu His Asp Ser Ala Trp Val
 645 650 655
 Lys Asn Glu Leu Leu Pro Asn Leu Glu Lys Asp Asp Ile Arg Val Cys
 660 665 670
 Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile
 675 680 685
 Ile Asn Phe Ile Glu Lys Ser Tyr Lys Ala Ile Phe Val Leu Ser Pro

690 695 700
 His Phe Ile Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His
 705 710 715 720
 His Asn Leu Phe His Glu Gly Ser Asp Asn Leu Ile Leu Ile Leu Leu
 725 730 735
 Glu Pro Ile Leu Gln Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg
 740 745 750
 Ala Leu Met Ala Gln Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly
 755 760 765
 Lys Arg Gly Leu Phe Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys
 770 775 780
 Leu Ala Leu Val Asn Glu Asp Asp Val Lys Thr
 785 790 795

<210> 90
 <211> 10
 <212> DNA
 <213> artificial sequence

<220>

<223> consensus p50 subunit

<220>
 <221> misc_feature
 <222> (7)..(7)
 <223> N = c or t

<400> 90
 ggggatnccc

10

<210> 91
 <211> 10
 <212> DNA
 <213> artificial sequence

<220>

<223> consensus p65 subunit

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N = a or g

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N = a, c, g, or t

<400> 91
 gggntttcc

10

<210> 92

<211> 22
<212> DNA
<213> artificial sequence

<220>

<223> consensus subunit

<400> 92
agttgagggg actttcccag gc

22

<210> 93
<211> 27
<212> DNA
<213> artificial sequence

<220>

<223> CREB binding site

<400> 93
agagattgcc tgacgtcaga gagctag

27

<210> 94
<211> 21
<212> DNA
<213> artificial sequence

<220>

<223> AP-1 binding site

<400> 94
cgcttgatga gtcagccgga a

21

<210> 95
<211> 15
<212> DNA
<213> artificial sequence

<220>

<223> AP-1 binding site

<400> 95
cgcatgagtc agaca

15

<210> 96
<211> 19
<212> DNA
<213> artificial sequence

<220>

<223> ISRE

<400> 96

tgcagaagtg aaactgagg

19

<210> 97

<211> 11

<212> DNA

<213> artificial sequence

<220>

<223> ISRE

<400> 97

agaacgaaac a

11

<210> 98

<211> 15

<212> DNA

<213> artificial sequence

<220>

<223> ISRE

<400> 98

gagaagtgaa agtgg

15

<210> 99

<211> 18

<212> DNA

<213> artificial sequence

<220>

<223> ISRE

<400> 99

taagaacatg aaactgaa

18

<210> 100

<211> 15

<212> DNA

<213> artificial sequence

<220>

<223> ISRE

<400> 100

atgaaactga aagta

15

<210> 101

<211> 16

<212> DNA

<213> artificial sequence

<220>

<223> ISRE

<400> 101
tgaaaaccga aagcgc

16

<210> 102
<211> 13
<212> DNA
<213> artificial sequence

<220>

<223> ISRE

<400> 102
agaaatggaa agt

13

<210> 103
<211> 9
<212> DNA
<213> artificial sequence

<220>

<223> SRE

<400> 103
tcacccac

9

<210> 104
<211> 10
<212> DNA
<213> artificial sequence

<220>

<223> SRE

<400> 104
ctcaccac

10

<210> 105
<211> 10
<212> DNA
<213> artificial sequence

<220>

<223> SRE

<400> 105
gccaccctac

10

<210> 106
<211> 17
<212> DNA
<213> artificial sequence

<220>
<223> NFAT

<400> 106
tatgaaacag tttttcc

17

<210> 107
<211> 9
<212> DNA
<213> artificial sequence

<220>

<223> NFAT

<400> 107
aggaaactc

9

<210> 108
<211> 10
<212> DNA
<213> artificial sequence

<220>

<223> NFAT

<220>
<221> misc_feature
<222> (2)..(2)
<223> N = a or g

<220>
<221> misc_feature
<222> (5)..(5)
<223> N = a or g

<400> 108
anganattcc

10

<210> 109
<211> 16
<212> DNA
<213> artificial sequence

<220>

<223> NFAT

<400> 109
ccagttgagc cagaga

16

<210> 110
<211> 30
<212> DNA
<213> artificial sequence

<220>

<223> GAS

<400> 110

ctttcagttt catattactc taaatccatt

30

<210> 111

<211> 10

<212> DNA

<213> artificial sequence

<220>

<223> p53 consensus site

<220>

<221> misc_feature

<222> (1)..(3)

<223> N = a or g

<220>

<221> misc_feature

<222> (5)..(6)

<223> N = a or t

<220>

<221> misc_feature

<222> (8)..(10)

<223> N = c or t

<400> 111

nnncnngnnn

10

<210> 112

<211> 10

<212> DNA

<213> artificial sequence

<220>

<223> p53 consensus site

<400> 112

aggcatgcct

10

<210> 113

<211> 10

<212> DNA

<213> artificial sequence

<220>

<223> p53 consensus site

<400> 113

gggcttgccc

10

<210> 114

<211> 10
<212> DNA
<213> artificial sequence

<220>

<223> p53 consensus site

<400> 114
gggcttgctt

10

<210> 115
<211> 13
<212> DNA
<213> artificial sequence

<220>

<223> p53 consensus site

<400> 115
gcctggactt gcc

13

<210> 116
<211> 20
<212> DNA
<213> artificial sequence

<220>

<223> p53 consensus site

<400> 116
ggacatgccc gggcatgtcc

20

<210> 117
<211> 23
<212> DNA
<213> artificial sequence

<220>

<223> p53 consensus site

<400> 117
gtagcattag cccagacatg tcc

23

<210> 118
<211> 36
<212> DNA
<213> artificial sequence

<220>

<223> TARE

<400> 118
gaggtatgca gacaagagtc agagtttccc cttgaa

36

<210> 119
 <211> 10
 <212> DNA
 <213> artificial sequence

<220>

<223> SRF

<220>
 <221> misc_feature
 <222> (3)..(8)
 <223> N = a or t

<400> 119
 ccnnnnnnngg

10

<210> 120
 <211> 11
 <212> DNA
 <213> artificial sequence

<220>

<223> SRF

<400> 120
 ccaaataagg c

11

<210> 121
 <211> 670
 <212> DNA
 <213> Homo sapiens

<400> 121
 agaaaaatTT taaaaaatta ttcattcata tttttaggag ttttgaatga ttggatatgt 60
 aattatattc atattattaa tgtgtatcta tatagatttt tattttgcat atgtactttg 120
 atacaaaatt tacatgaaca aattacacta aaagttattc cacaaatata cttatcaaatt 180
 taagttaaat gtcaatagct tttaaactta aatttttagtt taacttttct gtcattcttt 240
 actttgaata aaaagagcaa actttgtagt ttttatctgt gaagtagagg tatacgtaat 300
 atacataaat agatatgcca aatctgtgtt attaaaattt catgaagatt tcaattagaa 360
 aaaaatacca taaaaggctt tgagtgcagg tgaaaaatag gcaatgatga aaaaaaatga 420
 aaaacttttt aaacacatgt agagagtgcg taaagaaagc aaaaacagag atagaaagta 480
 caactaggga atttagaaaa tggaaattag tatgttcact atttaagacc tatgcacaga 540
 gcaaagtctt cagaaaacct agaggccgaa gttcaagggt atccatctca agtagcctag 600
 caatatttgc aacatcccaa tggccctgtc cttttcttta ctgatggcgc tgctgggtgt 660
 cagctacaaa 670

<210> 122
 <211> 207
 <212> DNA
 <213> Homo sapiens

<400> 122
 aggttctctg aaggccttgc ttcctgcaga tgccttaa at agggaaacata ctgatttcca 60
 ctttctta at gcttctggac catttccatt tctgtttttg ctttccttct taactcttta 120
 catgagttta gagccgtgtt tctcaaatga tgggctagca cgcgtaagag ctcggtacct 180
 atcgatagag aaatgttctg gcacctg 207

<210> 123
 <211> 161
 <212> DNA
 <213> Homo sapiens

<400> 123
 aggttctctg aaggccttgc ttcctgcaga tgccttaa at agggaaacata ctgatttcca 60
 ctttctta at gcttctggac caatttccat ttctgttttt gctttccttc ttgaactctt 120
 tacatgagtt tagagccgtg tttctcaacc attttgtttt t 161

<210> 124
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 124
 ttctcaggtc gtttgctttc ctttgctttc tcccaagtct tgttttacaa tttgctttag 60
 tcattcactg aaacttttaa aaacattaga aaacctcaca gtttgtaa at ctttttccct 120
 attatatata tcataagata ggagcttaaa taaagagttt tagaaactac taaaatgtaa 180
 atgacatagg aaaactgaaa gggagaagtg aaagtgggaa attcctctga atagagagag 240
 gaccatctca tataaatagg ccataccac ggagaaagga cattctaact gcaacctttc 300

<210> 125
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 125
 gatctgta at gaataagcag gaactttgaa gactcagtga ctcagtgagt aataaagact 60
 cagtgacttc tgatcctgtc ctaactgcc a ctccttggtg tcccaagaaa gcggcttcct 120
 gctctctgag gaggaccctc tccctggaag gtaaaactaa ggatgtcagc agagaaatct 180
 ttccaccatt ggtgcttggt caaagaggaa actgatgagc tcaactctaga tgagagagca 240
 gtgagggaga gacagagact cgaatttccg gagctatttc agttttcttt tccgttttgt 300

gcaatttcac ttatgatacc ggccaatgct tgggtgctat tttggaaact ccccttaggg 360
 gatgcccctc aactggccct ataaagggcc agcctgagct g 401

<210> 126
 <211> 781
 <212> DNA
 <213> Homo sapiens

<400> 126
 ggttgtctgt atgcctccct gagggatatt cactttctgc tcccatccgc ccctatgagc 60
 gagtacctat gagcacagga tgtgcacata tttgagtctt attagtggta cacgcagttt 120
 tatcatctcc ccaggctctgt gtctgtatga aatgtgcatg ggtgtgtgtg tgcacgcgtg 180
 tgttccact cggggaatgt ggggagaggt gcatggagcc aagatgggtg gtaaatagta 240
 tgtttctgaa attaaaggac taatgtggag gaaggcgccc cagatgtact aaaccctttg 300
 ccttcctctc atcctctctg acttgggaag aaccaggatt ttgtttttta gcccttgggc 360
 atacagttgt tccatcccgga catgaactca gcctcccgtc tgaccgcccc ttggccttcc 420
 ttcttctctg atctgtggaa ccagggaat ctgcctagtgt ctgtctccaa gcaccttggc 480
 catgatgtaa acccagagaa attagcatct ccatctcctt ccttattccc caccctttgg 540
 tcatttctct ttagttcatt acctgggatt ttgatgtcta tgttccctcc tcgttattga 600
 tacacacaca gagagagaca aacaaaaaag gaacttcttg aaattcccc agaaggtttt 660
 gagagttgtt ttcaatgttg caacaagtca gtttctagtt taagtttcca tcagaaagga 720
 gtagagtata taagttccag taccagcaac agcagcagaa gaaacaacat ctgtttcagg 780
 g 781

<210> 127
 <211> 277
 <212> DNA
 <213> Homo sapiens

<400> 127
 gcatctccat ctcttctctt attccccacc caaaagtcatt ttctcttag ttcattacct 60
 gggattttga tgtctatgtt ccctctctgt tattgataca cacacagaga gagacaaaca 120
 aaaaaggaac ttcttgaaat tccccagaa ggttttgaga gttgttttca atgttgcaac 180
 aagtcagttt ctagtttaag tttccatcag aaaggagtag agtatataag ttccagtacc 240
 agcaacagca gcagaagaaa caacatctgt ttcaggg 277

<210> 128
 <211> 305
 <212> DNA
 <213> Homo sapiens

<400> 128

```

caagacatgc caagtgctga gtcactaata aagaaaaaag aagtaaagga agagtgggttc   60
tgcttcttag cgctagcctc aatgacgacc taagctgcac ttttccccct agttgtgtct   120

tgcgatgcta aaggacgtca ttgcacaatc ttaataaggt ttccaatcag cccacccgc   180

tctggcccca ccctcaccct ccaacaaaga tttatcaaat gtgggatttt cccatgagtc   240

tcaatattag agtctcaacc cccaataaat ataggactgg agatgtctct gaggctcatt   300

ctgcc                                             305

```

```

<210> 129
<211> 1181
<212> DNA
<213> Homo sapiens

```

```

<400> 129
cctgcaagag acaccatcct gaggggaaga gggcttctga accagcttga cccaataaga   60

aattcttggg tgcgcacggg gacagcagat tcagagccta gagccgtgcc tgcgtccgta   120

gtttccttct agcttctttt tgatttcaaa tcaagactta caggagagagg gagcgataaa   180

cacaaactct gcaagatgcc acaaggctct cctttgacat cccaacaaa gaaggtgagt   240

agtaatctcc ccctttctgc cctgaaccaa gtggcttcag taagtttcag ggctccagga   300

gacctgggca tgcaggtgcc gatgaaacag tggatgaagag actcagtggc agtggcagtg   360

gggagagcac tcgcagcaca ggcaaacctc tggcacaaga gcaaagtcct cactggagga   420

ttccaaggg tcacttggga gagggcaggc agcagccaac ctctctaag tgggctgaag   480

caggtgaaga aatggcagaa gacgcggtgg tggcaaaaag gagtcacaca ctccacctgg   540

agacgccttg aagtaactgc acgaaatttg aggggtggca ggcagttcta caacagccgc   600

ctcacagggg gagccagaac acagcaagaa ctcatatgac tggtagtatt accttcttca   660

taatcccagg cttggggggc tgcgatggag tcagaggaaa ctcatgtcag aacatctttg   720

gtttttacaa tacaatttaa ctggaacgct aaattctage ctgttaatct ggtcactgaa   780

aaaaaaaaa tttttttttt ttcaaaaaac atagcttttag cttatttttt ttttctcttt   840

gtaaaaacttc gtgcatgact tcagctttac tcttgtcaag acatgccaag tgctgagtca   900

ctaataaaga aaaaagaagt aaaggaagag tggttctgct tcttagcgct agcctcaatg   960

acgacctaag ctgcactttt cccctagtt gtgtcttgcg atgctaaagg acgtcattgc  1020

acaatcttaa taaggtttcc aatcagcccc acccgctctg gccccaccct caccctccaa  1080

caaagattta tcaaatgtgg gattttccca tgagtctcaa tattagagtc tcaacccccca  1140

ataaatatag gactggagat gtctctgagg ctcatctctgc c                               1181

```

```

<210> 130
<211> 778
<212> DNA

```

<213> Homo sapiens

<400> 130

ctaccacttg tctattctgc tatatagtca gtccttacat tgctttcttc ttctgataga 60

ccaaactctt taaggacaag tacctagtct tatctatttc tagatcccc acattactca 120

gaaagttact ccataaatgt ttgtggaact gatttctatg tgaagacatg tgccccttca 180

ctctgttaac tagcattaga aaaacaaatc ttttgaaaag ttgtagtatg cccctaagag 240

cagtaacagt tcctagaaac tctctaaaat gcttagaaaa agatttattt taaattacct 300

ccccaaataa atgattggct ggcttatctt caccatcatg atagcatctg taattaactg 360

aaaaaaaata attatgccat taaaagaaaa tcatccatga tcttgttcta acacctgcca 420

ctctagtact atatctgtca catggctctat gataaagtta tctagaaata aaaaagcata 480

caattgataa ttcaccaa at tgtggagctt cagtatttta aatgtatatt aaaattaaat 540

tattttaaag atcaaagaaa actttcgtca tactccgtat ttgataagga acaaatagga 600

agtgtgatga ctcaggtttg ccctgagggg atgggccatc agttgcaa at cgtggaat 660

cctctgacat aatgaaaaga tgaggggtgca taagttctct agtaggggtga tgatataaaa 720

agccaccgga gcactccata aggcacaaac tttcagagac agcagagcac acaagctt 778

<210> 131

<211> 207

<212> DNA

<213> Homo sapiens

<400> 131

actccgtatt tgataaggaa caaataggaa gtgtgatgac tcaggtttgc cctgagggga 60

tgggccatca gttgcaa atc gtggaatttc ctctgacata atgaaaagat gaggggtgat 120

aagttctcta gtaggggtgat gatataaaaa gccaccggag cactccataa ggcacaaact 180

ttcagagaca gcagagcaca caagctt 207

<210> 132

<211> 645

<212> DNA

<213> Homo sapiens

<400> 132

gggggtgatt tcaactcccc gggtgtccc aggtttgtcc ctgtacctcg caccagcct 60

ttctgaggc ctcaagcctg ccaccaagcc ccagctcct tctccccgca gggcccaaac 120

acaggcctca ggactcaaca cagcttttcc ctccaacccc gttttctctc cctcaacgga 180

ctcagctttc tgaagcccct ccagttcta gttctatctt tttctgcat cctgtctgga 240

agttagaagg aaacagacca cagacctggg ccccaaaaga aatggaggga atagggtttg 300

aggggcatgg ggacggggtt cagcctccag ggtcctacac acaaatcagt cagtggcca 360

gaagaccccc ctcggaatcg gagcagggag gatggggagt gtgaggggta tccttgatgc 420
 ttgtgtgtcc ccaactttcc aaatccccgc ccccgcatg gagaagaaac cgagacagaa 480
 ggtgcagggc cactaccgc ttctccaga tgagctcatg ggtttctcca ccaaggaagt 540
 tttccgctgg ttgaatgatt ctttccccgc cctcctctcg cccagggac atataaaggc 600
 agttgttggc acaccagcc agcagacgct ccctcagcaa ggaca 645

<210> 133
 <211> 457
 <212> DNA
 <213> Homo sapiens

<400> 133
 gcctgtactc agccaagggt gcagagatgt tatatatgat tgctcttcag ggaaccgggc 60
 ctccagctca caccacagct gctcaaccac ctctctctg aattgactgt cccttctttg 120
 gaactctagg cctgacccca ctccctggcc ctcccagccc acgattcccc tgacccgact 180
 ccctttccca gaactcagtc gctgaaccc ccagcctgtg gttctctcct aggcctcagc 240
 ctttctgccc ttgactgaa acagcagtat cttctaagcc ctgggggctt ccccgggccc 300
 cagccccgac ctagaacccg cccgctgcct gccacgctgc cactgccgct tcctctataa 360
 agggacctga gcgctccggc ccaggggctc cgcacagcag gtgaggctct cctgccccat 420
 ctcttgggc tgccctgct tcgtgctttg gactacc 457

<210> 134
 <211> 973
 <212> DNA
 <213> Homo sapiens

<400> 134
 gcagcaaadc agaatggcag ttgattcat ggtgctgaga ctggagggtc ctctgctgta 60
 ggctcagaat atgtctaagc aattgaggaa tgtctcagaa aacgtggggc tagtgtgcca 120
 tatttatctg caaagccatt ttccctccct aattctgatt ggataagggc attacagttg 180
 acttagcaaa acctgctggc tgctcctggg gaagtcccat gttgcagact cgaaggattt 240
 atttattgta gcctccaagt tacggaatct ccctctgctc ctcttttttt ggtaatagtg 300
 aattagggtt cactttccaa aacatgaact gtttcttgaa aaaaagaact tcattgcata 360
 tagaaaaaaa caaagggtgc aatccattct aactataatg ctttttctca acacttaaac 420
 ttttacagtt actttcagag gttatttttc aaaatatccc cagtaataga aatttttcat 480
 cttttatagg taaacctaatt tttttgtaa cagcaagttg tgctgatta ttagaacagt 540
 gatttacctg gacagtcctc cttgatcaaa tactataaag taataggact ggctgctttt 600
 gacagggtea aagatctgga actggcaagt tttaaataat tcaataaatg ctttgatcat 660
 tcataacacc attagattaa gtaaatagcc tocaacataa ctattttgag ggaaaacatt 720

gctcatttgg gtatctgatt tgtggtgtgt taaaacaagt ttcacgtctt atagcagtcc 780
 ctgaatgaaa acatcataag atggtatcta gaatggtgtg agaaaaggat tcatagctat 840
 cctaggggta ttgtaaaaaa caaaggggtgc tttttgagga aatgaattta aaagcggggg 900
 ggacgcata gagacagacc ttgggaaagt agcttgagac agaagggaaa caggttgatt 960
 tacgatgggg ttc 973

<210> 135
 <211> 333
 <212> DNA
 <213> Homo sapiens

<400> 135
 gctaccttaa gaaggctggt taccatctgg gttttcacag tgctttcaca ttcttatcac 60
 tttcaacact actgcaaata ggaagggaca gtaacattta gaagagaaca aaacagaaac 120
 tcttggaagc aggaaagggt catgactcaa agagggaat tcctgtgcc aaaaaggatt 180
 gctggtgtat aaaatgctct atatatgcc attatcaatt tcctttcatg ttcagcattt 240
 ctactccttc caagaagagc agcaaagctg aagttagcag cagcagcacc agcagcaaca 300
 gcaaaaaaca aacatgagtg tgaagggcac ggc 333

<210> 136
 <211> 1048
 <212> DNA
 <213> Homo sapiens

<400> 136
 ggtgaccaag aatgtgagca agcccaggca cagccactgt gggcgccctga ccaaacagca 60
 ctaaatttgt gtgggacatg atcccagagg tgtgtggctt caccctcaa cgagtggcgt 120
 ggcatggagt tactgaatct ccaagggtcaa acaggccctc aaattcatca agaaaagggt 180
 agggacaaac atctgtacca agagaaggca ggaggagctg agcaacgtcc tgctgccatg 240
 aggaaagcag ctgccaagaa ggactgagcc cctgccatct gcctataatg aaagctttgc 300
 aaaataaaat aaatataaaa taaagtaata aaattaaatt aaatttaaaa ataaaataaa 360
 gcaaaacaaa ataaaatata taaagtaaaa attgttaaaa tgcaaaacaa tatggacata 420
 aatacagaaa cacagggaac cttcttttagg cactcattta caggtaaaaa tatgaaattg 480
 aataaagggt atctggtgtc aaataatata ggccttatct attataagag tttggactga 540
 aaagcaaaag tgagataaca aaaaaaagct tttcagaata ttattttgta tagatatgtg 600
 aaggatgaag ggtgggtgaa aggacaaaa acagaaacac agtcttcctg aatgaatgac 660
 aatcagaatt ccgctgcccc aagtagtccg acaattaaat ggatttctag gaaaagctac 720
 cttaagaagg ctggttacca tctgggtttt cacagtgcct tcacattctt atcactttca 780

aactactgc aataggaag ggacagtaac atttagaaga gaacaaaaca gaaactcttg 840
 gaagcaggaa aggtgcatga ctcaaagagg gaaattcctg tgccataaaa ggattgctgg 900
 tgtataaaat gctctatata tgccaattat caatttcctt tcatgttcag catttctact 960
 ccttccaaga agagcagcaa agctgaagtt agcagcagca gcaccagcag caacagcaaa 1020
 aaacaaacat gagtgtgaag ggcatggc 1048

<210> 137
 <211> 504
 <212> DNA
 <213> Homo sapiens

<400> 137
 agggggcccc gcagcagccc cttggcttcc cttctccctt gcctcccctc cggggctccg 60
 gttcagaggc actctgggcg cctgctacag cttccaaact ggcgcgcttc cttcttcggc 120
 agaaaaggac tttcagatgc ggcggcgggcg ggcggcgga ctcaggacag cgcctccctc 180
 cctaacggcc gcctctccct ctccccctcg ccgcgcccg ctccccacc tctgggaagg 240
 cgctgggggt gtggccaggg accggtataa agtccggggg agccgggtccc ggcagccgc 300
 tcagccccct gcccctcgcc gccgcgcgc tgccctgggccc gggccgagga tgcggcgag 360
 cgccctggcg gccaggcttg ctccctcccg cagcctgct aacttcccc gctacgtccc 420
 cgctcgcccc ccgggcgcgc ccgtctcccc gcgcctccg ggtcgggtcc tccaggagcg 480
 ccaggcgctg ccgcctgtg ccct 504

<210> 138
 <211> 1042
 <212> DNA
 <213> Homo sapiens

<400> 138
 gatcacaaca gctctacaaa tacacaatga ttacaaggaa tggcgcccca ctggagtgtg 60
 tcaacgcaaa acttgacat tgcaagtggc aatctcccag gcctgcctcc ctccacgagt 120
 gggctctgaat gggcctgaga ggcaaacatc caagaaggag gaagaggctc ggcggcacct 180
 ccctcccccg gattctgct gattccatct tggggaagca gggaggacca gggcccaaat 240
 gcgcctggg gagattgcgg ggcggggaga ggttgcaagg ggcaagtggc aagagcctgt 300
 taacgtctta ggcctccag gcctttctgt gccctagct gtgcctgtac gctttacccc 360
 acctcaggag gcttggctc cagcggttga ggctggaagc accgggggtg ggtggaaagg 420
 gctctgtcca ggaagaccgg atccgcagag ccgggagtc gggctaggaa gtccctttct 480
 cgggtgggaga ctgaggccgc cttggcgggg cgggacgaga ctccctccag gtcgggaaag 540
 ggggccccgc agcagccct tggcttcctt tctcccttg ctccccctcg gggctccggt 600

tcagaggcac tctggggcgcc tgctacagct tccaaactgc gccgcttcct tcttcggcag 660
aaaaggactt tcagatgcgg cggcggcgcc ggcggcgact caggacagcg cccctcccc 720
taacggccgc ctctccctct cccctcgcc cgcccggt ccccaacctc tgggaaggcg 780
ctgggggtgt ggcaggac cggtataaag tccgggggag ccggtcccg gcagccgctc 840
agccccctgc cctcgccgc ccgcgcctg cctgggcccgg gccgaggatg cggcgccagcg 900
cctcgggcg caggcttgct ccctccggca cgctgctaa cttccccgc tacgtccccg 960
ttcgcccgcc gggccgccc gtctcccgcc gccctccggg tcgggtcctc caggagcgcc 1020
aggcgctgcc gccgtgtgcc ct 1042

<210> 139
<211> 24
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 139
tcgtcgtttt gacgttttgt cggt

24

<210> 140
<211> 24
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 140
tcgtcgtttt gtcgtttttt tcga

24

<210> 141
<211> 24
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 141
tcgtcgtttc gtcgtttcgt cggt

24

<210> 142
<211> 24
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 142

tcgtcgttttc gtcgttttgt cggt

24

<210> 143

<211> 21

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 143

tcgtcgtttt tcggtcgttt t

21

<210> 144

<211> 22

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 144

tcgtcgtttt tcgtgcgttt tt

22

<210> 145

<211> 22

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 145

tcgtcgtttt cggcgccgc cg

22

<210> 146

<211> 24

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 146

tcgtcgtttt acggcgccgt gccg

24

<210> 147

<211> 24

<212> DNA

<213> artificial sequence
<220>

<223> Immunostimulatory nucleic acid

<220>
<221> misc_feature
<222> (2)..(2)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (5)..(5)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (13)..(13)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (21)..(21)
<223> N = 5-methylcytosine

<400> 147
tngtngtttt gtngttttgt ngtt

24

<210> 148
<211> 27
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<220>
<221> misc_feature
<222> (2)..(2)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (5)..(5)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (7)..(7)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (11)..(11)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (13)..(14)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (16)..(16)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (19)..(19)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (22)..(22)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (26)..(27)
<223> N = 5-methylcytosine

<400> 148
tngtngntgt ntnngnttnt tnttgnn

27

<210> 149
<211> 21
<212> DNA
<213> artificial sequence

<220>
<223> Immunostimulatory nucleic acid

<220>
<221> misc_feature
<222> (2)..(2)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (8)..(8)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (10)..(10)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (13)..(13)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (16)..(16)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (20)..(20)

<223> N = 5-methylcytosine
<400> 149
gngtttgntn ttntttnttgn g

21

<210> 150
<211> 20
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<220>
<221> misc_feature
<222> (2)..(4)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (8)..(8)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (12)..(12)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (15)..(16)
<223> N = 5-methylcytosine

<220>
<221> misc_feature
<222> (19)..(19)
<223> N = 5-methylcytosine

<400> 150
gnnnaagntg gnatnngtna

20

<210> 151
<211> 15
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 151
tcctggcgagg gaagt

15

<210> 152
<211> 42
<212> DNA
<213> artificial sequence

<220>

WO 2004/094671

PCT/US2004/012788

<400> 152
gaaactcgag ccaccatgag acagactttg ccttgatatc ac

42

<210> 153
<211> 37
<212> DNA
<213> artificial sequence

<220>

<223> Oligonucleotide

<400> 153
gaaagaattc ttaatgtaca gagtttttgg atccaag

37

<210> 154
<211> 24
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 154
tgctgctttt gtgcttttgt gctt

24

<210> 155
<211> 20
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 155
tccatgacgt tcctgatgct

20

<210> 156
<211> 20
<212> DNA
<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 156
tccatgagct tcctgatgct

20

<210> 157
<211> 20
<212> DNA
<213> artificial sequence

WO 2004/094671

PCT/US2004/012788

<223> Immunostimulatory nucleic acid

<220>

<221> misc_feature

<222> (8)..(8)

<223> N = 5-methylcytosine

<400> 157

tccatgangt tcctgatgct

20

<210> 158

<211> 22

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 158

tcgtcgtttt cggcgcgcgc cg

22

<210> 159

<211> 21

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 159

ggggacgacg tcgtgggggg g

21

<210> 160

<211> 22

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 160

tgctgctttt cggcggccgc cg

22

<210> 161

<211> 21

<212> DNA

<213> artificial sequence

<220>

<223> Immunostimulatory nucleic acid

<400> 161

ggggagcagc tgctgggggg g

21